

Contents

Generic Requirements Notice Of Disclaimer	iii
List of Figures	xi
List of Tables	xiii
Preface	xv
The Telcordia Technologies GR Process	xv
About GR-1113-CORE	xv
To Submit Comments	xvi
1. Introduction	1-1
1.1 Purpose and Scope	1-1
1.2 Document Organization	1-2
1.3 Revision History	1-3
1.4 Related Documents	1-4
1.5 Requirements Terminology	1-5
1.6 General Model	1-5
2. ATM Layer Protocol	2-1
2.1 Service Provided to the Upper Layer	2-1
2.1.1 Description of the Primitives	2-4
2.1.2 Description of the Parameters	2-4
2.2 Service Expected from the Physical Layer	2-5
2.2.1 Description of the Primitives	2-6
2.2.2 Description of the Parameter	2-6
2.3 Layer Management Interaction	2-6
2.3.1 Description of the Primitives	2-7
2.3.2 Description of the Parameters	2-9
2.4 Functions of the ATM Layer Protocol	2-12
2.5 Cell Structure and Encoding	2-13
2.5.1 Cell structure	2-13
2.5.2 Preassigned Header Field Values	2-17
2.6 ATM Protocol Processes	2-19
2.6.1 Elements of Processes	2-19
2.6.2 Connection Assignment Process	2-20
2.6.3 Link Parameter Update Process	2-21
2.6.4 Connection Removal Process	2-21
2.6.5 ATM Cell Transfer Sending Process	2-22
2.6.6 ATM Cell Transfer Receiving Process	2-24
3. Generic Cell Rate Algorithm	3-1
4. ATM Layer Management Protocols	4-1
4.1 Roles of ATM Layer Management and Communication Mechanisms	4-1
4.2 ATM Layer Management Functions	4-3
4.3 ATM Layer Management Protocol Data Unit Structure And Encoding	4-4
4.4 Reception/Generation of ATM Layer Management PDU At ATMM-Entity	4-5
4.5 Fault Management Aspects	4-6

4.5.1 Terminology	4-6
4.5.2 Primitives Used For Fault Management	4-6
4.5.3 Elements of Processes	4-7
4.5.4 Alarm Process	4-9
4.5.4.1 At Originating End System	4-9
4.5.4.2 At Terminating End System	4-10
4.5.4.3 At Intermediate System	4-12
4.5.5 Loopback Process	4-14
4.5.6 Continuity Check Process	4-15
4.5.6.1 At Originating End System	4-15
4.5.6.2 At Terminating End System	4-15
4.6 Performance Management Aspects	4-17
4.6.1 Terminology	4-17
4.6.2 Primitives Used For Performance Management	4-18
4.6.3 Elements of Process and Procedure	4-18
4.6.4 Activation/Deactivation Process	4-20
4.6.5 Monitoring Procedure	4-27
4.6.5.1 At Sending End Point System	4-28
4.6.5.2 At Receiving End Point System	4-29
4.6.6 Reporting Procedure	4-29
4.6.6.1 At Sending Endpoint System	4-30
4.6.6.2 At Receiving Endpoint System	4-30
5. ATM Adaptation Layer Protocol for Constant Bit Rate Services	5-1
5.1 AAL1 Model	5-2
5.1.1 AAL1-SAR	5-2
5.1.2 AAL1-CS	5-3
5.1.3 AAL1 Layer Management	5-3
5.2 AAL1 Services Provided to the AAL1 Use,	5-4
5.2.1 Description of the Primitives	5-5
5.2.2 Description of the Parameters	5-5
5.3 Services the AAL1 Receives from the ATM Layer	5-5
5.4 Interactions Between the AAL1-SAR and the AAL1-CS	5-6
5.4.1 Description of the Signals	5-7
5.4.2 Description of the Parameters	5-7
5.5 Information Exchange Between AAL1-entities and MAAL1-entities	5-8
5.5.1 Description of the Primitives	5-9
5.5.2 Description of the Parameters	5-10
5.5.3 AAL1 Functions - DS1/DS3 Services	5-11
5.6 Protocol Data Unit (PDU) Structure and Encoding	5-13
5.6.1 AAL1_SAR_PDU Structure	5-13
5.6.1.1 AAL1_SAR_PDU Header Fields	5-13
5.6.2 AAL1_CS_PDU Structure for UDT	5-14
5.7 AAL1 Unstructured Data Transfer for DS1 and DS3 Service	5-15
5.7.1 Elements of Processes and Procedures	5-15
5.7.2 Initialization at Connection Establishment	5-19
5.7.2.1 Process Initialization - Sending AAL1-entity	5-19
5.7.2.2 Process Initialization - Receiving AAL1-entity	5-20

5.7.3	AAL1 - Line Coding and DS1/DS3 Loss of Signal (LOS)	5-21
5.7.3.1	Line Coding	5-21
5.7.3.2	DS1 /DS3 LOS	5-21
5.7.4	Sending AAL1-CS-entity	5-22
5.7.4.1	Blocking Process	5-23
5.7.4.2	SC Count Procedure	5-24
5.7.4.3	AAL1-CS Transfer Process	5-24
5.7.4.4	Asynchronous Clock Recovery — Sending Process	5-25
5.7.5	Sending AAL1-SAR-entity	5-26
5.7.5.1	AAL1_SAR_PDU Generation	5-27
5.7.5.2	SNP Encoding Procedure	5-28
5.7.6	Receiving AAL1-SAR-entity	5-28
5.7.6.1	AAL1-SAR Receiving Process	5-29
5.7.6.2	CSDATA Generation Process	5-30
5.7.6.3	SNP Error Check Procedure	5-30
5.7.7	Receiving AAL1-CS-entity	5-33
5.7.7.1	AAL1-CS Receiving Process	5-34
5.7.7.2	SN Check Procedure	5-36
5.7.7.3	PDU RCV Starvation Alarm Procedure	5-38
5.7.7.4	De-Blocking Process	5-39
5.7.7.5	Asynchronous Clock Recovery — Receiving Process	5-40
5.7.7.6	Synchronous Clock Recovery and the CBR AAL	5-41
5.8	Additional AAL Type 1 Protocol Elements	5-42
5.8.1	Structured Data Transfer	5-43
5.8.1.1	SDT Protocol Data Unit Description	5-43
5.8.1.2	SDT Pointer Field Description	5-44
5.8.1.3	SDT Pointer Generation Rules	5-45
5.8.2	Partial Payload Fill	5-45
5.8.3	Forward Error Correction	5-47
5.8.3.1	Forward Error Correction - Broadcast Video	5-47
5.8.3.2	Forward Error Correction - Short Delay Interleaver	5-49
6.	Synchronous Residual Time Stamp (SRTS) Method	6-1
6.1	Synchronous Residual Time Stamp (SRTS) Method	6-2
6.1.1	SRTS Method - Network Reference Clocks	6-2
6.1.2	SRTS Method - Basic Description	6-3
6.2	SRTS Method - Normal Operation	6-4
6.2.1	SRTS Parameters and the RTS	6-5
6.2.2	SRTS Method - Constraints on Asynchronous Clock Recovered	6-6
6.3	SRTS Method and Network Synchronization	6-7
7.	ATM Adaptation Layer Type 3/4 Common Part Protocol	7-1
7.1	Services Provided by CPAAL3/4	7-2
7.1.1	Description of Primitives	7-4
7.1.2	Description of Parameters	7-4
7.2	Service Expected from the ATM Layer	7-6
7.3	Layer Management Interactions	7-6
7.3.1	Description of Primitives	7-7

7.3.2 Description of Parameters	7-8
7.4 CPAAL3/4 Functions	7-9
7.5 PDU Structures and Encodings	7-10
7.5.1 SAR PDUs Used by the CPAAL3/4: Structure and Encoding	7-10
7.5.1.1 CPAAL3/4_SAR_PDU Structure and Encoding	7-11
7.5.1.2 ABORT_CPAAL3/4_SAR_PDU Structure and Encoding	7-13
7.5.2 CPAAL3/4_CS_PDU Structure and Encoding	7-13
7.6 CPAAL3/4 Protocol Processes	7-16
7.6.1 CPAAL3/4 Sending Process	7-16
7.6.2 CPAAL3/4 Receiving Process	7-19
8. ATM Adaptation Layer Type 5 Common Part Protocol	8-1
8.1 Service Provided to the Upper Layer	8-2
8.1.1 Description of Primitives	8-2
8.1.2 Description of Parameters	8-3
8.2 Services Expected from the ATM Layer:	8-4
8.3 Layer Management Interactions	8-4
8.3.1 Description of Primitives	8-5
8.3.2 Description of Parameters	8-5
8.4 CPAAL5 Functions	8-7
8.5 CPAAL5_PDU Structure and Encoding	8-8
8.6 CPAAL5 Processes	8-11
8.6.1 Elements of Processes	8-11
8.6.2 Instantiation and Termination of a CPAAL5 Connection	8-12
8.6.3 Process Description for the CPAAL5 Transmitter	8-13
8.6.4 Process Description for the CPAAL5 Receiver	8-15
9. Frame Relaying Service Specific ATM Adaptation Layer Protocol	9-1
9.1 Service Provided by the FR-SSCS	9-3
9.2 Information Exchanged with the Upper Layer at B-TEs	9-3
9.2.1 Description of Primitives	9-3
9.2.2 Description of Parameters	9-4
9.3 Q.922-CORE Data Link Layer (Q.922-DLL) Interactions	9-5
9.3.1 Description of Primitives	9-6
9.3.2 Description of Parameters	9-6
9.4 Services Expected from the CPAAL5	9-8
9.5 Layer Management Interactions	9-8
9.5.1 Description of the Primitives	9-9
9.5.2 Description of the Parameters	9-10
9.6 FR-SSCS Functions	9-13
9.7 FR_SSCS_PDU Structure and Coding	9-13
9.8 FR-SSCS Processes	9-18
9.8.1 Elements of Processes	9-19
9.8.2 Connection Assignment Process	9-19
9.8.3 Connection Removal Process	9-20
9.8.4 Connection Activation Process	9-20
9.8.5 Connection Deactivation Process	9-20
9.8.6 FR-SSCS Sending Process	9-21

9.8.7 FR-SSCS Receiving Process	9-22
10. UNI Signaling ATM Adaptation Layer	10-1
11. PDUs Encoding and Transmission Principles	11-1
12. Summary of Requirements	12-1
Appendix A: Layered Architecture	A-1
A.1 Basic Concepts	A-1
A.2 Layer Service	A-2
A.3 Layer Protocol	A-4
A.4 Data Units	A-4
Appendix B: Alignment With and Extension Of Standards	B-1
B.1 Introduction	B-1
B.2 ATM Layer Protocol	B-2
B.3 ATM Layer Management Protocols	B-4
B.4 AAL Protocol for Constant Bit Rate	B-5
B.5 AAL Type 3/4 Common Part Protocol	B-6
B.6 AAL Type 5 Common Part Protocol	B-9
B.7 Frame Relaying Service Specific ATM Adaptation Layer Protocol	B-11
Appendix C: Examples of CRC-10 Calculation	C-1
Appendix D: References	D-1
Appendix E: Abbreviations and Acronyms	E-1
Appendix F: Glossary	F-1

List of Figures

Figure 2-1	AUU Connections and APP Connections	2-2
Figure 2-2	Functions of ATM Layer Protocol	2-12
Figure 2-3	Cell Structure	2-14
Figure 2-4	Cell Header Fields of the UNI Format	2-14
Figure 2-5	Cell Header Fields of the NNI Format	2-15
Figure 3-1	Equivalent Versions of the GCRA	3-2
Figure 4-1	Interactive Between ATM-Entity and ATMM-Entity	4-2
Figure 4-2	ATM Layer Management Protocol Data Unit	4-4
Figure 4-3	Originating End System State Transition Diagram	4-9
Figure 4-4	Terminating End System State Transition Diagram	4-11
Figure 4-5	Intermediate System State Transition Diagram	4-13
Figure 4-6	Terminating End System State Transition Diagram	4-16
Figure 4-7	Activation/Deactivation Process State Transition Diagram	4-22
Figure 4-8	Function Specific Field Of Monitoring OAM Cell	4-27
Figure 4-9	Function Specific Field Of Reporting OAM Cell	4-30
Figure 5-1	Structure of the AAL1_SAR_PDU	5-13
Figure 5-2	AAL1_SAR_PDU Header Fields	5-14
Figure 5-3	AAL1_CS_PDUs Formats	5-15
Figure 5-4	Sending AAL1-entity Processes and Procedures	5-23
Figure 5-5	Receiving AAL1-entity Processes and Procedures	5-29
Figure 5-6	Receiver SNP Bimodal Operation	5-31
Figure 5-7	AAL1_SAR_PDU Payload Formats	5-44
Figure 5-8	SDT Pointer Field Format	5-44
Figure 5-9	Format of R-S(128,124) Interleaver Matrix	5-48
Figure 5-10	Format of R-S(94,88) Interleaver Matrix	5-49
Figure 5-11	R-S(94,88) Interleaver Matrix as an Octet Array + Dummy Octets	5-50
Figure 6-1	Residual Time Stamp concept	6-3
Figure 6-2	Generation of Residual Time Stamp	6-4
Figure 7-1	Structure of AAL Type 3/4	7-1
Figure 7-2	Message Mode Service	7-2
Figure 7-3	Streaming Mode Service	7-3
Figure 7-4	Structure of the CPAAL3/4_SAR_PDU	7-10
Figure 7-5	Structure of the CPAAL3/4_CS_PDU	7-14
Figure 8-1	Structure of AAL Type 5	8-1
Figure 8-2	CPAAL5_PDU	8-9
Figure 8-3	CPAAL5 Transmitter State Machine	8-13
Figure 8-4	CPAAL5 Receiver State Machine	8-15
Figure 9-1	Structure of the AAL5 in a B-TE	9-2
Figure 9-2	Structure of the AAL5 in a FR/ATM interworking functions	9-2
Figure 9-3	FR-SCCS 2-octet-header PDU format	9-14
Figure 9-4	FR-SSCS 3-octet-header PDU format	9-15
Figure 9-5	FR-SSCS 4-octet-header PDU format	9-15
Figure 10-1	Protocol Stack of Control Plane at UNI Showing Relationship of SAAL to Other Layers	10-1

Figure 11-1	Field Encoding Convention	11-1
Figure A-1	Layered Structure of the OSI Reference Model	A-1
Figure A-2	Entities, Service-access-points, and Connection-end-points	A-2
Figure A-3	Service Primitives and their Relationship	A-3
Figure A-4	Relationship among the Types of Data Units	A-5

List of Tables

Table 2-1	ATM Primitives	2-3
Table 2-2	PHY Primitives	2-5
Table 2-3	ATMM Primitives for Peer-to-peer Communication	2-6
Table 2-4	ATMM Primitives for Local Communication	2-7
Table 2-5	PTI Field and Coding	2-16
Table 2-6	Preassigned Header Field Values at the UNI (excluding the HEC)	2-17
Table 2-7	Preassigned Header Field Values at the NNI (excluding the HEC)	2-18
Table 4-1	OAM Type and Function Type	4-5
Table 4-2	PM Activation/Deactivation Messages	4-21
Table 5-1	AAL1 Primitives	5-4
Table 5-2	AAL1-SAR Signals	5-6
Table 5-3	MAAL1 Primitives	5-8
Table 5-4	Operations in Correction State	5-32
Table 5-5	Operations in Detection State	5-33
Table 7-1	CPAAL3/4 Primitives	7-3
Table 7-2	Parameters of the CPAAL3/4-UNITDATA primitives	7-6
Table 7-3	MCPAAL3/4 Primitives	7-7
Table 7-4	Encoding of the CPAAL3/4_SAR_PDU ST field	7-11
Table 7-5	Permissible Values of the LI Field	7-12
Table 8-1	CPAAL5 Primitives	8-2
Table 8-2	Parameters of the CPAAL5-UNITDATA primitives	8-4
Table 8-3	MCPAAL5 Primitives	8-5
Table 8-4	MCPAAL5 Parameters	8-7
Table 9-1	FR-SSCS DL-CORE Primitives	9-3
Table 9-2	Parameters of the DL-CORE-Data primitives	9-5
Table 9-3	FR-SSCS IWF Primitives	9-5
Table 9-4	Parameters of the IWF-DATA primitives	9-7
Table 9-5	MFR-SSCS Primitives	9-8
Table 9-6	MFR-SSCS Parameters	9-11