

Contents

[Telcordia GR-1209 - Documentation Information](#)

Preface	Preface-1
1. Introduction.....	1-1
1.1 Purpose and Scope of Document	1-2
1.2 Requirements Terminology	1-2
1.3 Requirement Labeling Conventions	1-3
1.3.1 Numbering of Requirement and Related Objects	1-3
1.3.2 Requirement, Conditional Requirement, and Objective	1-4
1.4 Changes from GR-1209-CORE, Issue 2.....	1-4
1.5 Organization	1-5
1.6 Order of Precedence.....	1-5
1.7 Harmonization With GR-1221-CORE.....	1-6
2. General Information.....	2-1
2.1 Scope.....	2-1
2.2 Passive Optical Components - Couplers and WDMs.....	2-2
2.2.1 General Product Description	2-2
2.2.2 Coupler and WDM Classes	2-2
2.2.3 Coupler and WDM Technology	2-4
2.2.4 Coupler and WDM Applications	2-6
2.2.4.1 Bidirectional Transmission.....	2-7
2.2.4.2 HFC Architecture for Video and Telephony	2-9
2.2.4.3 Fiber in the Loop Systems.....	2-12
2.3 Passive Optical Components - Filters	2-14
2.3.1 General Product Information	2-14
2.3.2 Filter Classes	2-14
2.3.3 Fiber Optic Filter Technology	2-15
2.3.3.1 Dielectric Interference Coatings	2-15
2.3.3.2 Fiber Optic Bragg Grating.....	2-15
2.3.3.3 Fiber Fabry-Perot Filters.....	2-16
2.3.4 Fiber Optic Filter Applications	2-16
2.3.4.1 Fiber Optic Filters in EDFAs	2-16
2.3.4.2 Fiber Optic Filters in Multiwavelength Networks.....	2-19
2.3.4.3 Wavelength Add-Drop Multiplexers (WADM)s.....	2-20
2.3.4.4 Fiber Optic Filters in Remote Fiber Test Systems....	2-22
2.4 Passive Optical Components - Isolators and Circulators	2-23
2.4.1 General Product Description	2-23
2.4.2 Isolator and Circulator Classes	2-25
2.4.2.1 Polarization/analyzer Isolators	2-25
2.4.2.2 Walk-off Isolators	2-26
2.4.2.3 Optical Circulators	2-28
2.4.3 Isolator Technology	2-30
2.4.4 Isolator and Circulator Applications	2-31
2.4.4.1 Transmitter Protection	2-32
2.4.4.2 Optical Amplifiers	2-32

2.4.4.3	In-Line Noise Reduction	2-33
2.4.4.4	Circulator Applications.....	2-34
2.5	Passive Optical Modules	2-37
3.	General and Design Criteria.....	3-1
3.1	Documentation.....	3-1
3.1.1	General Documentation	3-1
3.1.2	Workcenter Information Package	3-2
3.2	Marking, Packaging, and Shipping.....	3-2
3.3	Physical Design Criteria.....	3-3
3.3.1	General Physical Design Criteria	3-3
3.3.2	Optical Fiber	3-3
3.3.3	Optical Connectors	3-5
3.3.4	Materials	3-5
3.3.4.1	Toxicity.....	3-5
3.3.4.2	Corrosion Resistance.....	3-5
3.3.4.3	Dissimilar Metals.....	3-6
3.3.4.4	Fungus Resistance.....	3-6
3.3.4.5	Flammability	3-6
3.3.5	Safety	3-6
3.3.6	Mounting	3-7
3.4	Passive Optical Component Qualification.....	3-8
3.5	Reliability Assurance.....	3-9
3.6	Quality Technology Program.....	3-10
3.7	Application Environments.....	3-11
3.7.1	Background	3-11
3.7.2	Environmental Classifications	3-12
3.7.3	Environmental Definitions	3-12
3.7.3.1	Controlled Environment (C).....	3-12
3.7.3.2	Uncontrolled Environment (U)	3-12
3.7.3.3	Summary of Environmental Definitions.....	3-13
4.	Optical Performance Criteria.....	4-1
4.1	Optical Bandpass	4-4
4.1.1	Optical Bandpass - General	4-4
4.1.2	Optical Bandpass Guidelines	4-4
4.1.3	Optical Bandpass Testing	4-8
4.1.4	DWDM Bandpass Testing	4-9
4.1.5	Center Wavelength Definition	4-10
4.1.6	Central Frequency of DWDM Components Testing	4-10
4.2	Insertion Loss.....	4-10
4.2.1	Insertion Loss for All Products	4-10
4.2.2	Insertion Loss for Optical Isolators and Circulators	4-12
4.2.3	Insertion Loss for Fiber Optic Filters	4-13
4.2.4	Insertion Loss for Gain Flattening Filters	4-13
4.2.5	Insertion Loss Testing	4-14
4.3	Uniformity.....	4-15
4.3.1	Uniformity for All Products	4-15

4.3.2	Uniformity for Optical Isolators and Circulators	4-16
4.3.3	Uniformity (Flatness) for Fiber Optic Filters	4-17
4.3.4	Uniformity Testing	4-17
4.4	Isolation	4-18
4.4.1	WDM Wavelength Isolation or Far-End Crosstalk (FEXT)	4-18
4.4.1.1	WDM Wavelength Isolation or Far-End Crosstalk (FEXT) Testing	4-19
4.4.1.2	DWDM Wavelength Isolation or Adjacent Channel Crosstalk Testing.....	4-19
4.4.2	Isolation for Optical Isolators and Circulators	4-19
4.4.3	Wavelength Isolation (Optical Crosstalk) for Filters	4-20
4.5	Directivity	4-21
4.5.1	Directivity for All Products	4-21
4.5.2	Directivity for Optical Isolators and Circulators	4-22
4.5.3	Directivity for Fiber Optic Filters	4-22
4.5.4	Directivity Testing	4-22
4.6	Return Loss.....	4-22
4.6.1	Return Loss for All Products	4-22
4.6.2	Return Loss for Optical Isolators and Circulators	4-23
4.6.3	Return Loss for Fiber Optic Filters	4-23
4.7	Polarization-Dependent Loss (PDL).....	4-24
4.7.1	PDL for All Products	4-24
4.7.2	PDL for Optical Isolators and Circulators	4-24
4.7.3	PDL for Fiber Optic Filters	4-25
4.7.4	Polarization-Dependent Loss (PDL) Testing	4-25
4.8	Polarization Dependent Wavelength (PDW).....	4-26
4.8.1	PDW for All Products	4-26
4.8.2	PDW for Optical Isolators and Circulators	4-27
4.8.3	PDW for Fiber Optic Filters	4-27
4.8.4	Polarization Dependent Wavelength (PDW) Testing	4-27
4.9	Polarization-Mode Dispersion (PMD).....	4-27
4.9.1	PMD for All Products	4-27
4.9.2	PMD for Optical Isolators and Circulators	4-28
4.9.3	PMD for Fiber Optic Filters	4-28
4.9.4	Polarization-Mode Dispersion (PMD) Testing	4-28
4.10	Temperature Effects on DWDM Components.	4-29
4.11	Other Fiber Optic Filter Specific Criteria.....	4-29
4.11.1	Center Wavelength Misalignment	4-29
4.11.2	Polarization Sensitivity	4-30
5.	Environmental and Mechanical Performance Criteria	5-1
5.1	Performance Criteria	5-1
5.2	Standard Conditions of Test.....	5-1
5.3	Operating Environments	5-2
5.4	Environmental and Mechanical Criteria.....	5-2
5.4.1	Transportation and Handling Criteria	5-5
5.4.1.1	Temperature-Humidity Aging	5-5

5.4.1.2	Vibration	5-5
5.4.1.3	Component Impact.....	5-6
5.4.1.4	Module Impact.....	5-6
5.4.1.5	Temperature Cycling.....	5-7
5.4.2	Operational Performance Criteria	5-7
5.4.2.1	Temperature-Humidity Cycle: Controlled Environment	5-7
5.4.2.2	Temperature-Humidity Cycle: Uncontrolled Environment	5-8
5.4.2.3	Water Immersion	5-10
5.4.2.4	Controlled DWDM Temperature Effects.....	5-10
5.4.2.5	Uncontrolled DWDM Temperature Effects	5-10
5.4.3	Fiber Integrity Criteria	5-11
5.4.3.1	Fiber Flex	5-11
5.4.3.2	Fiber Twist	5-11
5.4.3.3	Fiber Side Pull.....	5-12
5.4.3.4	Fiber and Cable Retention (Straight Pull).....	5-12
5.5	Optical Measurement Facilities	5-13
Appendix A: The Transfer Matrix		A-1
A.1	Definition of Terms.....	A-1
A.2	Example	A-3
References.....		References-1
Acronyms		Acronyms-1
Glossary.....		Glossary-1
Requirement-Object Index.....		ROI-1

List of Figures

Figure 2-1.	Symbols for Passive Components: (a) Star Coupler, (b) Tree Coupler, Splitter or Combiner, (c) WDM	2-2
Figure 2-2.	Example of Common Coupler and WDM Packages	2-3
Figure 2-3.	Example of Insertion Loss versus Wavelength for 3 Types of 1x2 Couplers	2-4
Figure 2-4.	Three Splitters as Examples of Fabrication Technologies	2-5
Figure 2-5.	Arrayed Waveguide	2-6
Figure 2-6.	1x1 Protected a) Unidirectional Transmission and b) Bidirectional Transmission Using Couplers or WDMs	2-7
Figure 2-7.	N-Channel Bidirectional WDM Transmission.....	2-8
Figure 2-8.	A Sample Frequency Allocation Spectrum for Video and POTS Services.....	2-9
Figure 2-9.	An Example of Hybrid Fiber/Coax (HFC) Architecture With 1x4 Splitting.....	2-10
Figure 2-10.	HFC Optical Link Reference Model With 1x4 Splitting.....	2-10
Figure 2-11.	A Point-to-Multipoint FITL System With 1x8 Splitting.....	2-12
Figure 2-12.	Point-to-Multipoint ODN Reference Model.....	2-13
Figure 2-13.	Block Diagram of a Fiber Optic Filter	2-14
Figure 2-14.	Forming a Grating Structure in an Optical Fiber	2-16
Figure 2-15.	1480 nm Pump Filter in an EDFA.....	2-17
Figure 2-16.	Pump Power Suppression Using a Longpass Filter at the Amplifier Output.....	2-18
Figure 2-17.	Fiber Bragg-Grating Filter for Pump Power Reflection	2-18
Figure 2-18.	Example of Wideband Uniform Gain Spectrum.....	2-19
Figure 2-19.	Broadcast-and-Select WDM Star Network.....	2-20
Figure 2-20.	(a) Wavelength-Routing WDM Network and (b) Associated Wavelength Assignment Table.....	2-21
Figure 2-21.	WADM Using Optical Circulators.....	2-22
Figure 2-22.	WADM Using Dielectric Thin Film Bandpass Filters	2-22
Figure 2-23.	Symbols for (a) an Optical Isolator, (b) a Three-Port Optical Circulator	2-23
Figure 2-24.	Schematic Showing Operation of a Magneto-Optical Isolator	2-24
Figure 2-25.	An Example of Temperature Dependence of the Backward Loss in Single-Stage and Double-Stage Isolators.....	2-24
Figure 2-26.	Configuration of a Cascaded Optical Isolator	2-25
Figure 2-27.	Operating Principle of a Reciprocal Isolator	2-26
Figure 2-28.	Operating Principle for a Polarization Independent Walk-Off Isolator.....	2-27
Figure 2-29.	Schematic for a Polarization Independent Quasi-Circulator.....	2-28
Figure 2-30.	Positions and Polarization of Beam 2 and Beam 2' on Some Element Surfaces (a) A – A', (b) B – B', (c) C – C', and (d) D – D' in Figure 2-29.....	2-29
Figure 2-31.	Isolation Bandwidths for Isolators Made using Yttrium Iron Garnet (YIG) and Bismuth Iron Garnet (BIG) at 1550 nm	2-31

Figure 2-32.	A Schematic Configuration of the DFB Integrated Laser Module .	2-32
Figure 2-33.	OFA Gain Module Followed (a) or Preceded (b) by an Isolator....	2-33
Figure 2-34.	Three Discrete Reflections between a Transmitter and Receiver .	2-34
Figure 2-35.	Bidirectional Transmission Using Circulators	2-34
Figure 2-36.	A Reflective Double-Pass Fiber Amplifier Using an Optical Circulator	2-35
Figure 2-37.	Dispersion Compensation Using an Optical Circulator	2-36
Figure 2-38.	A Schematic for an Optical Add/Drop Multiplexer Using Optical Circulators.....	2-36
Figure 4-1.	Center Wavelength, Offset, and Bandwidth for a Demultiplexer.....	4-5
Figure 4-2.	DWDM Reflection Spectrum.....	4-8
Figure 4-3.	Gain Flattening Filter Spectrum.....	4-14
Figure 4-4.	A Uniformity Measurement Example for a 1x2 Coupler.....	4-17
Figure 4-5.	Configuration for Measuring Polarization Dependent Loss	4-26
Figure 4-6.	Polarization-Affected Wavelength Offset.....	4-26
Figure 5-1.	Controlled Temperature Cycling Test Profile	5-8
Figure 5-2.	Uncontrolled Temperature Cycling Test Thermal Profile	5-9
Figure 5-3.	Example of Transmission Measurement Facility.....	5-13

List of Tables

Table 2-1.	Sample HFC Power Budget for 1x4 Splitting.....	2-11
Table 3-1.	Summary of Environmental Definitions.....	3-13
Table 4-1.	Optical Performance Criteria Summary.....	4-1
Table 4-2.	Nominal Optical Bandpass Ranges	4-4
Table 4-3.	Grid Central Frequencies	4-6
Table 4-4.	Insertion Loss Criteria for Digital and AM-VSB Transmission	4-11
Table 4-5.	Insertion Loss Criteria for 1xN and 2xN Couplers.....	4-12
Table 4-6.	Uniformity Criteria and Effective Minimum Loss.....	4-16
Table 4-7.	PDL Requirement for MxN Couplers.....	4-24
Table 4-8.	Polarization Mode Dispersion of Passive Optical Components.....	4-28
Table 5-1.	Summary of Environmental Definitions.....	5-2
Table 5-2.	Environmental and Mechanical Requirements.....	5-3
Table 5-3.	Classifications Guidelines for Impact Testing.....	5-7
Table 5-4.	Fiber Ribbon Cable Retention Loads.....	5-13