

Contents

1 Introduction and Overview

1.1 Definition	1-1
1.2 Background	1-4
1.3 Relation to TA-NWT-001270, Issue 1	1-6
1.4 Overview of Revisions	1-8
1.4.1 Association of Bearer Capabilities with SFGs	1-8
1.4.2 Assignment of Carriers to OUTWATS Bands	1-9
1.4.3 Other Revisions	1-10
1.5 Document Organization	1-10
1.6 Requirements Terminology	1-10

2 High-Level Feature Description

2.1 Foreign Exchange Selection	2-1
2.2 Tie Trunk Selection	2-2
2.3 OUTWATS Selection	2-3
2.4 INWATS Selection	2-4
2.5 Simulated Facility Groups	2-4
2.6 Assumptions on Class II Equipment	2-6

3 Feature Requirements

3.1 Feature Operations	3-1
3.1.1 Main Feature Operations	3-1
3.1.1.1 Foreign Exchange Selection	3-1
3.1.1.2 Tie Trunk Selection	3-6
3.1.1.3 OUTWATS Selection	3-11
3.1.1.4 INWATS Selection	3-14
3.1.2 Other Feature Operations	3-17
3.1.2.1 Simulated Facility Groups for Foreign Exchange Selection	3-17
3.1.2.2 Simulated Facility Groups for Tie Trunk Selection	3-18
3.1.2.3 Simulated Facility Groups for OUTWATS Selection	3-20
3.1.2.4 Simulated Facility Groups for INWATS Selection	3-21
3.1.2.5 Simulated Facility Groups for Public Network Circuit-Mode Calls	3-21
3.1.3 Release Treatment	3-23
3.1.3.1 Foreign Exchange Selection	3-23
3.1.3.2 Tie Trunk Selection	3-23
3.1.3.3 OUTWATS Selection	3-25
3.1.3.4 INWATS Selection	3-25
3.1.4 Interworking Feature Operation	3-25
3.1.5 Error Treatment and Abnormal Events	3-25
3.2 Internal Call Processing Controls	3-27
3.2.1 Class of Service/Configuration	3-27

3.2.2	Code Interpretation	3-27
3.2.3	Screening	3-27
3.2.3.1	Foreign Exchange Selection	3-27
3.2.3.2	Tie Trunk Selection	3-28
3.2.3.3	OUTWATS Selection	3-28
3.2.3.4	INWATS Selection	3-30
3.2.4	Routing	3-31
3.2.4.1	Foreign Exchange Selection	3-31
3.2.4.2	Tie Trunk Selection	3-31
3.2.4.3	OUTWATS Selection	3-31
3.2.4.4	INWATS Selection	3-31
3.2.5	Charge Treatment Determination	3-31
3.2.6	Overload	3-31
3.3	Signaling	3-32
3.3.1	Customer Signaling/User-Network Interface	3-32
3.3.1.1	Messages	3-32
3.3.1.2	Information Elements	3-34
3.3.2	SS7 Interface Signaling	3-39
3.4	Operations and Administration	3-39
3.4.1	Memory Administration: Service Changes/Subscription Parameters	3-39
3.4.1.1	Foreign Exchange Selection	3-40
3.4.1.2	Tie Trunk Selection	3-41
3.4.1.3	OUTWATS Selection	3-42
3.4.1.4	INWATS Selection	3-43
3.4.1.5	Simulated Facility Groups for Public Network Circuit-Mode Calls	3-45
3.4.2	Network Maintenance	3-45
3.4.2.1	Surveillance	3-46
3.4.2.2	Testing	3-47
3.4.3	Network Data Collection	3-47
3.4.4	Network Traffic Management	3-48
3.4.5	Billing and Comptroller	3-48
3.4.5.1	AMA for Foreign Exchange Selection	3-49
3.4.5.2	AMA for Tie Trunk Selection	3-49
3.4.5.3	AMA for OUTWATS Selection	3-49
3.4.5.4	AMA for INWATS Selection	3-49
3.5	Interactions	3-51
3.5.1	ISDN Calling Number Identification Services	3-51
3.5.1.1	Foreign Exchange Selection Interaction	3-51
3.5.1.2	Tie Trunk Selection Interaction	3-51
3.5.1.3	OUTWATS Selection Interaction	3-51
3.5.1.4	INWATS Selection Interaction	3-52
3.5.2	Switched DS1/Switched Fractional DS1 (SWF-DS1/ISDN) Service	3-52
3.6	Limitations and Restrictions	3-53
3.7	Timing and Tolerances	3-53

Appendix A: Data Dictionary for ISDN PRI Call-By-Call Service Selection

A.1 Scope and Definition	A-1
A.2 Allowed Data Values	A-2
A.3 Data Dictionary	A-3

Appendix B: Message Sequence Diagrams

B.1 Introduction	B-1
B.1.1 Terminology	B-1
B.2 Foreign Exchange Selection	B-1
B.2.1 Origination Treatment	B-1
B.2.2 Termination Treatment	B-3
B.3 Tie Trunk Selection	B-4
B.3.1 Origination Treatment	B-4
B.3.2 Termination Treatment	B-6
B.4 OUTWATS Selection	B-8
B.4.1 IntraLATA OUTWATS	B-8
B.4.2 OUTWATS as Described in GR-601-CORE	B-9
B.4.3 InterLATA OUTWATS	B-10
B.5 INWATS	B-11

Appendix C: References

Appendix D: Glossary

List of Figures

Figure 1-1	Dedicated Facilities Configuration	1-2
Figure 1-2	Call-by-Call Service Selection Configuration	1-2
Figure 3-1	Network-Specific Facilities Information Element	3-36
Figure B-1	Foreign Exchange Selection – Origination Treatment	B-2
Figure B-2	Foreign Exchange Selection – Termination Treatment	B-3
Figure B-3	Tie Trunk Selection – Origination Treatment for Senderized Tie Trunks	B-4
Figure B-4	Tie Trunk Selection – Origination Treatment for Cut-Through Tie Trunks	B-5
Figure B-5	Tie Trunk Selection – Termination Treatment for Senderized Tie Trunks	B-6
Figure B-6	Tie Trunk Selection – Termination Treatment for Cut-Through Tie Trunks	B-7
Figure B-7	OUTWATS Selection – IntraLATA OUTWATS	B-8
Figure B-8	OUTWATS Selection – OUTWATS as Described in GR-601-CORE	B-9
Figure B-9	OUTWATS Selection – InterLATA OUTWATS	B-10
Figure B-10	INWATS Selection	B-11

List of Tables

Table 3-1	SETUP Message Content (network --> user)	3-33
Table 3-2	SETUP Message Content (user --> network)	3-34
Table 3-3	CCITT Standardized Cause Value #50	3-35
Table 3-4	National-Standardized Cause Value #51	3-36