
SONET Private Line Service Interface Generic Criteria for End Users

Contents

Preface	Preface-1
1. Introduction	1-1
1.1 Purpose	1-1
1.2 Scope	1-2
1.3 Primary Source Documents	1-2
1.4 Related Interface Documents	1-3
1.5 Comparison with SONET Inter-Carrier Interface Generic Criteria	1-3
1.6 Document Organization	1-4
1.7 Requirements Terminology	1-4
1.8 Requirement Labeling Conventions	1-5
1.8.1 Numbering of Requirement and Related Objects	1-5
1.8.2 Requirement, Conditional Requirement, and Objective Object Identification	1-6
2. Service Description	2-1
2.1 SONET Hierarchy	2-1
2.2 Initial SONET Private Line Services	2-1
2.2.1 Service Configurations	2-2
2.2.1.1 Intra-LATA Private Line	2-2
2.2.1.2 Inter-LATA Private Line	2-2
2.2.1.3 Multi-Service Access Line	2-3
2.2.1.4 Multi-Service Inter-LATA Access	2-4
2.2.2 Line Rates and Physical Layer Interfaces	2-5
2.2.3 Service Capabilities	2-5
2.3 Consideration of Additional Services	2-6
2.3.1 Sub STS-1 PLS Interfaces	2-6
2.3.2 Wideband Transport Capability via VT Inverse Multiplexing	2-6
2.3.3 Super-Rate Transport Capability via STS Inverse Multiplexing	2-7
3. Physical Layer Interface Characteristics	3-1
3.1 Line Rates	3-1
3.2 Framing and Scrambling	3-1
3.3 Overhead Generating and Processing	3-1
3.3.1 Section Overhead	3-3
3.3.2 Line Overhead	3-4

3.3.3	STS Path Overhead	3-4
3.3.4	VT Payload Pointer	3-5
3.3.5	VT Path Overhead.....	3-5
3.3.6	Summary of Overhead Criteria	3-5
3.4	Optical Interface Requirements.....	3-7
3.4.1	Optical Line Coding.....	3-8
3.4.2	Optical Parameter Definitions.....	3-8
3.4.2.1	Fiber Transmission Media	3-8
3.4.2.2	Transmitter.....	3-9
3.4.2.3	Mask of the Eye Diagram	3-10
3.4.2.4	Receiver	3-10
3.4.3	Optical Connector	3-11
3.5	Electrical Interface Requirements	3-11
3.6	Powering Arrangement	3-12
3.7	Synchronization.....	3-12
3.7.1	Loop Timing	3-12
3.7.2	External Timing	3-12
3.8	Jitter.....	3-13
3.9	Payload Mapping	3-13
4.	Operations and Maintenance.....	4-1
4.1	Performance Monitoring	4-1
4.1.1	Line BIP-8 Byte	4-1
4.1.2	Line Far End Block Error.....	4-2
4.2	Performance Monitoring at the NI	4-2
4.3	Alarm Surveillance.....	4-4
4.3.1	Maintenance Signals	4-4
4.3.1.1	Alarm Indication Signals	4-4
4.3.1.2	Remote Defect, Failure, and Alarm Indications	4-5
4.4	Testing Process.....	4-5
4.4.1	Test Access	4-6
4.4.2	Diagnostics.....	4-6
4.4.3	Loopbacks	4-7
4.4.3.1	Terminal Loopback.....	4-7
4.4.3.2	Facility Loopback	4-7
5.	Availability and Error Performance Requirements.....	5-1
5.1	Availability.....	5-1
5.2	Error Performance	5-1
6.	Diversity Protection	6-1
6.1	Single Link Interface.....	6-1
6.2	Dual Link Interface	6-1
	Appendix A: Requirement-Object List.....	A-1
	Appendix B: SONET Inverse Multiplexing	B-1

B.1	Background Information	B-1
B.2	Potential SONET Applications	B-1
B.3	SONET VT Inverse Multiplexers	B-2
B.4	SONET STS Inverse Multiplexers	B-3
Appendix C:	SONET Operations Communications	C-1
C.1	Data Communications Channel.....	C-1
C.1.1	Current DCC Use within the LEC Network	C-1
C.1.2	Extending DCC Use to Customer Installations.....	C-2
C.2	Security Issues.....	C-2
C.2.1	Potential Solutions to Security Problems	C-2
C.2.2	Restricted DCC and Interface NE.....	C-3
C.2.3	Security Administration	C-4
C.3	Providing Customer Network Management.....	C-5
C.3.1	Using the DCC	C-5
C.3.2	Alternate Method - Using an Independent Channel.....	C-5
C.3.3	Electronic Bonding	C-6
References	References-1
Acronyms.....	Acronyms-1
Requirement-Object Index	Index-1

List of Figures

Figure 1-1.	SONET PLS Network Interface	1-1
Figure 2-1.	Intra-LATA Private Line	2-2
Figure 2-2.	Inter-LATA Private Line	2-3
Figure 2-3.	Multi-Service Access Line	2-3
Figure 2-4.	Multi-Service Inter-LATA Access	2-4
Figure 3-1.	SONET PLS Layered Overhead Interface.....	3-2
Figure 4-1.	Performance Monitoring at the NI.....	4-3
Figure 4-2.	Facility Loopback at the CPE.....	4-7
Figure 6-1.	Dual Homing to a SONET Self-Healing Ring	6-2
Figure B-1.	SONET VT Inverse Multiplexer for Wideband Services.....	B-2
Figure B-2.	SONET STS Inverse Multiplexer for Super-Rate Services.....	B-3

List of Tables

Table 2-1.	Interfaces and Service Capabilities.....	2-6
Table 3-1.	SONET PLS Overhead Bytes Across the NI.....	3-6