

---

# SONET Inter-Carrier Interface Physical Layer

## Contents

List of Figures.....	ix
List of Tables .....	xi
Preface .....	Preface-1
PrefaceComments and Issues List Report Mechanism .....	Preface-1
PrefaceGR-1374-CORE Current Maturity Level, Status, and Plans .....	Preface-2
PrefaceFormatting Comments.....	Preface-2
C.....	Where and When to Submit CommentsPreface-3
1. Introduction.....	1-1
1.1 Purpose and Scope .....	1-1
1.2 Primary Source Documents.....	1-1
1.3 Related Interface Documents .....	1-2
1.4 Comparison with B-ICI Specifications .....	1-2
1.5 Comparison with SONET PLS Generic Criteria .....	1-4
1.6 Document Organization .....	1-4
1.7 Requirements Terminology.....	1-5
1.8 Requirement Labeling Conventions.....	1-6
1.8.1 Numbering of Requirement and Related Objects .....	1-6
1.8.2 Requirement, Conditional Requirement, and Objective Object Identification .....	1-6
2. S-ICI Reference Configurations.....	2-1
2.1 SONET Hierarchy .....	2-1
2.2 S-ICI Line Rates.....	2-2
2.3 Configurations.....	2-2
2.3.1 Line Side Interface .....	2-2
2.3.2 Drop Side Interface .....	2-3
2.3.3 Network Architectures .....	2-4
2.3.4 Summary: Six Reference Configurations .....	2-10
2.4 S-ICI Electrical Interface .....	2-10
2.5 S-ICI Optical Interfaces .....	2-10
3. General S-ICI Characteristics .....	3-1
3.1 S-ICI Basic Signal Format .....	3-1
3.2 Overhead Connectivity.....	3-1
3.2.1 Bytes D1 through D12 .....	3-5
3.2.2 Bytes K1 and K2 .....	3-6
3.2.3 Byte S1 .....	3-6
3.2.4 Bytes M0 and M1 .....	3-7

---

3.2.5	Bytes E1 and E2 .....	3-7
3.2.6	Byte F1 .....	3-7
3.3	Payload Compatibility .....	3-7
3.4	Performance Monitoring .....	3-8
4.	Physical Layer Characteristics of the 51.840 Mb/s S-ICI .....	4-1
4.1	Bit Rate .....	4-1
4.2	Interface Symmetry .....	4-1
4.3	Signal Format .....	4-1
4.3.1	Framing Information .....	4-2
4.3.2	Overhead Bytes Active Across the S-ICI .....	4-3
4.4	Powering Arrangements .....	4-3
4.5	Physical Media Characteristics .....	4-3
4.6	Connectors .....	4-3
4.7	Synchronization, Timing and Jitter .....	4-4
5.	Physical Layer Characteristics of the 155.520 Mb/s S-ICI .....	5-1
5.1	Bit Rate .....	5-1
5.2	Interface Symmetry .....	5-1
5.3	Signal Format .....	5-1
5.3.1	Framing Information .....	5-2
5.3.2	Overhead Bytes Active Across the S-ICI .....	5-3
5.4	Powering Arrangements .....	5-3
5.5	Physical Media Characteristics .....	5-3
5.6	Connectors .....	5-4
5.7	Synchronization, Timing and Jitter .....	5-4
6.	Physical Layer Characteristics of the 622.080 Mb/s S-ICI .....	6-1
6.1	Bit Rate .....	6-1
6.2	Interface Symmetry .....	6-1
6.3	Signal Format .....	6-1
6.3.1	Framing Information .....	6-2
6.3.2	Overhead Bytes Active Across the S-ICI .....	6-3
6.4	Powering Arrangements .....	6-3
6.5	Physical Media Characteristics .....	6-3
6.6	Connectors .....	6-4
6.7	Synchronization, Timing and Jitter .....	6-4
7.	Physical Layer Characteristics of the 2.48832 Gb/s S-ICI .....	7-1
7.1	Bit Rate .....	7-1
7.2	Interface Symmetry .....	7-1
7.3	Signal Format .....	7-1
7.3.1	Framing Information .....	7-3
7.3.2	Overhead Bytes Active Across the S-ICI .....	7-3
7.4	Powering Arrangements .....	7-3
7.5	Physical Media Characteristics .....	7-3

---

---

7.6	Connectors.....	7-4
7.7	Synchronization, Timing and Jitter .....	7-4
8.	SONET Operations Communications .....	8-1
8.1	Data Communications Channel.....	8-1
8.1.1	Current Use within a Single Carrier's Network.....	8-1
8.1.2	Use Across Administrative Boundaries .....	8-2
8.2	Security Issues.....	8-2
8.2.1	Potential Solutions to Security Problems.....	8-2
8.2.2	Restricted DCC and Interface NE.....	8-3
8.2.3	Security Administration .....	8-4
8.3	Providing Customer Network Management.....	8-5
8.3.1	Using the DCC .....	8-5
8.3.2	Alternate Method - Using an Independent Channel.....	8-5
8.3.3	Electronic Bonding .....	8-6
	Appendix A: Requirement-Object List.....	A-1
	References .....	References-1
	Acronyms.....	Acronyms1
	Requirement-Object.....	ROI-1
	Index .....	ROI-1

---



## List of Figures

Figure 1-1.	Relationship between S-ICI and B-ICI.....	1-3
Figure 2-1.	Line Side Interface.....	2-3
Figure 2-2.	Drop Side Interface.....	2-4
Figure 2-3.	Line Side Interface Off a Ring .....	2-5
Figure 2-4.	Drop Side Interface Off a Ring.....	2-6
Figure 2-5.	Line Side Interface Off a DCS .....	2-7
Figure 2-6.	Drop Side Interface Off a DCS.....	2-7
Figure 2-7.	Dual Homing .....	2-8
Figure 2-8.	Dual Ring Interface .....	2-9
Figure 2-9.	Six S-ICI Reference Configurations.....	2-10
Figure 3-1.	SONET Basic Frame Structure (STS-1).....	3-4
Figure 3-2.	Monitoring at S-ICI .....	3-9
Figure 4-1.	SONET STS-1 Frame Structure .....	4-2
Figure 5-1.	SONET STS-3 Frame Structure .....	5-2
Figure 6-1.	SONET STS-12 Frame Structure .....	6-2
Figure 7-1.	SONET STS-48 Frame Structure .....	7-2



## List of Tables

Table 2-1.	References to Optical Parameter Sets.....	2-11
Table 3-1.	SONET Overhead Bytes Across the S-ICI.....	3-2