
Generic Requirements for Central Office Coaxial Cable

Contents

Preface	Preface-1
1. Introduction	1-1
1.1 Scope	1-1
1.2 Organization	1-1
1.3 Requirements Terminology	1-1
1.4 Requirement Labeling Conventions	1-2
1.4.1 Numbering of Requirements and Related Objects	1-2
1.4.2 Requirement, Condition, and Objective Object Identification	1-3
2. General Information	2-1
2.1 Description of Products	2-1
2.2 Ordering Options	2-1
2.3 Quality Assurance Program	2-2
2.4 Comprehensive Tests	2-2
3. General Requirements	3-1
3.1 Safety Considerations	3-1
3.2 Test and Analysis Criteria	3-1
3.3 Packaging Requirements	3-2
3.4 End Sealing	3-2
3.5 Marking	3-2
3.5.1 Package, Coil, and Reel Marking	3-2
3.5.2 Jacket Marking	3-2
3.5.3 Length Marking	3-2
3.5.4 Jacket Marking Durability	3-3
3.6 Compatibility with Hardware	3-3
4. Mechanical Design and Test Requirements	4-1
4.1 Center Conductors	4-1
4.1.1 Elongation	4-2
4.1.2 Special Requirements for Copper Clad Steel	4-2
4.2 Dielectric	4-2
4.2.1 Solid Dielectric	4-2
4.2.1.1 Voids	4-2
4.2.1.2 Shrinkback	4-3
4.2.1.3 Adhesion	4-3
4.2.2 Foam Dielectric	4-3
4.3 Outer Conductor (Shield)	4-3
4.3.1 Two Layer Braids	4-3

4.3.2	Laminated Tape and Braid Shield.....	4-4
4.4	Jacket.....	4-4
5.	Completed Cable Physical Tests.....	5-1
5.1	Cold Bend.....	5-1
5.2	Flammability	5-1
5.3	Abrasion Resistance	5-1
6.	Completed Cable Electrical Requirements	6-1
6.1	Center Conductor D.C. Resistance.....	6-1
6.2	Dielectric Insulation Resistance	6-1
6.3	Dielectric Strength.....	6-1
6.4	Impedance	6-1
6.5	Attenuation	6-2
6.6	Structural Return Loss.....	6-2
6.7	Jacket Spark Test.....	6-3
6.8	Special Requirements for Multiunit Cable.....	6-3
References	References-1

List of Tables

Table 2-1.	Types of Coaxial Cable	2-1
Table 4-1.	Coaxial Cable Dimensional Requirements	4-1
Table 4-2.	Composite Cable Color Assignments	4-5
Table 6-1.	Attenuation at 20°C (68°F), Maximum dB/100 ft (dB/100 m).....	6-2
Table 6-2.	Structural Return Loss, Minimum dB	6-2