

Contents

Notice Of Disclaimer	iii
List of Figures	xi
List of Tables	xiii
Preface	xv
1 General	
1.1 Scope	1-1
1.2 Application	1-1
1.3 Physical Description	1-1
1.4 Features	1-2
1.5 Definition of Requirement Categories	1-3
1.6 Outline	1-3
2 Electrical Requirements	
2.1 *AC Input Source	2-1
2.2 *AC Ground	2-2
2.3 *Inrush Current	2-2
2.4 *Displacement Power Factor	2-2
2.5 *AC Input Protection	2-3
2.6 *Low AC Voltage Protection	2-3
2.7 *Phase Failure	2-3
2.8 *Power Interruption	2-3
2.9 *Telephone Influence Factor (TIF)	2-3
2.10 AC Voltage Phase Shift	2-4
2.11 Phase Sequence	2-4
2.12 *Voltage Output	2-4
2.13 *Float Voltage Adjustment	2-4
2.14 *Voltage Regulation	2-4
2.15 *Voltage/Temperature Coefficient	2-4
2.16 *Warm Up Time	2-5
2.17 *Voltage Drift	2-5
2.18 *Current Limit	2-5
2.19 *Current Walk-In	2-5
2.20 *Stability	2-6
2.21 *Dynamic Response	2-6
2.22 *Output Protection and Disconnect	2-7
2.23 *Voice Frequency Output Noise	2-7
2.24 *Wideband Output Noise	2-7
2.25 *Electromagnetic Influence (EMI)	2-8
2.26 Efficiency	2-8
2.27 *Capacitor Precharge	2-8

2.28 *Discharge of Output Capacitors	2-8
2.29 *Isolation	2-9
2.30 *Withstand Surge Capability	2-9
2.31 *Dielectric	2-10
2.32 Induced Frame Current	2-11
2.33 *Electrostatic Discharge (ESD)	2-11

3 Physical Design

3.1 *Enclosure	3-1
3.2 *Shock and Vibration	3-1
3.3 *Earthquake	3-2
3.4 Paint	3-2
3.5 *Cooling	3-2
3.6 *Materials	3-2
3.7 Handling	3-3

4 Plant Interfaces

4.1 *Interface Status and Signals	4-1
4.2 *Internal High Voltage Shutdown	4-2
4.3 Current Limit Adjustment	4-2
4.4 *Rectifier Test	4-2
4.5 *Output Current Meter	4-3
4.6 *Internal Protection	4-3
4.7 Test Points	4-3
4.8 *Jacks	4-3

5 Components

5.1 *Transformers and Magnetic Coils	5-1
5.2 *Hook-Up Wire	5-1
5.3 *Power Conductors	5-2
5.4 *Hardware Electrical and Mechanical	5-3
5.5 *Electrical Power Wire Terminations	5-4
5.6 *Resistors	5-4
5.7 *Electrolytic Capacitors	5-4
5.8 *Capacitors Except Electrolytic	5-5
5.9 *Semiconductors	5-5
5.10 *Circuit Breakers	5-5
5.11 *Fuses	5-6
5.12 *Meters	5-6
5.13 *Relays	5-6
5.14 *Switches	5-6
5.15 *Printed Wire Boards	5-7

6 Miscellaneous

6.1 *Operating Environment	6-1
--------------------------------------	-----

6.2 *Fire Resistance	6-1
6.3 *Shipping Temperature and Humidity	6-1
6.4 *Acoustical Noise	6-1
6.5 *Safety and Hazards	6-1
6.6 *Documents	6-2
6.7 *Toxic Materials	6-2
6.8 *PWB Nesting	6-2
6.9 *Marking of Components	6-2
6.10 *Sparing	6-3
6.11 *Nameplate	6-3
6.12 Life and Reliability	6-3

7 Performance Verification and Test Procedures

7.1 *Electrical Tests for Section 2	7-1
7.1.1 + AC Input Source (Section 2.1)	7-3
7.1.2 + AC Ground (Section 2.2)	7-3
7.1.3 + Inrush Current (Section 2.3†)	7-3
7.1.4 + Displacement Power Factor (Section 2.4†)	7-4
7.1.5 + AC Input Protection (Section 2.5†)	7-4
7.1.6 + Low AC Voltage Protection (Section 2.6†)	7-4
7.1.7 + Phase Failure (Section 2.7†)	7-4
7.1.8 + Power Interruption (Section 2.8†)	7-5
7.1.9 + Telephone Influence Factor (TIF) (Section 2.9†)	7-5
7.1.10 AC Voltage Phase Shift (Section 2.10†)	7-6
7.1.11 Phase Sequence (Section 2.11†)	7-6
7.1.12 + Voltage Output (Section 2.12†)	7-6
7.1.13 + Float Voltage Adjustment (Section 2.13†)	7-6
7.1.14 + Voltage Regulation (Section 2.14†)	7-6
7.1.15 + Voltage/Temperature Coefficient (Section 2.15†)	7-7
7.1.16 + Warm-Up Time (Section 2.16†)	7-7
7.1.17 + Voltage Drift (Section 2.17†)	7-7
7.1.18 + Current Limit (Section 2.18†)	7-7
7.1.19 + Current Walk-In (Section 2.19†)	7-8
7.1.20 + Stability (Section 2.20†)	7-8
7.1.21 + Dynamic Response (Section 2.21†)	7-8
7.1.22 + Output Protection and Disconnect (Section 2.22†)	7-8
7.1.23 + Voice Frequency Output Noise (Section 2.23†)	7-9
7.1.24 + Wideband Output Noise (Section 2.24†)	7-9
7.1.25 + Electromagnetic Influence (EMI) (Section 2.25†)	7-9
7.1.26 Efficiency (Section 2.26†)	7-9
7.1.27 + Capacitor Precharge (Section 2.27†)	7-9
7.1.28 + Discharge of Output Capacitors (Section 2.28†)	7-9
7.1.29 + Isolation (Section 2.29†)	7-9
7.1.30 + Withstand Surge Capability (Section 2.30)	7-10
7.1.31 + Dielectric (Section 2.30)	7-10
7.1.32 + Induced Frame Current (Section 2.32†)	7-10

7.1.33 Electrostatic Discharge (Section 2.33†)	7-10
7.2 Physical Design Tests and Inspection for Section 3	7-10
7.2.1 + Enclosure (Section 3.1†)	7-10
7.2.2 + Shock and Vibration (Section 3.2†)	7-11
7.2.3 + Earthquake (Section 3.3†)	7-11
7.2.4 Paint (Section 3.4†)	7-11
7.2.5 + Cooling (Section 3.5†)	7-11
7.2.6 + Materials (Section 3.6†)	7-11
7.2.7 Handling (Section 3.7†)	7-11
7.3 Electrical Tests for Section 4	7-11
7.3.1 + Interface Status and Signals (Section 4.1†)	7-11
7.3.2 + Internal High Voltage Shutdown (Section 4.2)	7-12
7.3.3 + Current Limit Adjustment (Section 4.3†)	7-12
7.3.4 + Rectifier Test (Section 4.4)	7-12
7.3.5 + Output Current Meter (Section 4.5†)	7-13
7.3.6 + Internal Protection (Section 4.6)	7-13
7.3.7 Test Points (Section 4.7†)	7-13
7.3.8 + Jacks (Section 4.8†)	7-13
7.4 Tests and Inspection for Components in Section 5	7-13
7.4.1 + Transformers and Magnetic Coils (Section 5.1†)	7-13
7.4.2 + Power Conductors (Section 5.3†)	7-14
7.4.3 + Hardware Electrical and Mechanical (Section 5.4†)	7-14
7.4.4 + Electrical Power Wire Termination (Section 5.5†)	7-14
7.4.5 + Resistors (Section 5.6†)	7-14
7.4.6 + Electrolytic Capacitors (Section 5.7†)	7-14
7.4.7 + Capacitors Except Electrolytic (Section 5.8†)	7-14
7.4.8 + Semiconductors (Section 5.9†)	7-14
7.4.9 + Circuit Breakers (Section 5.10†)	7-14
7.4.10 + Fuses (Section 5.11†)	7-15
7.4.11 + Meters (Section 5.12†)	7-15
7.4.12 + Relays (Section 5.13†)	7-15
7.4.13 + Switches (Section 5.14†)	7-15
7.4.14 + Printed Wire Boards (Section 5.15†)	7-15
7.5 Miscellaneous Tests and Inspections for Section 6	7-15
7.5.1 + Operating Environment (Section 6.1†)	7-15
7.5.2 + Fire Resistance (Section 6.2†)	7-15
7.5.3 + Shipping Temperature and Humidity (Section 6.3†)	7-16
7.5.4 + Acoustical Noise (Section 6.4†)	7-16
7.5.5 + Safety and Hazards (Section 6.5†)	7-16
7.5.6 + Documents (Section 6.6†)	7-16
7.5.7 + Toxic Materials (Section 6.7†)	7-16
7.5.8 + PWB Nesting (Section 6.8†)	7-16
7.5.9 + Marking of Components (Section 6.9†)	7-16
7.5.10 + Nameplate (Section 6.10†)	7-16
7.5.11 Life and Reliability (Section 6.11†)	7-17

Appendix A: References

Telcordia References	A-1
Other References	A-1
Note	A-2

List of Figures

Figure 2-1	Simulated Withstand Surge Waveforms	2-10
Figure 7-1	Test Connections	7-2

List of Tables

Table 2-1	Voltage Limits	2-1
Table 2-2	Elapsed Time for Current Walk-In	2-6
Table 2-3	Rectifier Efficiency	2-8
Table 2-4	Dielectric	2-11
Table 4-1	Interface Connections	4-1
Table 4-2	Voltage Shutdown Levels	4-2
Table 5-1	Maximum Allowable Temperature	5-1
Table 5-2	Maximum Permissible Current	5-1
Table 5-3	Maximum Operating Voltage and Temperature	5-2
Table 5-4	Suggested Torques, Clamping Load, and Electrical Current Rating	5-3
Table 5-5	Torque Limits	5-5
Table 5-6	Maximum Allowable Temperatures	5-7
Table 7-1	Test Equipment	7-1
Table 7-2	1960 Single-Frequency TIF Weighting Values	7-5