
ISDN Electronic Key Telephone Service

Contents

1. Introduction.....	1-1
1.1 Definition	1-1
1.2 Background	1-1
1.2.1 Prerequisites	1-1
1.2.2 Definitions and Assumptions	1-2
1.2.3 ISDN Terminal Assumptions.....	1-5
1.3 High-Level Feature Description.....	1-7
1.4 Relationship to TR-TSY-000205	1-9
2. User Perspective.....	2-1
3. Feature Requirements	3-1
3.1 Feature Operations	3-1
3.1.1 Main Feature Operation	3-1
3.1.1.1 Originating Treatment	3-1
3.1.1.2 Terminating Treatment.....	3-7
3.1.1.3 Bridged Calls	3-14
3.1.1.4 ISDN Hold Capability	3-17
3.1.2 Other Feature Operation.....	3-19
3.1.2.1 Bridged Call Exclusion.....	3-19
3.1.2.2 Intercom Calling	3-26
3.1.2.3 DN-Bridging.....	3-27
3.1.2.4 Abbreviated and Delayed Ringing.....	3-31
3.1.2.5 Station Ringing Transfer (SRT).....	3-32
3.1.3 Release Treatment.....	3-35
3.1.4 Feature Operation Interworking.....	3-37
3.1.4.1 Interworking Outside the EKTS Group.....	3-37
3.1.4.2 Interworking Within the EKTS Group	3-38
3.1.4.2.1 Interworking with Non-ISDN Call Waiting	3-40
3.1.5 Error Treatment and Abnormal Events.....	3-43
3.2 Internal Call-Processing Controls	3-45
3.2.1 Class of Service/configuration.....	3-45
3.2.2 Code Interpretation	3-49
3.2.3 Screening.....	3-50
3.2.4 Routing.....	3-50
3.2.5 Charge Treatment Determination.....	3-50
3.2.6 Overload.....	3-50
3.3 Signaling/Message Structure.....	3-50
3.3.1 Customer Signaling/User-Network Interface.....	3-50

3.3.1.1	Message Structure.....	3-62
3.3.1.1.1	Notification Indicator.....	3-62
3.3.2	SS7 Interface Signaling.....	3-63
3.3.3	Interworking with Other Signaling Systems.....	3-63
3.3.4	Operator Service Signaling	3-63
3.4	Administration.....	3-63
3.4.1	Service Changes/Subscription Parameters.....	3-63
3.4.1.1	Subscription Parameters per SPCS.....	3-64
3.4.1.2	Subscription Parameters per BBG	3-64
3.4.1.3	Subscription Parameters Per Customer Group	3-65
3.4.1.4	Subscription Parameters Per Interface.....	3-66
3.4.1.5	Subscription Parameters Per DN/CT	3-67
3.4.1.6	Subscription Parameters Per Terminal Service Profile ...	3-68
3.4.1.7	Subscription Parameters Per Terminal Service Profile/ DN/CT	3-71
3.4.2	Traffic Measurements	3-72
3.4.3	Maintenance Measurements.....	3-72
3.4.4	Network Management.....	3-73
3.4.5	Billing and Comptroller	3-73
3.5	Interactions.....	3-73
3.6	Limitations and Restrictions	3-80
3.7	Timing and Tolerances.....	3-81
4.	Example - Illustrative EKTS Configuration	4-1
5.	Line Diagrams.....	5-1
A.1	Scope and Definition.....	A-1
A.2	Allowed Data Values	A-2
A.3	Data Dictionary	A-3
A.3.1	Master Feature List - Feature Activators	A-17
A.3.2	Master Feature List - Feature Indicators	A-19
References	References-1
Glossary	Glossary-1

List of Tables

Table 3-1.	Network to User CALL PROCeeding Message	3-51
Table 3-2.	User to Network CALL PROCeeding/ALERTing Message	3-51
Table 3-3.	User to Network CONNect Message.....	3-51
Table 3-4.	Network to User CONNect ACKnowledge Message.....	3-52
Table 3-5.	Network to User DISConnect/RELease/RELease COMplete Message	3-52
Table 3-6.	Network to User INFOrmation Message	3-53
Table 3-7.	User to Network INFOrmation Message	3-53
Table 3-8.	Network to User INFOrmation Message Containing a Null Call Reference	3-54
Table 3-9.	User to Network INFOrmation Message Containing a Null Call Reference	3-54
Table 3-10.	NOTIFY Message.....	3-54
Table 3-11.	Network to User SETUP Message	3-55
Table 3-12.	User to Network SETUP Message	3-56
Table 3-13.	User to Network HOLD Message	3-57
Table 3-14.	Network to User HOLD ACKnowledge Message	3-58
Table 3-15.	Network to User HOLD REJect Message	3-58
Table 3-16.	KEY HOLD Message	3-58
Table 3-17.	KEY RELease Message.....	3-59
Table 3-18.	KEY SETUP Message.....	3-60
Table 3-19.	KEY SETUP ACKnowledge Message.....	3-60
Table 3-20.	RETRieve Message.....	3-61
Table 3-21.	RETRieve ACKnowledge Message.....	3-61
Table 3-22.	RETRieve REJect Message	3-62
Table 5-1.	[LD1] - Successful Call Origination Message Sequence With Bridging	5-1
Table 5-2.	[LD2] - Successful Call Termination Message Sequence With User A Answering the Call	5-2

