

Contents

1. Introduction	1-1
1.1 Definition	1-1
1.2 Background	1-4
1.2.1 ICAN Architecture	1-4
1.2.2 Relation to Traditional ETS Services	1-6
1.2.3 Relation to Other Telcordia Documents	1-6
1.3 Nomenclature	1-8
1.4 Document Organization	1-10
1.5 Requirements Terminology	1-11
2. High-Level Feature Description	2-1
2.1 ICAN ETS Services Description	2-1
2.1.1 ICAN Numbering Plan	2-2
2.1.1.1 Relation to Business Group Dialing Plan (BGDP)	2-3
2.1.2 Facility Restriction Level	2-4
2.1.3 Authorization Codes	2-4
2.1.4 Traveling Class Marks	2-4
2.1.5 ICAN Automatic Flexible Routing - ICAN Automatic Alternate Routing and ICAN Automatic Route Selection	2-5
2.1.6 Account Codes	2-6
2.2 Options for Providing ETS Services	2-6
2.2.1 SPCS-Based Option	2-6
2.2.2 AIN-Based Option	2-7
2.3 Simulated Facility Groups (SFGs)	2-7
2.3.1 SFGs for SS7-Supported Virtual Private Facilities	2-8
2.3.2 SFGs for Public Network Calls	2-8
2.3.3 SFGs for OUTWATS	2-8
2.4 User Perspective	2-8
2.4.1 Caller	2-8
2.4.2 Customer	2-9
2.5 Assumptions	2-10
2.5.1 Assumptions on ICAN PBX in an ICAN Network	2-10
2.5.2 Assumptions on the SPCS Serving Basic Business Groups	2-10
2.5.3 Assumptions on Service Control Point (SCP)	2-10
3. Main Feature Operations - SPCS-based Option	3-1
3.1 Application of ICAN ETS Services	3-1
3.1.1 ICAN Calls Originated by BBG Members	3-1
3.1.2 ICAN Calls Incoming from PRI	3-3
3.1.3 ICAN Calls Incoming from SS7-Supported Virtual Private Facilities	3-4
3.1.4 ICAN Calls Incoming from Conventional Tie Trunks	3-4
3.1.5 ICAN Calls Originated from ICAN Non-ISDN Lines	3-5
3.2 ICAN ETS Services	3-6
3.2.1 ICAN Numbering Plan	3-6
3.2.2 Facility Restriction Level (FRL)	3-9

3.2.2.1	Default FRL	3-9
3.2.2.2	Alternate FRL	3-9
3.2.3	Authorization Codes	3-10
3.2.3.1	Authorization Codes Basics	3-10
3.2.3.2	Application of the Authorization Codes Feature	3-11
3.2.3.3	Collection of Authorization Codes	3-13
3.2.3.4	Error Treatment and Abnormal Events	3-14
3.2.4	Traveling Class Marks (TCMs)	3-15
3.2.4.1	TCM Basics	3-15
3.2.4.2	TCM Generation	3-15
3.2.4.3	Receiving and Sending of TCM	3-15
3.2.4.4	Error Treatment and Abnormal Events	3-16
3.2.5	ICAN Automatic Flexible Routing (AFR)	3-17
3.2.5.1	ICAN AFR Basics	3-17
1.	Patterns	3-17
2.	Pattern Groups	3-19
3.	Schedule	3-19
3.2.5.2	ICAN AFR Procedures	3-20
3.2.5.3	Error Treatment and Abnormal Events	3-23
3.2.6	Account Code	3-24
3.2.6.1	Account Code Basics	3-24
3.2.6.2	Collection of Account Codes	3-25
3.2.6.3	Application of the Account Code Feature	3-25
3.2.6.4	Error Treatment and Abnormal Events	3-26
3.3	Call Processing and Formulation of Outgoing Call Request	3-26
3.3.1	Outgoing On-Network Facilities	3-26
3.3.1.1	SS7-supported Virtual Private Facilities	3-26
3.3.1.2	ICAN PRI	3-27
3.3.1.3	Tie Trunks Using Conventional Signaling Schemes	3-27
3.3.1.4	Termination to a BBG Member	3-28
3.3.1.5	Termination to Dedicated ICAN Non-ISDN Lines	3-28
3.3.2	Outgoing Off-Network Facilities	3-28
3.3.2.1	Public Network Facilities	3-31
3.3.2.2	Non-ISDN Foreign Exchange Facilities	3-32
3.3.2.3	OUTWATS	3-33
3.3.3	Response In the Backward Direction	3-33
3.3.3.1	ICAN Calls Originated by BBG Members	3-33
3.3.3.2	ICAN Calls Incoming from PRI	3-33
3.3.3.3	ICAN Calls Incoming from SS7-Supported VPF	3-33
3.3.3.4	ICAN Calls Incoming from Conventional Tie Trunks	3-34
3.3.3.5	ICAN Calls Originated from Non-ISDN ICAN Lines	3-34
4.	Main Feature Operations - AIN Based Option	4-1
4.1	AIN SSP - SCP Interface	4-1
4.2	ICAN ETS Services	4-2
4.2.1	ICAN Calls Received From a BBG User	4-3
4.2.2	ICAN Calls Received From a PRI	4-5
4.2.3	ICAN Calls Received From a SS7-Supported Trunk	4-7

4.2.4 ICAN Calls Received From Dedicated Conventional Facilities	4-9
4.3 SSP Processing of SCP Messages	4-10
4.3.1 Analyze_Route Message	4-10
4.3.1.1 ICAN Calls Routed on SS7-Supported Virtual Private Facilities . .	4-11
4.3.1.2 ICAN Calls Terminating to a BBG User	4-14
4.3.1.3 ICAN Routed to A PRI	4-15
4.3.1.4 ICAN Calls Routed to the Public Network	4-17
4.3.1.5 ICAN Calls Routed to a Foreign Exchange	4-19
4.3.1.6 ICAN Calls Routed to A Conventional Tie Trunk	4-20
4.3.1.7 ICAN Calls Routed to OUTWATS	4-21
4.3.1.8 ICAN Calls Routed to A Dedicated Non-ISDN Line	4-23
4.3.2 ICAN AFR	4-23
4.3.3 ICAN Authorization Codes	4-27
4.4 ICAN SSP Fault Handling	4-29
5. Simulated Facility Groups (SFGs)	5-1
5.1 SFGs for SS7-Supported Virtual Private Facilities	5-1
5.1.1 SFG Definition	5-1
5.1.2 SPCS-Based Option for ICAN ETS Services	5-1
5.1.2.1 SFGs for Outgoing Calls to be Routed over SS7-Supported VPFs	5-1
5.1.2.2 SFGs for Incoming Calls from SS7-Supported VPFs	5-2
5.1.3 AIN-Based Option for ICAN ETS Services	5-2
5.1.3.1 SFGs for Outgoing Calls to be Routed over SS7-Supported VPFs	5-2
5.1.3.2 SFGs for Incoming Calls from SS7-Supported VPFs	5-3
5.2 SFGs for Public Network Calls	5-3
5.2.1 SFG Definition	5-3
5.2.2 SPCS-Based Option for ICAN ETS Services	5-3
5.2.3 AIN-Based Option for ICAN ETS Services	5-4
5.3 SFGs for OUTWATS	5-4
5.3.1 SFG Definition	5-4
5.3.2 SPCS-Based Option for ICAN ETS Services	5-5
5.3.3 AIN-Based Option for ICAN ETS Services	5-5
6. Signaling	6-1
6.1 Customer User-Network Interface Signaling	6-1
6.1.1 Messages	6-1
6.1.1.1 SETUP	6-1
6.1.2 Information Elements	6-2
6.1.2.1 Facility	6-2
6.1.3 Component Coding for Traveling Class Mark	6-3
6.1.3.1 Invoke Component	6-3
6.2 SS7 Interoffice Signaling	6-4
6.2.1 Messages	6-4
6.2.1.1 Initial Address Message (IAM)	6-4
6.2.2 Parameters	6-4
6.2.2.1 Remote Operations Parameter	6-4
7. Operations and Administration	7-1
7.1 Memory Administration: Service/Changes/Subscription Parameters	7-1

- 7.1.1 Memory Administration for SPCS-based Option 7-3
- 7.1.2 Memory Administration for AIN-Based Option 7-5
- 7.2 Network Maintenance 7-6
 - 7.2.1 Surveillance 7-6
 - 7.2.1.1 AIN Surveillance 7-7
 - 7.2.2 Testing 7-7
 - 7.2.2.1 AIN Testing 7-7
- 7.3 Network Data Collection 7-9
 - 7.3.1 Simulated Facility Groups Measurements 7-10
 - 7.3.2 Special Study Measurements 7-10
 - 7.3.3 AIN Network Traffic Management 7-11
- 7.4 Billing and Comptroller 7-11
 - 7.4.1 Background and Assumptions 7-11
 - 7.4.2 ICAN Call Detail Recording Requirements in Other Documents 7-12
 - 7.4.3 Recording Options in an ICAN Service 7-12
 - 7.4.4 ICAN ETS Services AMA Requirements - SPCS-based Option 7-13
 - 7.4.4.1 Originating ICAN Calls Accessing SPCS-based
ICAN ETS Services 7-13
 - 7.4.4.2 ICAN Calls Routed to Off-Network
Facilities - SPCS-based Option 7-14
 - 7.4.4.3 Tandem Calls - SPCS-based Option 7-15
 - 7.4.4.4 Terminating Access Calls - SPCS-based Option 7-15
 - 7.4.4.5 Terminating Calls - SPCS-based Option 7-16
 - 7.4.5 ICAN ETS Services AMA Requirements - AIN-based Option 7-16
 - 7.4.5.1 Originating ICAN Calls Accessing AIN-based ICAN ETS Services . 7-16
 - 7.4.5.2 ICAN Calls Routed to Off-Network Facilities - AIN-based Option . 7-18
 - 7.4.5.3 Tandem Calls - AIN-based Option 7-19
 - 7.4.5.4 Terminating Access Calls - AIN-based Option 7-19
 - 7.4.5.5 Terminating Calls - AIN-based Option 7-20
- 8. Interactions and Timing 8-1
 - 8.1 Interactions 8-1
 - 8.1.1 Interactions with Other ICAN Services 8-1
 - 8.1.2 Interactions with BBG-Based Services 8-1
 - 8.1.2.1 Business Group Restrictions 8-1
 - 8.1.2.2 Business Group Dialing Features 8-2
 - 8.2.1.3 Simulated Facility Groups 8-3
 - 8.2.1.4 Business Group Call Waiting Features 8-4
 - 8.2.1.5 Business Group Multiway-Calling Features 8-5
 - 8.2.1.6 Business Group Forwarding Features 8-7
 - 8.2.1.7 Business Group Pickup Features 8-7
 - 8.2.1.8 Business Group Hunting Features 8-8
 - 8.2.1.9 Business Group Automatic Callback 8-9
 - 8.2.1.10 Automatic Recall 8-9
 - 8.2.1.11 Selective CLASSSM Features 8-9
 - 8.2 Timing and Tolerances 8-10

Appendix A: Data Dictionary for ICAN ETS Services	A-1
A.1 Scope and Definition	A-1
A.2 Allowed Data Values	A-1
A.3 Data Dictionary	A-3
A.4 Data Example	A-8
A.4.1 Overview	A-8
A.4.2 Customer Patterns	A-9
A.4.3 Customer Pattern Groups	A-9
A.4.4 Customer Schedule	A-10
Appendix B: Proposed AMA Formats	B-1
Appendix C: References	C-1
Appendix D: Glossary	D-1

List of Figures

Figure 1-1	Simplified ICAN Configuration (On-Network Facilities Only) . . .	1-5
Figure 2-1	Incoming and Outgoing Facilities Supported by ICAN ETS Services	2-2
Figure 3-1	Levels of Regions	3-7
Figure 3-2	Structure of ICAN On-Network Address Format	3-7

List of Tables

Table 6-1	SETUP Message Content (SPCS -> ICAN PBX)	6-1
Table 6-2	SETUP Message Content (ICAN PBX -> SPCS)	6-2