

Contents

Generic Requirements Notice Of Disclaimer	iii
List of Figures	viii
Preface	ix
Telcordia Interactive GR Process	ix
FA-TA-TR to GR	ix
Transition Phase	ix
Comments and Issues List Report Mechanism	x
GR-2847-CORE Current Maturity Level, Status, and Plans	x
Formatting Comments	xi
Where and When to Submit Comments	xi
1 Introduction	
1.1 Purpose and Scope	1-1
1.2 Organization	1-1
1.3 Requirements Terminology	1-1
1.4 Requirement Labeling Conventions	1-2
1.4.1 Numbering of Requirement and Related Objects	1-2
1.4.2 Requirement, Conditional Requirement, and Objective Identification	1-3
1.5 Reference Documents	1-3
2 General Information	
2.1 Description of Product	2-1
2.2 Safety Considerations	2-2
2.3 Units and Tolerances	2-2
2.4 Technical Analysis and Quality Assurance Programs	2-3
2.5 Quality and Reliability Requirements	2-3
2.6 User Considerations	2-3
3 General Requirements	
3.1 Packaging Requirements	3-1
3.1.1 Package Marking	3-1
3.2 CPSA Marking	3-1
4 Mechanical Design and Test Requirements for Type 1 CPSA	
4.1 Cable Sealing Bushing Assembly	4-1
4.1.1 Inner Steel Plate	4-1
4.1.1.1 Material	4-1
4.1.1.2 Thickness	4-1
4.1.1.3 Diameter	4-1
4.1.1.4 Finish	4-1

4.1.1.5	Bend Test	4-2
4.1.1.6	Impact Test	4-2
4.1.1.7	Salt Spray (Fog) Test	4-2
4.1.2	Outer Steel Plate	4-2
4.1.3	Hex Nuts	4-2
4.1.3.1	Salt Spray (Fog) Test	4-2
4.1.4	Carriage Bolts	4-3
4.1.4.1	Salt Spray (Fog) Test	4-3
4.1.5	Sealing Bushing	4-3
4.1.5.1	Hardness	4-3
4.1.5.2	Thickness	4-3
4.1.5.3	Elongation	4-3
4.1.5.4	Elongation - Aged	4-4
4.1.5.5	Tensile Strength	4-4
4.1.5.6	Tensile Strength - Aged	4-4
4.1.5.7	Permanent Elongation Set	4-4
4.1.5.8	Compression Set	4-4
4.1.5.9	Chemical Exposure	4-4
4.1.5.10	Ozone Cracking Test	4-5
4.1.5.11	Cracks, Pinholes, etc.	4-5
4.2	Threaded Short Pipe Nipple	4-5
4.2.1	Material	4-5
4.2.2	Size	4-5
4.2.3	Finish	4-5
4.2.4	Threads	4-6
4.2.5	Salt Spray (Fog) Test	4-6
4.3	Drain Valve	4-6
4.3.1	Material	4-6
4.3.2	Size	4-6
4.3.3	Threads	4-6
4.3.4	Salt Spray (Fog) Test	4-6
4.4	Locking Collar	4-7
4.4.1	Material	4-7
4.4.2	Finish	4-7
4.4.3	Size	4-7
4.4.4	Salt Spray (Fog) Test	4-7

5 Mechanical Design and Test Requirements for Type 2 CPSA

5.1	Inner and Outer Steel Plates	5-1
5.1.1	Material	5-1
5.1.2	Thickness	5-1
5.1.3	Diameter	5-1
5.1.4	Finish	5-1
5.1.5	Bend Test	5-1
5.1.6	Impact Test	5-2
5.1.7	Salt Spray (Fog) Test	5-2

5.2 Sealing Bushing 5-2

6 Completed CPSA Mechanical Tests

6.1 Pressure Test 6-1

6.2 Aged Pressure Test 6-1

Appendix A: Pressure Test for CPSA

A.1 Outline of Method A-1

A.2 Apparatus A-2

A.3 Procedure for Type 1 CPSA A-3

A.4 Procedure for Type 2 CPSA A-4

Appendix B: References—Industry Standards and Telcordia Documents

B.1 American National Standards Institute/American Standard Quality Control Documents B-1

B.2 American Society for Testing and Materials (ASTM) Standards B-1

B.3 Telcordia Documents B-2

Note B-2

To Contact Telcordia Customer Service or to Order Documents B-2

To Order Documents From Within Telcordia (Employees Only) B-2

Appendix C: Acronyms

Requirement-Object Index

List of Figures

Figure A-1	Threaded Pipe Coupling Assembly	A-1
Figure A-2	Cast Iron Vault Assembly	A-2
Figure A-3	Test Setup for Type 1 CPSA	A-3
Figure A-4	Test Setup for Type 2 CPSA	A-4