

Contents

1. Introduction.....	1-1
1.1 Purpose and Scope	1-1
1.2 Reason for Reissue	1-1
1.3 Target Audience	1-1
1.4 Background	1-2
1.5 Terminal Assumptions	1-3
1.6 Requirements Terminology	1-4
1.7 Requirement Labeling Conventions	1-4
1.7.1 Numbering of Requirement and Related Objects	1-5
1.7.2 Requirement, Conditional Requirement, and Objective Object Identification	1-5
1.7.3 Change Marks.....	1-5
2. General Information	2-1
2.1 High-Level Feature Description	2-1
2.2 User Perspective	2-3
3. Feature Requirements.....	3-1
3.1 Feature Operations.....	3-1
3.1.1 Main Feature Operations.....	3-1
3.1.1.1 SPCS Based Counters for Controlling TBCT Access..	3-1
3.1.1.2 Requesting a TBCT With Both Calls Served by Same PRI	3-1
3.1.1.3 Requesting TBCT When Calls Are Served by Different PRIs	3-2
3.1.1.4 Successful TBCT Request	3-5
3.1.1.5 TBCT Interworking Between Users.....	3-7
3.1.2 Other Feature Operations.....	3-7
3.1.3 Release Treatment.....	3-9
3.1.4 Interworking Feature Operation.....	3-9
3.1.5 Error Treatment and Abnormal Events	3-9
3.2 Internal Call-Processing Controls.....	3-12
3.2.1 Class of Service/Configuration.....	3-12
3.2.2 Code Interpretation	3-12
3.2.3 Audits	3-13
3.3 Signaling/Message Structure	3-13
3.3.1 Customer Signaling/User-Network Interface	3-13
3.3.1.1 Message Structures	3-13
3.3.1.2 ASN.1 Description	3-20
3.3.2 Common Channel Signaling (CCS).....	3-24
3.4 Administration/Operations	3-25
3.4.1 Memory Administration (Service Changes/Subscription Parameters)	3-26
3.4.2 Network Maintenance	3-29
3.4.2.1 Surveillance.....	3-30

3.4.2.2	Testing	3-30
3.4.3	Network Data Collection (NDC).....	3-30
3.4.4	Network Traffic Management (NTM)	3-31
3.4.5	Billing and Comptroller.....	3-32
3.5	Interactions.....	3-32
3.6	Limitations and Restrictions	3-34
3.7	Timing and Tolerances.....	3-34
4.	Line Diagrams	4-1
Appendix A:	Data Dictionary for ISDN PRI Two B-Channel Transfer	A-1
A.1	Scope and Definition	A-1
A.2	Allowed Data Values.....	A-2
A.3	Data Dictionary Definitions.....	A-2
References.....	References.....	References-1
Acronyms	Glossary.....	Glossary-1
Requirement-Object Index	ROI.....	ROI-1

List of Figures

Figure 2-1.	Controller Requests D-Channel Identifier for One of the PRIs	2-2
Figure 2-2.	Controller Requests TBCT of Two Calls	2-2
Figure 2-3.	SPCS Accepts Request.....	2-2
Figure 2-4.	Controller Notified When Transferred Call Cleared.....	2-3
Figure 3-1.	First Clearing Message Content	3-14
Figure 3-2.	FACILITY Message Content.....	3-15
Figure 3-3.	FACILITY Message Content (Network to User).....	3-16
Figure 3-4.	NOTIFY Message Content (Network to User).....	3-17
Figure 3-5.	NOTIFY Message Content (Network to User).....	3-19
Figure 3-6.	ASN.1 Description of Transferred Call Clearing Notification	3-21
Figure 3-7.	ASN.1 Description of TBCT Invocation.....	3-22
Figure 4-1.	TBCT Invocation With Notification (Both Calls Answered)	4-1
Figure 4-2.	TBCT Invocation With Notification (Call #1 Answered, Call #2 Alerting).....	4-2
Figure 4-3.	TBCT Invocation With (SS7) Notification (Both Calls Answered)..	4-3
Figure 4-4.	TBCT Invocation With (SS7) Notification (Call #1 Answered, Call #2 Alerting).....	4-4
Figure 4-5.	Notification to Controller of Cleared Transferred Call	4-5
Figure 4-6.	TBCT Invocation When Call #1 and Call #2 Served by Different PRIs, Including Notification to Controller	4-6

List of Tables

Table A-1.	ISDN PRI Two B-Channel Transfer Parameters.....	A-3
Table A-2.	ISDN PRI Parameters	A-5
Table A-3.	ISDN Serving PRI Group Parameters	A-6