

---

# Generic Requirements for Indoor Coaxial Cable

## Contents

Preface .....	Preface-1
1. Introduction .....	1-1
1.1 Purpose and Scope .....	1-1
1.2 Organization .....	1-1
1.3 Requirements Terminology .....	1-1
1.4 Requirement Labeling Conventions .....	1-2
1.4.1 Numbering of Requirement and Related Objects .....	1-2
1.4.2 Requirement, Conditional Requirement, and Objective Object Identification .....	1-3
2. General Information .....	2-1
2.1 Description of Product .....	2-1
2.2 Ordering Options .....	2-1
2.2.1 User Considerations .....	2-2
2.3 Quality Assurance Programs .....	2-2
2.4 Comprehensive Tests .....	2-2
3. General Requirements .....	3-1
3.1 Safety Considerations .....	3-1
3.2 Test and Analysis Criteria .....	3-1
3.3 Packaging Requirements .....	3-2
3.4 End Sealing .....	3-2
3.5 Marking .....	3-2
3.5.1 Package, Coil, and Reel Marking .....	3-2
3.5.2 Jacket Marking .....	3-2
3.5.3 Length Marking .....	3-2
3.5.4 Jacket Marking Durability .....	3-3
3.6 Compatibility with Hardware .....	3-3
4. Mechanical Design and Test Requirements .....	4-1
4.1 Center Conductor .....	4-1
4.1.1 Copper-Clad Steel Wire .....	4-1
4.1.2 Tensile Strength of Composite Conductor .....	4-2
4.1.3 Elongation of Composite Conductor .....	4-2
4.1.4 Adhesion of Copper .....	4-2
4.1.5 Copper Ductility .....	4-3
4.1.6 Joints .....	4-3
4.2 Dielectric .....	4-3
4.2.1 Material .....	4-4

---

---

4.2.2	Shrinkback.....	4-4
4.2.3	Thermal Oxidative Stability - OIT Test .....	4-4
4.2.4	Adhesion .....	4-4
4.2.5	Patching.....	4-4
4.2.6	Insulation Imperfections.....	4-5
4.3	Overall Shield.....	4-5
4.3.1	Average Core Diameter.....	4-5
4.3.1.1	Core Ovalness .....	4-5
4.3.2	Braid Wire .....	4-6
4.3.2.1	Material .....	4-6
4.3.2.2	Braid Coverage .....	4-6
4.4	Cable Jacket.....	4-7
4.4.1	General .....	4-7
4.4.2	Material .....	4-7
4.4.3	Jacket Tensile Strength and Elongation .....	4-7
4.4.4	Aging Test.....	4-7
4.4.5	Jacket Color.....	4-8
4.4.6	Jacket Thickness.....	4-8
4.4.7	Jacket Eccentricity .....	4-8
4.4.8	Other Coverings .....	4-8
4.4.9	Diameter Over Jacket.....	4-8
5.	Completed Cable Physical Tests.....	5-1
5.1	Cold Bend.....	5-1
5.2	Cable Impact Test.....	5-1
5.3	Jacket Longitudinal Shrinkage .....	5-1
5.4	Flammability .....	5-1
5.5	National Electrical Code Listing .....	5-2
5.6	Abrasion Resistance .....	5-2
6.	Completed Cable Electrical Requirements .....	6-1
6.1	Continuity and Shorts.....	6-1
6.2	Conductor Resistance.....	6-1
6.3	Impedance .....	6-1
6.4	Structural Return Loss (SRL).....	6-2
6.5	Shielding Effectiveness .....	6-2
6.6	Attenuation .....	6-2
6.7	Dielectric Strength Between Conductors .....	6-3
6.8	Insulation Resistance.....	6-3
References	.....	References-1

---

## List of Tables

Table 4-1	Center Conductor Diameter and Material Properties .....	4-2
Table 4-2	Average Core Diameter Over Tape .....	4-5
Table 4-3	Core Ovalness, Maximum .....	4-5
Table 4-4	Diameter Over Jacket .....	4-8
Table 6-1	DC Loop Resistance at 20°C (68°F), Maximum .....	6-1
Table 6-2	Attenuation at 20°C (68°F), Maximum dB/100 ft. (dB/100 m).....	6-3