

## Contents

## [Telcordia GR-2898 - Documentation Information](#)

Preface . . . . .	Preface-1
1. Introduction . . . . .	1-1
1.1 Purpose and Scope . . . . .	1-1
1.2 Target Audience . . . . .	1-1
1.3 Summary of Changes from Issue 1 of GR-2898-CORE . . . . .	1-1
1.4 Requirements Terminology . . . . .	1-2
1.5 Requirement Labeling Conventions . . . . .	1-3
1.5.1 Numbering of Requirement and Related Objects . . . . .	1-3
1.5.2 Requirement, Conditional Requirement, and Objective Object Identification . . . . .	1-4
2. General Information . . . . .	2-1
2.1 Product Description . . . . .	2-1
2.2 Deployment Environments . . . . .	2-2
2.3 Installation and Operating Environment . . . . .	2-3
2.3.1 Connector Performance in Harsh Environments . . . . .	2-4
2.4 Related Telcordia Documents . . . . .	2-5
3. General Requirements . . . . .	3-1
3.1 Documentation . . . . .	3-1
3.1.1 Practices . . . . .	3-1
3.2 Markings, Packaging, and Shipping . . . . .	3-1
3.2.1 Identification . . . . .	3-1
3.2.2 Shipping Container and Packaging Arrangement . . . . .	3-2
3.2.3 Package Label . . . . .	3-2
3.3 Labels . . . . .	3-3
3.3.1 Consumable Materials . . . . .	3-3
3.4 Product Changes . . . . .	3-3
3.5 Safety and Reliability Considerations . . . . .	3-3
3.6 Installation Size & Weight . . . . .	3-4
3.7 Maintenance . . . . .	3-4
3.7.1 Components . . . . .	3-5
3.7.2 Tools . . . . .	3-5
4. Functional Design Criteria . . . . .	4-1
4.1 Materials . . . . .	4-1
4.1.1 Metallic Materials . . . . .	4-1
4.1.2 Polymeric and Other Non-Metallic Materials . . . . .	4-1
4.2 Cable Management Compartments . . . . .	4-2
4.2.1 Access Compartments . . . . .	4-2
4.2.2 Cable Entrance Capacity . . . . .	4-2
4.2.3 Cable Compatibility . . . . .	4-3
4.2.4 Cable Termination Hardware . . . . .	4-3
4.2.5 Bonding and Grounding Hardware . . . . .	4-4
4.3 Service Provider Splice Compartment . . . . .	4-4

4.3.1	Splice Storage Capacity . . . . .	4-5
4.3.2	Fiber and Splice Protection . . . . .	4-5
4.4	Connector Bulkhead . . . . .	4-6
4.4.1	Bulkhead Capacity . . . . .	4-6
4.4.2	Connector Sleeves . . . . .	4-6
4.4.3	Connector Requirements . . . . .	4-6
4.4.4	Pigtail Requirements . . . . .	4-7
4.5	Fundamental Demarcation Box Requirements . . . . .	4-7
4.5.1	Deployment Configurations . . . . .	4-7
4.5.1.1	Optical Power Monitoring . . . . .	4-7
4.5.2	Demarcation Box Mounting Hardware . . . . .	4-8
4.5.3	Door Restrainers . . . . .	4-8
4.5.4	Drainage for Condensate . . . . .	4-9
4.5.5	Insect Resistance . . . . .	4-9
4.5.6	Fire Safety . . . . .	4-9
4.6	Finish . . . . .	4-10
4.6.1	Color . . . . .	4-10
4.6.2	Appearance . . . . .	4-10
4.6.3	Scrape Adhesion . . . . .	4-11
4.6.4	Flexibility . . . . .	4-11
4.7	Screens and Filters . . . . .	4-11
5.	Application-Specific Requirements . . . . .	5-1
5.1	General . . . . .	5-1
5.2	Electrical Criteria . . . . .	5-1
5.2.1	Bond Clamp Retention . . . . .	5-1
5.2.2	AC Fault Test . . . . .	5-2
5.3	Mechanical Criteria . . . . .	5-2
5.3.1	Cable Clamping . . . . .	5-2
5.3.2	Sheath Retention . . . . .	5-3
5.3.3	Cable Flexing . . . . .	5-3
5.3.4	Cable Torsion . . . . .	5-3
5.3.5	Vertical Drop . . . . .	5-3
5.3.6	Compression . . . . .	5-3
5.3.7	Impact . . . . .	5-4
5.3.8	Central Member (CM) Protrusion . . . . .	5-4
5.4	Environmental Criteria . . . . .	5-4
5.4.1	Accelerated Thermal Aging . . . . .	5-5
5.4.2	Assembly . . . . .	5-5
5.4.3	Temperature and Humidity . . . . .	5-5
5.4.4	Weather Tightness . . . . .	5-5
5.4.5	Water Resistance . . . . .	5-5
5.4.6	Wind Resistance . . . . .	5-6
5.4.7	Corrosion Resistance . . . . .	5-7
5.4.8	Chemical Resistance . . . . .	5-7
5.4.9	Ultraviolet Resistance . . . . .	5-8
5.4.10	Fungus Resistance . . . . .	5-8

5.5	Conditional Requirements . . . . .	5-8
5.5.1	Shotgun Resistance . . . . .	5-8
5.5.2	Steam Resistance . . . . .	5-8
5.5.3	Cable Core Blocking Ability . . . . .	5-8
5.5.4	Fire Resistance . . . . .	5-9
5.5.5	Rodent Resistance . . . . .	5-9
6.	Performance Verification/Test Procedures . . . . .	6-1
6.1	Performance Tests, Test Conditions, and Samples . . . . .	6-1
6.1.1	Test Conditions . . . . .	6-3
6.1.2	Retesting . . . . .	6-3
6.1.3	Sample Preparation . . . . .	6-3
6.1.4	Optical Measurements . . . . .	6-3
6.2	Electrical Tests . . . . .	6-3
6.2.1	Bond Clamp Retention . . . . .	6-4
6.2.2	AC Fault Test . . . . .	6-4
6.3	Mechanical Tests . . . . .	6-5
6.3.1	Cable Clamping . . . . .	6-5
6.3.2	Sheath Retention . . . . .	6-6
6.3.3	Cable Flexing . . . . .	6-7
6.3.4	Cable Torsion . . . . .	6-8
6.3.5	Vertical Drop . . . . .	6-9
6.3.6	Compression . . . . .	6-10
6.3.7	Impact . . . . .	6-11
6.3.8	Central Member Protrusion . . . . .	6-12
6.4	Environmental Tests . . . . .	6-13
6.4.1	Thermal Aging . . . . .	6-13
6.4.2	Assembly . . . . .	6-14
6.4.3	Temperature and Humidity . . . . .	6-14
6.4.4	Weather Tightness (Dust) Test . . . . .	6-16
6.4.5	Water Resistance Tests . . . . .	6-16
6.4.6	Wind Resistance . . . . .	6-19
6.4.7	Corrosion Resistance . . . . .	6-19
6.4.8	Chemical Resistance Tests . . . . .	6-19
6.4.9	UV Resistance Test . . . . .	6-21
6.4.10	Fungus Resistance Test . . . . .	6-22
6.5	Conditional Requirements . . . . .	6-22
6.5.1	Shotgun Resistance . . . . .	6-22
6.5.2	Steam Resistance . . . . .	6-23
6.5.3	Cable Core Blocking Ability . . . . .	6-23
6.5.4	Building Fire Resistance . . . . .	6-23
	Appendix A: Observational Standard . . . . .	A-1
	References . . . . .	References-1
	Requirement-Object Index . . . . .	ROI-1



## List of Figures

Figure 2-1.	Basic Fiber Demarcation Box . . . . .	2-2
Figure 6-1.	AC Fault Test . . . . .	6-5
Figure 6-2.	Cable Pullout Test . . . . .	6-7
Figure 6-3.	Cable Flex Test . . . . .	6-8
Figure 6-4.	Cable Torsion Test . . . . .	6-9
Figure 6-5.	Compression Test . . . . .	6-11
Figure 6-6.	Central Member Test Fixture . . . . .	6-12
Figure 6-7.	Central Member Protrusion Test . . . . .	6-13
Figure 6-8.	Temperature Cycle . . . . .	6-15
Figure 6-9.	Water Immersion Test . . . . .	6-17
Figure 6-10.	Three Point Test Fixture . . . . .	6-20
Figure 6-11.	Test Bar Samples . . . . .	6-22
Figure 6-12.	Cable Core Blocking Test . . . . .	6-24
Figure 6-13.	Vertical Test Rack . . . . .	6-26
Figure 6-14.	Burner Arrangement (Front View & Top View Shown) . . . . .	6-27
Figure 6-15.	Horizontal Test Equipment . . . . .	6-29
Figure 6-16.	Sample Placement - Horizontal Test . . . . .	6-30
Figure A-1.	Telcordia Observational Standard for Evaluating Dust Accumulation . . . . .	A-1



## List of Tables

Table 2-1.	Deployment Environments for Fiber Demarcation Boxes . . .	2-3
Table 5-1.	Cable Pullout Criteria Levels . . . . .	5-3
Table 5-2.	Impact Criteria Levels . . . . .	5-4
Table 5-3.	Water Resistance Criteria Levels . . . . .	5-6
Table 5-4.	Corrosion Resistance Criteria Levels . . . . .	5-7
Table 6-1.	Recommend Performance Test Sequence . . . . .	6-1
Table 6-2.	Water Resistance Criteria . . . . .	6-16
Table 6-3.	Sample Examination Matrix . . . . .	6-21