

## Contents

Generic Requirements Notice of Disclaimer . . . . .	iii
Contents . . . . .	v
Preface . . . . .	xiii
1. Introduction . . . . .	1-1
1.1 Document Overview . . . . .	1-1
1.2 Purpose of the Document . . . . .	1-1
1.3 Applicability of Technical Specifications . . . . .	1-1
1.4 Alternative Arrangements . . . . .	1-1
1.5 Organization . . . . .	1-2
2. Unbundled Transport Element Summary . . . . .	2-1
2.1 General Description . . . . .	2-1
2.2 Unbundled Loop . . . . .	2-1
2.2.1 Unbundled Loop Type 1 . . . . .	2-2
2.2.2 Unbundled Loop Type 2 . . . . .	2-2
2.2.3 Unbundled Loop Type 3 . . . . .	2-2
2.3 Unbundled Local Transport Element . . . . .	2-3
2.3.1 Unbundled Local Transport Element - Voiceband . . . . .	2-5
2.3.2 Unbundled Local Transport Element - Digital . . . . .	2-5
3. Unbundled Special Transport Service Summary . . . . .	3-1
3.1 General Description . . . . .	3-1
3.2 Unbundled Special Transport - Voiceband Service . . . . .	3-2
3.3 Unbundled Special Transport - Digital Service . . . . .	3-2
4. Interface Descriptions . . . . .	4-1
4.1 NCI Code Components . . . . .	4-1
4.2 Conventions and Explanations . . . . .	4-2
4.2.1 Transmit and Receive Transmission Directions . . . . .	4-2
4.2.2 Simplex Signaling Sense . . . . .	4-3
4.3 Interface Illustrations . . . . .	4-4
4.3.1 Interface Protocol—High Capacity . . . . .	4-5
4.3.1.1 Interface Codes 04DS()-O . . . . .	4-5
4.3.1.2 POT/CO-NI Interface Codes 02FCF()-O . . . . .	4-6
4.3.2 Interface Protocol—Duplex . . . . .	4-7
4.3.2.1 Interface Codes 04DX2 . . . . .	4-7
4.3.3 Interface Protocol—E&M . . . . .	4-8
4.3.3.1 Interface Codes 06EA2-E and 06EA2-M . . . . .	4-8
4.3.3.2 Interface Codes 08EB2-E and 08EB2-M . . . . .	4-9
4.3.3.3 Interface Code 08EC2 . . . . .	4-10
4.3.4 Interface Protocol—Reverse-Battery . . . . .	4-11
4.3.4.1 Interface Code 04RV2-O . . . . .	4-11
4.3.4.2 Interface Code 04RV2-T . . . . .	4-12
4.3.5 Interface Protocol—Transmission Only, No Signaling . . . . .	4-13
4.3.5.1 Interface Code 04NO2 . . . . .	4-13

- 4.3.6 Interface Protocol—Single-Frequency . . . . . 4–14
  - 4.3.6.1 Interface Code 04SF2 . . . . . 4–14
- 5. Signaling Arrangements for Unbundled Local Transport Elements . . . . . 5–1
  - 5.1 General Description . . . . . 5–1
  - 5.2 E&M Lead Signaling . . . . . 5–1
    - 5.2.1 Type I E&M Lead Signaling (EA-E, EA-M) . . . . . 5–1
    - 5.2.2 Type II E&M Lead Signaling (EB-E, EB-M) . . . . . 5–1
    - 5.2.3 Type III E&M Lead Signaling (EC) . . . . . 5–2
  - 5.3 Loop Reverse-Battery Signaling (RV-O, RV-T) . . . . . 5–5
  - 5.4 Duplex Signaling (DX) . . . . . 5–5
  - 5.5 Single-Frequency Signaling (SF) . . . . . 5–9
  - 5.6 Multiplexed Signaling (DS) . . . . . 5–9
  - 5.7 Common Channel Signaling (CCS) . . . . . 5–10
- 6. Transmission Specifications . . . . . 6–1
  - 6.1 Technical Specifications Overview . . . . . 6–1
    - 6.1.1 Unbundled Loop . . . . . 6–1
      - 6.1.1.1 Loop Architectures . . . . . 6–1
      - 6.1.1.2 Loop Transmission Design . . . . . 6–2
      - 6.1.1.3 Loop Maintenance Methodology . . . . . 6–3
      - 6.1.1.4 Transmission Parameter Considerations . . . . . 6–3
    - 6.1.2 Unbundled Local Transport Element - Voiceband . . . . . 6–4
      - 6.1.2.1 Transmission Facilities . . . . . 6–4
      - 6.1.2.2 Voice Transmission Parameters . . . . . 6–5
      - 6.1.2.3 Voiceband Data Transmission Parameters . . . . . 6–7
      - 6.1.2.4 Digital Interoffice Facility Acceptance Test . . . . . 6–7
      - 6.1.2.5 Transmission Level Points (TLPs) . . . . . 6–8
      - 6.1.2.6 Loss Plans . . . . . 6–8
    - 6.1.3 Unbundled Local Transport Element - Digital . . . . . 6–9
    - 6.1.4 Unbundled Special Transport - Voiceband Service . . . . . 6–10
      - 6.1.4.1 Special Channel Facility and Conditioning Options . . . . . 6–10
      - 6.1.4.2 Special Channel Multipoint Service . . . . . 6–10
    - 6.1.5 Unbundled Special Transport - Digital Service . . . . . 6–10
  - 6.2 Unbundled Loop Specifications . . . . . 6–11
    - 6.2.1 Transmission Type L1 . . . . . 6–11
    - 6.2.2 Transmission Type L2 . . . . . 6–12
    - 6.2.3 Transmission Type L3 . . . . . 6–12
  - 6.3 Unbundled Local Transport Element - Voiceband Specifications . . . . . 6–12
  - 6.4 Unbundled Local Transport Element - Digital Specifications . . . . . 6–17
  - 6.5 Unbundled Special Transport - Voiceband Service Specifications . . . . . 6–19
  - 6.6 Unbundled Special Transport - Digital Service Specifications . . . . . 6–19
- 7. Interface Specifications . . . . . 7–1
  - 7.1 Interfaces for Unbundled Loop . . . . . 7–1
  - 7.2 Interfaces for Unbundled Local Transport Element . . . . . 7–2
  - 7.3 Interfaces for Unbundled Special Transport Service . . . . . 7–5

References . . . . . References-1  
Acronyms . . . . . Acronyms-1  
Glossary . . . . . Glossary-1



## List of Figures

Figure 2-1	Unbundled Loop Configuration and Application of Transmission Specifications . . . . .	2-2
Figure 2-2	Unbundled Local Transport Element Configurations and Application of Transmission Specifications . . . . .	2-3
Figure 2-3	Unbundled Local Transport Element With CCS/SS7 Capabilities . . . . .	2-4
Figure 3-1	Unbundled Special Transport Service Configuration and Application of Transmission Specifications . . . . .	3-2
Figure 4-1	Transmission Conventions . . . . .	4-3
Figure 4-2	Simplex Standard for 4-Wire DX, GS, and LS at POT/CO-NI . . . . .	4-3
Figure 4-3	Simplex Standard for 4-Wire Reverse-Battery (RV) at POT/CO-NI . . . . .	4-4
Figure 5-1	Illustration of Type I E&M Lead Interface With CLEC Originate on M Lead . . . . .	5-2
Figure 5-2	Illustration of Type II E&M Lead Interface With CLEC Originate on M Lead . . . . .	5-3
Figure 5-3	Illustration of Type III E&M Lead Interface With CLEC Originate on M Lead . . . . .	5-4
Figure 5-4	Illustration of Loop Reverse-Battery Signaling—CLEC Terminating . . . . .	5-6
Figure 5-5	Illustration of Loop Reverse-Battery Signaling—CLEC Originating . . . . .	5-7
Figure 5-6	Illustration of DX Signaling Circuit . . . . .	5-8
Figure 6-1	CCS Link Error Performance Allocation Scheme . . . . .	6-18



## List of Tables

Table 4-1	Conductor Codes . . . . .	4-1
Table 4-2	Impedance Codes . . . . .	4-2
Table 6-1	Transmission Type L1 Requirement . . . . .	6-11
Table 6-2	Transmission Type I Loss Deviation Limits . . . . .	6-13
Table 6-3	Transmission Type I Three-Tone Slope Limits . . . . .	6-13
Table 6-4	Transmission Type I C-Message Noise Limits . . . . .	6-14
Table 6-5	Transmission Type I Echo Control Parameter Limits . . . . .	6-14
Table 6-6	Data Type DI Transmission Limits . . . . .	6-16
Table 6-7	ULTE-D and CCS Link Performance Specifications (24-Hour Period) . . . . .	6-17
Table 6-8	Transmission Grade S Parameter Limits . . . . .	6-19
Table 6-9	UST-DS Long-Term Performance Objectives - EU-NI to POT/CO-NI Connection . . . . .	6-20
Table 6-10	UST-DS Long-Term Performance Objectives - POT/CO-NI to POT/CO-NI Connections . . . . .	6-20
Table 6-11	UST-DS Acceptance Limits - EU-NI to CO-NI/CLEC POT Connections . . . . .	6-21
Table 6-12	UST-DS Acceptance Limits - POT/CO-NI to CO-NI/CLEC-POT Connection . . . . .	6-21
Table 7-1	Interface Codes for UL . . . . .	7-1
Table 7-2	Interface NCI Codes for ULTEs . . . . .	7-2
Table 7-3	Digital High-Capacity Interfaces . . . . .	7-3
Table 7-4	Optical High-Capacity Interfaces . . . . .	7-3
Table 7-5	ULTE TLPs at CO-NI . . . . .	7-3
Table 7-6	ULTE TLPs and Interface Codes at CLEC POT . . . . .	7-4
Table 7-7	ULTE Digital Signal and Interface Codes at CLEC POT . . . . .	7-5
Table 7-8	Interface Combinations for USTS . . . . .	7-5