

# SPCS/Server Generic Requirements for the Next Generation of the Analog Display Services Interface (ADSI++)

## Contents

|  |           |
|--|-----------|
| Preface .....  | Preface-1 |
| 1. Introduction.....   | 1-1       |
| 1.1 Definition .....   | 1-1       |
| 1.1.1 Changes In This Issue.....   | 1-2       |
| 1.2 Background .....   | 1-3       |
| 1.2.1 Scope .....  | 1-4       |
| 1.3 Customer Perspective .....   | 1-5       |
| 1.3.1 Server Display Control Session.....  | 1-5       |
| 1.3.2 Feature Download Session.....  | 1-6       |
| 1.4 ADSI/ADSI++ CPE.....   | 1-6       |
| 1.5 Requirements Terminology .....   | 1-8       |
| 1.6 Requirement Labeling Conventions .....   | 1-9       |
| 1.6.1 Numbering of Requirement and Related Objects.....                                  | 1-9       |
| 1.6.2 Requirement, Conditional Requirement, and Objective Object<br>Identification ..... | 1-9       |
| 2. Interface Operations.....   | 2-1       |
| 2.1 Introduction to Categories of Messages .....   | 2-1       |
| 2.1.1 Server Display Control Messages .....  | 2-1       |
| 2.1.2 Feature Download Messages .....  | 2-2       |
| 2.2 Session Interruption Treatment.....  | 2-2       |
| 2.3 Errors and Retransmission.....   | 2-2       |
| 3. ADSI++ Protocol.....  | 3-1       |
| 3.1 First Layer (Physical Layer) .....   | 3-1       |
| 3.2 Second Layer (Data link Layer) .....   | 3-3       |
| 3.2.1 Message Format for Data link Layer .....   | 3-3       |
| 3.2.2 Standard ADSI Protocol - Functions to Support the Data link Layer<br>3-6           |           |
| 3.3 Third (Message) Layer .....  | 3-18      |
| 3.3.1 ADSI On-Hook Alerting (AOHA) for Automatic Feature<br>Downloads.....               | 3-23      |
| 3.3.2 Unified Messaging Parameter for Providing a Message<br>Notification.....           | 3-24      |
| 3.3.3 Message Waiting Notification Buffer Variables Parameter .....                      | 3-26      |
| 4. Standard ADSI++ Data Message Parameters.....  | 4-1       |
| 4.1 ADSI Server Display Control Message Parameters .....                                 | 4-1       |
| 4.2 Optional ADSI SDC STA Parameter .....  | 4-72      |
| 4.3 Feature Download Message Parameters .....  | 4-74      |

|  |              |
|--|--------------|
| 5. Call Processing Control and Transmission .....                        | 5-1          |
| 5.1 Connections.....   | 5-1          |
| 5.2 Class of Services .....  | 5-1          |
| 5.3 Charge Treatment .....   | 5-1          |
| 5.4 Common Channel Signaling .....                                       | 5-1          |
| 5.5 Transmission .....   | 5-1          |
| 6. Administration .....  | 6-1          |
| 6.1 Service Changes to the LEC .....                                     | 6-1          |
| 6.2 Service Changes to the Customer.....                                 | 6-1          |
| 6.3 Installation and Support.....  | 6-1          |
| 6.4 Craftsperson/SPCS Interface.....                                     | 6-2          |
| 7. Performance and Reliability.....                                      | 7-1          |
| 8. Maintenance .....   | 8-1          |
| 9. Limitations and Restrictions .....                                    | 9-1          |
| 10. Timing and Tolerances.....   | 10-1         |
| Appendix A: DTMF Tones.....  | A-1          |
| Appendix B: Encoding of 8-Bit Characters in DTMF Signals.....            | B-1          |
| Appendix C: Acknowledge/Negative Acknowledge Signals.....                | C-1          |
| C.1 Data-Burst Acknowledgment .....                                      | C-1          |
| C.2 Voiceband CPE Alert Signal (CAS) Acknowledgment .....                | C-1          |
| Appendix D: Soft Key Return String Format.....                           | D-1          |
| Appendix E: Additional Guidelines for Host Computer Servers .....        | E-1          |
| E.1 Considerations for ADSI Over Connections to Remote Servers .....     | E-1          |
| E.2 Dealing With Speech Enhancement Algorithms .....                     | E-3          |
| E.3 International Interoperability .....                                 | E-4          |
| Appendix F: Message Flow Scenarios of a Typical ADSI++ SDC Session ..... | F-1          |
| F.1 Example A - ADSI Call Flow.....                                      | F-1          |
| F.2 Example B - Non-ADSI Compatible CPE.....                             | F-4          |
| References .....   | References-1 |
| Glossary .....   | Glossary-1   |

## List of Figures

|             |  |      |
|-------------|--|------|
| Figure 3-1. | ADSI Data link Layer Frame Format for SPCS/Server to CPE Messages.....   | 3-3  |
| Figure 3-2. | Layer 3 Parameter Message Package for the ADMF.....  | 3-19 |
| Figure 3-3. | CPE ID Parameter of the MDMF "Call Setup" Message for AOHA   | 3-24 |
| Figure 3-4. | UM Parameter of the MDMF Message Waiting Notification Message. ....  | 3-25 |
| Figure 3-5. | MWN Buffer Variables Parameter of the MDMF Message Waiting Notification Message .....  | 3-26 |
| Figure 4-1. | State Of CPE Soft Keys When an "Information" Parameter Is Executed After an "Initialize Soft Key Line" Parameter Was Executed.....                       | 4-18 |
| Figure 4-2. | State of CPE Soft Keys When the Next "Line Control" Parameter or "Goto Line" rs-code Is Executed After the "Information" Parameter Was Executed. ....    | 4-19 |
| Figure 4-3. | State of CPE Soft Keys When an "Information" Parameter Is Executed After the Previous "Line Control" Parameter or "Goto Line" rs-code Was Executed ..... | 4-19 |
| Figure 4-4. | Hardware Oriented Algorithm .....  | 4-24 |
| Figure 4-5. | Information Display Page and Physical Display Prior to Receiving the "Move Data" Command .....   | 4-43 |
| Figure 4-6. | CPE Response to the "Move Data" Command with the Global Prompt Not Set .....   | 4-44 |
| Figure 4-7. | CPE Response to the "Move Data" Command with the Global Prompt Set.....  | 4-45 |
| Figure F-1. | Example A - Message Flow for a Hypothetical Feature .....  | F-3  |
| Figure F-2. | Example B - Non-ADSI Compatible CPE .....  | F-4  |



## List of Tables

|             |  |      |
|-------------|--|------|
| Table 3-1.  | ADSI Message Type Words .....                            | 3-4  |
| Table 3-2.  | GR-30-CORE Off-hook Timers.....                          | 3-9  |
| Table 4-1.  | ADSI Server Display Control Parameters .....             | 4-3  |
| Table 4-2.  | Peripherals Supported By ADSI .....                      | 4-41 |
| Table 4-3.  | Supported Alternate Character Sets .....                 | 4-54 |
| Table 4-4.  | ADSI Feature Download Parameters.....                    | 4-75 |
| Table 10-1. | ADSI SPCS/Server Timers.....                             | 10-2 |
| Table A-1.  | Use of DTMF A, B, C, and D Signals in ADSI Protocol..... | A-1  |
| Table A-2.  | DTMF Frequencies.....                                    | A-1  |
| Table B-1.  | Mapping of Characters to DTMF Signals in ADSI.....       | B-2  |
| Table C-1.  | Data-burst Acknowledgment Signals.....                   | C-1  |
| Table C-2.  | CAS Acknowledgment Signals.....                          | C-1  |