

Business Group Networking Using ISDN PRI

Contents

Preface	Preface-1
1. Introduction	1-1
1.1 Purpose and Scope	1-1
1.2 Definition	1-2
1.3 Background	1-2
1.4 Nomenclature	1-3
1.5 Document Organization	1-4
1.6 Requirements Terminology	1-5
1.7 Requirement Labeling Conventions	1-6
1.7.1 Numbering of Requirement and Related Objects	1-6
1.7.2 Requirement, Conditional Requirement, and Objective Object Identification	1-6
2. Overview	2-1
2.1 Business Group Structure & Dialing Plan	2-1
2.2 Private Access PRI	2-1
2.3 Business Group Networking PRI	2-4
2.4 Terminology	2-5
2.5 User Perspective	2-6
3. Business Group Structure & Access Restrictions	3-1
3.1 Business Group Structure	3-1
3.2 Access Restrictions	3-2
3.2.1 I-BGE without Access Restrictions	3-2
3.2.2 Assignment of Access Restrictions	3-2
3.3 ISDN Business Group Dialing Plan (I-BGDP)	3-5
3.3.1 ISDN Customer Access Treatment (CAT) Restrictions	3-6
3.3.2 ISDN Code Restriction and Diversion	3-6
3.4 ISDN Simulated Facility Groups	3-7
3.4.1 ISDN Simulated Facility Groups for In and Out Circuit-Mode Calls (I-SFG)	3-7
3.4.2 ISDN Internal Simulated Facility Groups for Circuit Mode Calls (I-SFG/C)	3-8
3.4.3 ISDN Internal Simulated Facility Groups for Circuit-Mode Calls (I-SFG/C)	3-9
3.5 ISDN Special Intercept Announcement	3-11
3.6 Error Treatment and Abnormal Events	3-12
3.7 Internal Call-Processing Controls	3-13

3.7.1	Class of Service/Configuration	3-13
3.7.2	Code Interpretation	3-13
3.8	Overload	3-14
3.9	Interactions	3-14
4.	Requirements for a Private Facility Access (PVA) PRI	4-1
4.1	Call Origination from a PRI CPE	4-2
4.1.1	ISDN Abbreviated Dialing for Circuit-Mode Calls	4-2
4.1.1.1	Termination to an ISDN BRI or Non-ISDN Member of the ISDN BG	4-6
4.1.1.2	Termination to a BGN PRI	4-7
4.1.1.3	Termination to an IEC Access PRI	4-7
4.1.2	ISDN Dial Access to Private Facilities	4-7
4.1.2.1	Dial Access to a Non-ISDN Foreign Exchange Facility ...	4-8
4.1.2.2	Dial Access to an OUTWATS Facility	4-11
4.1.2.3	Dial Access to a Non-ISDN Tie Trunk	4-13
4.1.2.4	Dial Access to a BGN PRI	4-16
4.1.2.5	Dial Access to an IEC PRI	4-19
4.1.3	ISDN Dial Access to Automatic Flexible Routing	4-22
4.1.3.1	Facility Restriction Levels	4-27
4.1.3.2	Authorization Codes	4-27
4.1.3.3	Traveling Class Marks (TCMs)	4-27
4.1.3.4	Account Codes	4-29
4.1.4	ISDN Dial Access to Public Facilities	4-29
4.2	Call Termination to a PRI CPE	4-32
4.3	Call Clearing	4-35
4.4	Calling Number Identification	4-35
4.4.1	Number Provision	4-35
4.4.1.1	Number Screening	4-36
4.4.1.2	Termination to a DN Associated with a Non-ISDN Line	4-38
4.4.1.3	Termination to a DN/CT Associated with an ISDN BRI	4-38
4.4.1.4	Call Routed to a Non-ISDN FX or Tie Facility	4-40
4.4.1.5	Call Routed to an OUTWATS Facility	4-41
4.4.1.6	Call Routed to a BGN PRI, IEC Access PRI, or PVA PRI	4-42
4.4.1.7	Call Routed to the Public Network	4-42
4.4.2	Calling Number Delivery	4-42
4.4.2.1	Incoming from the Public Network	4-43
4.4.2.2	Call Originated from a DN (associated with a non-ISDN Line) or a DN/CT (associated with an ISDN BRI) Member of the ISDN BG	4-43
4.4.2.3	Call Originated from a PVA PRI, BGN PRI, or IEC Access PRI	4-44

4.4.2.4	Call Originated from a non-ISDN Tie Trunk or FX.....	4-44
4.4.2.5	Call Originated from an INWATS facility	4-44
4.4.3	Redirecting Number Provision.....	4-44
4.4.3.1	Number Screening	4-45
4.4.3.2	Termination to a DN Associated with a Non-ISDN Line	4-47
4.4.3.3	Termination to a DN/CT Associated with an ISDN BRI	4-47
4.4.3.4	Call Routed to a Non-ISDN FX or Tie Facility.....	4-49
4.4.3.5	Call Routed to an OUTWATS Facility	4-50
4.4.3.6	Call Routed to a PVA PRI, BGN PRI, or IEC Access PRI.....	4-51
4.4.3.7	Call Routed to the Public Network.....	4-51
4.4.4	Redirecting Number Delivery	4-51
4.4.4.1	Incoming from the Public Network	4-51
4.4.4.2	Call Forwarded from a DN (associated with a non-ISDN Line) or a DN/CT (associated with an ISDN BRI) Member of the ISDN BG	4-51
4.4.4.3	Call Originated from a PVA PRI.....	4-53
4.4.4.4	Call Originated from a non-ISDN Tie Trunk or FX.....	4-53
4.4.4.5	Call Originated from an INWATS Facility	4-53
4.5	Calling Name Identification.....	4-53
4.5.1	Calling Name Acceptance.....	4-54
4.5.1.1	Calling Name Screening	4-54
4.5.1.2	Call Routed to a Foreign Exchange Facility or Non-ISDN Tie Trunk.....	4-56
4.5.1.3	Call Routed to OUTWATS	4-56
4.5.1.4	Call Routed to the Public Network.....	4-56
4.5.2	Calling Name Delivery	4-56
4.5.2.1	Incoming Call from the Public Network	4-56
4.5.2.2	Call Originated from a DN (associated with a non-ISDN line) or DN/CT (associated with an ISDN BRI) Member of the Business Group.....	4-57
4.5.2.3	Call Originated from a PVA PRI, BGN PRI, or IEC Access PRI.....	4-58
4.5.2.4	Call Originated from a Non-ISDN Tie Trunk or FX Facility	4-59
4.5.2.5	Call Originated from an INWATS Facility	4-59
4.5.3	Redirecting Name Acceptance.....	4-59
4.5.3.1	Screening of Redirecting Name information	4-59
4.5.3.2	Delivery of Name to a DN/CT Associated with an ISDN BRI, to an Analog Line	4-60
4.5.3.3	Call Routed to a PVA PRI, BGN PRI, or IEC Access PRI.....	4-61

4.5.3.4	Call Routed to a Foreign Exchange Facility or Non-ISDN Tie Trunk.....	4-61
4.5.3.5	Call Routed to an OUTWATS Facility	4-61
4.5.3.6	Call Routed to the Public Network.....	4-61
4.5.4	Redirecting Name Delivery	4-62
4.5.4.1	Incoming from the Public Network	4-62
4.5.4.2	Call Forwarded from a DN (associated with a non-ISDN line) or DN/CT (associated with an ISDN BRI) Member of the Business Group.....	4-62
4.5.4.3	Call Originated from a PVA PRI, BGN PRI, or IEC Access PRI.....	4-64
4.5.4.4	Call Originated from a Non-ISDN Tie Trunk or FX Facility	4-64
4.5.4.5	Call Originated from an INWATS Facility	4-64
4.6	Handling of Cause values, Progress Indicators, and Location codes.....	4-65
4.7	Extensions of/Usage of Common Element Procedures	4-66
4.7.1	ROSE Component Signaling	4-66
4.7.2	Extensions of/Usage of Call Associated Signaling.....	4-66
4.7.3	Extensions for Non-Call Associated Signaling.....	4-66
4.7.4	Special Handling of the Facility information element	4-66
4.8	Error Treatment and Abnormal Events	4-67
4.9	Internal-Call Processing Controls	4-67
4.9.1	Class of Service/Configuration	4-67
4.9.2	Code Interpretation	4-67
4.10	Overload.....	4-68
4.11	SS7 Interface Signaling.....	4-68
4.12	Interworking With Other Signaling Systems	4-68
4.13	Interactions	4-68
4.13.1	Interactions with PRI Features	4-68
4.13.1.1	PRI Two B-Channel Transfer	4-68
4.13.1.2	PRI Call Deflection.....	4-69
4.13.1.3	Message Service	4-69
4.13.2	Interactions with BRI Features	4-70
4.13.2.1	Call Forwarding	4-70
4.13.2.2	Call Pickup.....	4-75
4.13.2.3	Call Park	4-75
4.13.2.4	Flexible Calling	4-75
4.14	Limitations and Restrictions	4-75
4.15	Timing and Tolerances.....	4-75
5.	Inter-Business Group Networking Requirements	5-1
5.1	Call Establishment From Business Group Members to a BGN PRI.....	5-3
5.1.1	Access to Business Group Networking PRI	5-3
5.1.1.1	Intercom Dialing/Dial-Access Procedures	5-3
5.1.1.2	Routing Using AFR	5-4

5.1.2	Call Setup on a Business Group Networking PRI	5-6
5.1.2.1	Network-Side Procedures	5-7
5.1.2.2	User-Side Procedures.....	5-13
5.2	Call Establishment From a BGN PRI to the Business Group	5-15
5.2.1	BGN-N Call Establishment Procedures	5-15
5.2.2	BGN-U Call Establishment Procedures	5-19
5.2.3	Termination Treatment to Business Group Members and Facilities	5-21
5.2.3.1	Termination to a Non-ISDN line	5-21
5.2.3.2	Termination to Non-ISDN Foreign Exchange Facility	5-22
5.2.3.3	Termination to a Non-ISDN Tie Trunk	5-22
5.2.3.4	Termination to an OUTWATS Facility	5-23
5.2.3.5	Termination to a DN/CT Associated with an ISDN BRI	5-23
5.2.3.6	Termination to a PVA PRI or IEC Access PRI	5-24
5.3	Calling Number Identification Services	5-24
5.3.1	Sending Calling Number to the Remote Business Group Switch.....	5-24
5.3.1.1	Procedures for the SPCS-N	5-24
5.3.1.2	Procedures for the SPCS-U	5-26
5.3.2	Receiving Calling Number from the Remote Business Group Switch	5-26
5.3.2.1	Procedures for the SPCS-N	5-26
5.3.2.2	Procedures for the SPCS-U	5-32
5.3.3	Sending Redirecting Numbers to the Remote Business Group Switch	5-32
5.3.3.1	Procedures for the SPCS-N	5-32
5.3.3.2	Procedures for the SPCS-U	5-34
5.3.4	Receiving Redirecting Numbers from the Remote Business Group Switch	5-34
5.3.4.1	Procedures for the SPCS-N	5-34
5.3.4.2	Procedures for an SPCS-U.....	5-40
5.4	Name Identification Services	5-41
5.4.1	Sending Calling Name over a BGN PRI.....	5-41
5.4.1.1	Procedures for the SPCS-N	5-41
5.4.1.2	Procedures for the SPCS-U	5-43
5.4.2	Receiving Calling Name Over a BGN PRI.....	5-43
5.4.2.1	Procedures for the SPCS-N	5-43
5.4.2.2	Delivery of Calling Name to Analog Lines, DN/CTs (associated with BRIs), and PRI Business Group Members	5-44
5.4.2.3	Procedures for the SPCS-U	5-46
5.4.3	Sending Redirecting Name Over the BGN PRI.....	5-46
5.4.3.1	Procedures for the SPCS-N	5-46
5.4.3.2	Procedures for the SPCS-U	5-49

5.4.4	Receiving Redirecting Name Over the BGN PRI.....	5-49
5.4.4.1	Procedures for the SPCS-N	5-49
5.4.4.2	Procedures for the SPCS-U	5-52
5.5	Handling of Cause, Progress, and Location Indicators	5-52
5.6	Extensions of/Usage of Common Element Procedures	5-53
5.6.1	ROSE Component Signaling	5-53
5.6.2	Extensions of/Usage of Call Associated Signaling.....	5-53
5.6.3	Special Handling of the Facility Information Element	5-54
5.7	Error Treatment and Abnormal Events	5-54
5.8	Interworking With Other Signaling Systems	5-54
5.9	Interactions	5-55
5.9.1	Interactions with PRI Features	5-55
5.9.2	Interactions with BRI Features	5-55
5.9.2.1	Call Forwarding	5-55
5.9.2.2	Call Pickup.....	5-60
5.9.2.3	Call Park	5-60
5.9.2.4	Flexible Calling	5-60
6.	Coding.....	6-1
6.1	Messages	6-1
6.1.1	BGN PRI.....	6-1
6.1.1.1	SETUP	6-1
6.1.2	PVA PRI	6-3
6.1.2.1	SETUP	6-3
6.1.3	BRI	6-7
6.2	Information Elements.....	6-8
6.2.1	Called Party Number.....	6-8
6.2.2	Calling Party Number	6-8
6.2.3	Redirecting number.....	6-9
6.2.4	Redirecting Subaddress.....	6-9
6.2.5	Facility	6-10
6.2.6	Originating Line Information.....	6-10
6.2.7	User-Entered code.....	6-11
6.3	ASN.1 Definitions.....	6-12
6.3.1	ASN.1 Definition for Name Identification	6-12
6.3.2	ASN.1 Definition for Traveling Class Mark.....	6-15
6.4	Displays.....	6-16
6.4.1	Display for OLI.....	6-16
7.	Administration/Maintenance and Billing.....	7-1
7.1	Memory Administration (Service Changes/Subscription Parameters)	7-1
7.1.1	Service Changes/Subscription Parameters - Common Parameters for PRIs	7-1
7.1.2	Service Changes/Subscription Parameters - Per Interface (PVA PRI).....	7-5

7.1.3	Service Changes/Subscription Parameters - BGN-N PRI.....	7-7
7.1.4	Service Changes/Subscription Parameters - BGN-U PRI.....	7-8
7.1.5	Service Changes/Subscription Parameters - Per ISDN BG	7-9
7.1.6	Service Changes/Subscription Parameters - Per Switch	7-11
7.2	Network Maintenance	7-11
7.2.1	Surveillance.....	7-11
7.2.2	Testing.....	7-12
7.3	Network Data Collection.....	7-12
7.4	Network Traffic Management.....	7-14
7.5	Billing and Comptroller	7-14
Appendix A:	Data Dictionary	A-1
A.1	Scope and Definition.....	A-1
A.2	Allowed Data Values	A-1
A.3	Data Dictionary	A-2
A.3.1	Common Data Dictionary for PRIs.....	A-2
References	References-1
Glossary	Glossary-1

List of Figures

Figure 5-1.	Inter-Business Group Networking Architecture.....	5-1
Figure 6-1.	Originating Line Information (OLI) Information Element.....	6-11
Figure 6-2.	User Entered Code Information Element	6-12

List of Tables

Table 3-1.	Increment/Decrement Table For An I-SFG/C	3-9
Table 6-1.	SPCS-U or SPCS-N SETUP Message Content - Initiation	6-1
Table 6-2.	PRI CPE to SPCS SETUP Message Content - Origination.....	6-3
Table 6-3.	SPCS to PRI CPE SETUP Message Content - Termination	6-5
Table 6-4.	SPCS to BRI User SETUP Message Content - Termination.....	6-7
Table 6-5.	Type of Number and Numbering Plan	6-9
Table A-1.	Explanation of Columns	A-1
Table A-2.	Types and Definitions.....	A-2
Table A-3.	Data Dictionary.....	A-3