

Contents

Preface	Preface-1
1. Introduction	1-1
1.1 Purpose and Scope	1-1
1.2 Target Audience	1-2
1.3 Review/Concurrence Information	1-3
1.4 Reason for Reissue	1-3
1.5 Structure and Use of This Document	1-3
1.6 Requirements Terminology	1-4
1.7 Requirement Labeling Conventions.....	1-4
1.7.1 Numbering of Requirement and Related Objects	1-5
1.7.2 Requirement, Conditional Requirement, and Objective Object Identification	1-5
2. Connecting Network Access (CNA) Incoming Interconnection Arrangement	2-1
2.1 Provisioning and Call Processing Procedures for AMA Generation of CNA Records.....	2-6
2.1.1 Further Provisioning Requirements	2-7
2.1.1.1 Recording Options for LMS AMA for CNA.....	2-11
2.2 Generating AMA Records for Incoming CNA Calls	2-12
2.2.1 Appending Module 164	2-14
2.2.1.1 Appending Module 164 for Originating Information	2-14
2.2.1.2 Appending Module 164 for Charge Number (ChN).....	2-16
2.2.2 Appending LNP Modules	2-17
2.2.2.1 Originating LNP Modules	2-18
2.2.2.2 Terminating LNP Modules	2-19
2.3 Population Rules for Incoming CNA Records.....	2-21
2.3.1 Study Indicator (Table 8) and Called Party Off-hook (Table 9).....	2-21
2.3.2 Service Feature (Table 12) With Originating Line Information	2-21
2.3.3 Originating NPA (Table 13) and Originating Number (Table 14) ..	2-22
2.3.4 Overseas Indicator (Table 15), Terminating NPA (Table 16), and Terminating Number (Table 17)	2-22
2.3.5 Date and Time Fields	2-26
2.3.5.1 Carrier and Customer Connect Date (Table 6) and Connect Time (Table 18)	2-26
2.3.5.2 Elapsed Time Determination Requirements	2-27
2.3.6 Carrier Information - IC/INC (Table 57)	2-28
2.3.7 Call Event Status (Table 58)	2-28
2.3.8 Trunk Group Number (Table 83) and Routing Indicator (Table 59)	2-29
2.3.9 ANI Indicator (Table 60)	2-30
3. Exchange Access Interconnection Feature Group D (FGD).....	3-1

3.1	Background	3-1
3.1.1	Equal Access Signaling.....	3-1
3.1.2	FGD Network Architecture.....	3-2
3.2	Provisioning Requirements for FGD AMA Recording	3-5
3.2.1	Recording Options for FGD LMS AMA	3-9
3.3	LMS AMA Generation for Exchange Access Interconnection Recording	3-9
3.3.1	Appending Modules to FGD Recordings.....	3-12
3.3.1.1	Appending LNP Modules	3-13
3.3.1.2	Terminating LNP Modules	3-15
3.4	Population Rules for FGD Records.....	3-17
3.4.1	Study Indicator (Table 8) and Called Party Off-Hook (Table 9).....	3-17
3.4.2	Service Feature (Table 12) With Originating Line Information	3-17
3.4.3	Population Rules for Originating NPA (Table 13) and Originating Number (Table 14).....	3-18
3.4.3.1	Extracting Originating Number Fields From ChN Parameter	3-19
3.4.3.2	Extracting Originating Number Fields From the CPN Parameter	3-20
3.4.4	Overseas Indicator (Table 15), Terminating NPA (Table 16), and Terminating Number (Table 17)	3-21
3.4.5	Date and Time Fields	3-21
3.4.5.1	Carrier and Customer Connect Date (Table 6) and Connect Time (Table 18)	3-21
3.4.5.2	Elapsed Time Determination Requirements	3-22
3.4.6	Carrier Information - IC/INC (Table 57)	3-23
3.4.6.1	Originating FGD Calls Incoming Over a CNA Trunk Group	3-23
3.4.6.2	Populating Module 054 With Carrier Information Parameter	3-25
3.4.7	IC/INC Call Event Status (Table 58)	3-26
3.4.8	Trunk Group Number (Table 83) and Routing Indicator (Table 59)	3-27
3.4.9	Dialing and Presubscription Indicator (Table 85).....	3-28
3.4.10	ANI Indicator (Table 60)	3-29
4.	Wireless Service Provider (WSP) Type 2A and 2B Interconnection	4-1
4.1	Background	4-1
4.1.1	Assumptions for WSP Interconnection.....	4-2
4.1.2	Signaling	4-3
4.2	Provisioning and Call Processing Procedures for AMA Recording	4-3
4.2.1	Further Provisioning Requirements for LNP	4-5
4.2.1.1	Incoming Type 2A Calls Redirected to ICs.....	4-8
4.2.1.2	Recording Options for WSP LMS AMA.....	4-9
4.3	Normal Usage Measurement Procedures: LMS AMA Generation for Wireless Interconnection Recording	4-9

4.3.1	Originating WSP Calls.....	4-10
4.3.2	Terminating WSP Calls	4-10
4.3.3	Appending Modules to WSP Recordings	4-13
4.3.4	Appending LNP Modules	4-14
4.3.4.1	Appending an Originating LNP Module	4-14
4.3.4.2	Appending the Terminating LNP Module.....	4-17
4.4	Population Rules for WSP Records	4-19
4.4.1	Study Indicator (Table 8) and Called Party Off-Hook (Table 9).....	4-19
4.4.2	Service Feature (Table 12).....	4-19
4.4.3	Originating NPA (Table 13) and Originating Number (Table 14) ..	4-20
4.4.4	Overseas Indicator (Table 15), Terminating NPA (Table 16), and Terminating Number (Table 17)	4-20
4.4.5	Date and Time Fields	4-21
4.4.5.1	Carrier and Customer Connect Date (Table 6) and Connect Time (Table 18)	4-21
4.4.5.2	Elapsed Time Determination Requirements.....	4-22
4.4.6	Carrier Information - IC/INC (Table 57)	4-23
4.4.7	IC/INC Call Event Status (Table 58)	4-24
4.4.8	Trunk Group Number (Table 83) and Routing Indicator (Table 59).....	4-24
4.4.9	Dialing and Presubscription Indicator (Table 85).....	4-25
4.4.10	Population Rules for ANI Indicator (Table 60)	4-26
5.	Reliability and Quality Requirements for LMS AMA Recording.....	5-1
5.1	Data Accuracy of LMS AMA Processing.....	5-1
5.1.1	AMA Data Integrity	5-1
5.1.1.1	Generation of AMA Call Data.....	5-2
5.1.1.1.1	Missing or Defective SS7 Message	5-2
5.1.1.1.2	LMS Detected Glare and Dual Seizure	5-3
5.1.1.2	Formatting of BAF Records	5-4
5.1.1.2.1	Flagging of Fields in BAF Records	5-4
5.1.1.2.2	Timing and Timestamp Errors.....	5-6
5.1.1.3	Generation of AMA Data Files.....	5-8
5.1.1.4	Outputting of AMA Data.....	5-9
5.1.2	AMA Auditing	5-10
5.1.2.1	Hourly AMA Audit Records	5-10
5.1.3	AMA Maintenance.....	5-12
5.1.4	LMS AMA Timing	5-12
5.1.4.1	Timestamp Requirements	5-12
5.1.4.2	General Time Rounding Requirements	5-14
5.1.4.3	Timing Consistency for Calls	5-14
5.1.4.4	Conventional Connection Processing	5-15
5.1.4.5	Long Duration Connection Processing	5-15
5.1.4.6	Early On-Hook Connection Processing.....	5-16
5.1.5	Correlation of LMS Detected Messages	5-17

5.2	AMA Record Accuracy and Completeness	5-17
5.2.1	BAF-Record Generation Accuracy	5-17
5.2.2	Data Loss and Inaccuracy	5-18
5.2.3	LMS Data Generation Limitations.....	5-19
5.3	Overall Reliability of the LMS AMA Function	5-19
5.3.1	LMS AMA Architecture	5-19
5.3.2	Downtime.....	5-20
5.3.3	Software Reliability and Quality (R&Q)	5-20
5.3.4	Hardware Reliability	5-21
5.3.5	Information Storage	5-22
5.3.6	Testing Prior to Equipment Delivery	5-22
5.3.7	Supplier Support	5-23
6.	Connecting Network Access (CNA) Outgoing Interconnection Arrangement	6-1
6.1	Provisioning and Call Processing Procedures for AMA Generation of Originating CNA Records.....	6-4
6.1.1	Further Provisioning Requirements for LNP.....	6-4
6.1.1.1	Recording Options for LMS AMA for CNA.....	6-7
6.2	Generating AMA Records for Outgoing CNA Calls	6-7
6.2.1	Appending Modules to Originating CNA Recordings.....	6-9
6.2.1.1	Appending LNP Modules	6-9
6.2.1.2	Originating LNP Modules	6-10
6.2.1.3	Appending the Terminating LNP Module.....	6-11
6.3	Population Rules for Outgoing CNA Records	6-12
6.3.1	Study Indicator (Table 8) and Called Party Off-hook (Table 9).....	6-12
6.3.2	Service Feature (Table 12) With Originating Line Information	6-13
6.3.3	Originating NPA (Table 13) and Originating Number (Table 14) ..	6-13
6.3.4	Overseas Indicator (Table 15), Terminating NPA (Table 16), and Terminating Number (Table 17)	6-14
6.3.5	Date and Time Fields	6-14
6.3.6	Carrier Information - IC/INC (Table 57)	6-14
6.3.7	Call Event Status (Table 58)	6-15
6.3.8	Trunk Group Number (Table 83) and Routing Indicator (Table 59)	6-15
6.3.9	ANI Indicator (Table 60)	6-16
7.	Tandem Transit Traffic Interconnection Arrangement.....	7-1
7.1	Background	7-1
7.1.1	Definition of Transit Traffic	7-3
7.1.1.1	Case #1 - Single Tandem Scenarios	7-3
7.1.1.2	Case #2 - Double Tandeming - Same Company Owning Both Tandems.....	7-5
7.1.1.3	Case #3 - Double Tandeming - Different Companies Owning the Tandems.....	7-6
7.1.2	Additional Provisions Involving Transit Traffic.....	7-7

7.1.3	High-Level Requirements	7-8
7.1.4	Transit Traffic Arrangements and LNP Database Queries	7-9
7.1.5	Assumptions for LMS Transit Traffic AMA	7-9
7.2	Provisioning and Call Processing Procedures for AMA Generation of Tandem Transit Traffic AMA Records	7-10
7.2.1	Further Provisioning Requirements	7-11
7.2.1.1	Recording Options for LMS AMA for CNA.....	7-12
7.3	Normal Usage Measurement Procedures: LMS AMA for CNA Recording.	7-13
7.3.1	Appending Modules to Single Record Transit Recordings	7-14
7.3.1.1	Appending Module 164 for CPN.....	7-14
7.3.1.2	Appending Module 164 for the Outgoing Provisioned Billing Number	7-15
7.3.1.3	Appending the Module 104 for Outgoing Trunk Group Number	7-15
7.3.1.4	Appending the Module 054 for the Outgoing Interconnecting Network Code	7-15
7.3.1.5	Appending the Originating LNP Module	7-16
7.3.1.6	Appending the Terminating LNP Module.....	7-16
7.4	Population Rules for Tandem Transit AMA Records.....	7-17
7.4.1	Study Indicator (Table 8) and Called Party Off-hook (Table 9).....	7-17
7.4.2	Service Feature (Table 12) With Originating Line Information	7-17
7.4.3	Originating NPA (Table 13) and Originating Number (Table 14) ..	7-17
7.4.4	Overseas Indicator (Table 15), Terminating NPA (Table 16), and Terminating Number (Table 17)	7-17
7.4.5	Date and Time Fields	7-18
7.4.5.1	Carrier and Customer Connect Date (Table 6) and Connect Time (Table 18)	7-18
7.4.6	Carrier Information - IC/INC (Table 57)	7-18
7.4.7	Call Event Status (Table 58)	7-19
7.4.8	Trunk Group Number (Table 83) and Routing Indicator (Table 59).....	7-20
7.4.9	ANI Indicator (Table 60)	7-20
References	References-1
Ref.1	Generic Requirements Documents (GRs).....	References-1
Ref.2	Technical References (TRs).....	References-2
Requirement-Object Index	ROI-1

List of Figures

Figure 2-1.	Incoming CNA Interconnection Architecture - A-Links	2-2
Figure 2-2.	Incoming CNA Interconnection Architecture - B/D-Links	2-4
Figure 2-3.	Appending an Originating LNP Module - Incoming CNA	2-19
Figure 2-4.	Appending a Terminating LNP Module - Incoming CNA	2-20
Figure 3-1.	FGD Interconnection Architecture	3-2
Figure 3-2.	Appending an Originating LNP Module - FGD	3-15
Figure 3-3.	Appending a Terminating LNP Module - FGD	3-16
Figure 3-4.	Appending Module 054 - FGD	3-25
Figure 4-1.	Wireless Services Provider Interconnection	4-2
Figure 4-2.	Appending an Originating LNP Module - Incoming WSP	4-16
Figure 4-3.	Appending an Originating LNP Module - Outgoing WSP	4-17
Figure 4-4.	Appending a Terminating LNP Module - WSP	4-18
Figure 6-1.	Outgoing CNA Interconnection Architecture - A-Links	6-1
Figure 6-2.	Appending an Originating LNP Module - Outgoing CNA	6-11
Figure 6-3.	Appending a Terminating LNP Module - Outgoing CNA	6-12
Figure 7-1.	Transiting Architecture	7-2
Figure 7-2.	Transiting Architecture - Same Company, Two Tandems	7-5
Figure 7-3.	Transiting Architecture - Interconnecting Tandems	7-7

List of Tables

Table 2-1	Options for CNA Trunk Groups - Default Settings	2-10
Table 2-2	BAF Structure Code 0625 for Incoming CNA Calls	2-12
Table 3-1	Options for FGD Trunk Groups - Default Settings	3-8
Table 3-2	BAF Structure Code 0625 for FGD Calls	3-10
Table 3-3	Parameters Used for the FGD Originating Number Fields	3-18
Table 4-1	WSP Call Type Codes	4-3
Table 4-2	Options for WSP Trunk Groups -- Default Settings	4-7
Table 4-3	BAF Structure Code 0625 for WSP Calls	4-12
Table 6-1	Options for CNA Trunk Groups - Default Settings	6-6
Table 6-2	BAF Structure Code 0625 for Outgoing CNA Calls	6-8
Table 7-1	LMS AMA Generation for Tandem Trunk Groups	7-3
Table 7-2	BAF Structure Code 0625 for Single Record Transit Calls	7-13