

Contents

Preface	Preface-1
1. Introduction	1-1
1.1 Purpose and Scope	1-1
1.2 Reliability Requirements Documents	1-2
1.2.1 Future Additions	1-4
1.3 Other Related Telcordia Documents	1-4
1.4 Terminology	1-4
1.4.1 Requirements Terminology	1-5
1.4.2 Device Terminology	1-5
1.4.3 Operating Environments	1-8
1.4.3.1 Controlled Environment (C)	1-8
1.4.3.2 Partially Controlled Environment (P)	1-8
1.4.3.3 Remote Terminal (RT) Environment	1-9
1.4.3.4 Uncontrolled Environment (U)	1-9
1.4.4 Other Terminology	1-9
1.4.4.1 Suppliers, Vendors, and Manufacturers	1-9
1.4.4.2 Quality Levels	1-10
1.5 Document Organization	1-12
1.6 Requirement Labeling Conventions	1-12
1.6.1 Numbering of Requirement and Related Objects	1-12
1.6.2 Requirement, Conditional Requirement, and Objective Object Identification	1-13
2. Reliability Assurance - Overview and Philosophy	2-1
2.1 Overview of Reliability Assurance	2-1
2.2 Generic Requirements Philosophy	2-2
3. Common Requirements	3-1
3.1 Requirements for All Optoelectronic Devices	3-1
3.2 Specification and Control	3-1
3.3 Device and Device Manufacturer Qualification	3-2
3.4 Device Manufacturer Qualification	3-3
3.5 Device Qualification	3-4
3.5.1 Criteria Common to All Optoelectronic Devices	3-4
3.5.1.1 Qualification Tests	3-5
3.5.1.2 Device Codes that Fail Qualification	3-5
3.5.1.3 Qualification of Devices by Similarity	3-5
3.5.1.4 Use of Nonconforming Devices for Qualification	3-6
3.5.1.5 Provisional Use of Devices	3-6
3.5.1.6 Low Volume Parts	3-7
3.5.1.7 Hermeticity	3-8
3.5.1.8 Solder Flux	3-8
3.5.1.9 Use of Vendor-Supplied Data	3-8
3.5.1.10 Treatment of Internally Manufactured Devices	3-9

3.5.2	Environment, Health, and Safety Considerations	3-9
3.5.2.1	Environmental Considerations	3-9
3.5.2.2	Health Considerations	3-10
3.5.2.3	Safety Considerations	3-10
3.5.3	General Information for Qualification	3-10
3.5.4	Requalification	3-11
3.6	Lot-to-Lot Quality and Reliability Controls	3-13
3.6.1	Common Criteria for Lot Controls	3-14
3.6.1.1	Definition of a Lot	3-14
3.6.1.2	Purchase Specifications	3-15
3.6.1.3	Source Inspection/Incoming Inspection	3-15
3.6.1.3.1	Test Plan	3-16
3.6.1.3.2	Test Equipment	3-16
3.6.1.4	Ship-to-Stock Programs	3-16
3.6.1.5	Data Recording and Retention.	3-17
3.6.1.6	Treatment of Defective Devices and Lots	3-18
3.6.1.7	Summary of Vendor History Data	3-18
3.6.1.8	Low Volume Parts	3-18
3.6.1.9	Allowable Terminal and Lead Finishes	3-19
3.6.1.10	Use of Vendor-Supplied Data	3-19
3.6.1.11	Treatment of Internally Manufactured Devices	3-19
3.6.2	General Information for Lot-to-Lot Controls	3-20
3.7	Standardized Test Procedures	3-20
3.8	Feedback and Corrective Action	3-21
3.8.1	Incoming Inspection and Screening	3-22
3.8.2	Circuit Pack Test and Burn-In	3-23
3.8.3	System-Level Testing	3-23
3.8.4	System Burn-In.	3-23
3.8.5	System Installation	3-23
3.8.6	Repair of Field Returns	3-24
3.8.7	Data Collection and Analysis	3-24
3.8.8	Unconfirmed Circuit Pack Failures	3-25
3.8.9	Device Failure Analysis	3-25
3.9	Device Storage and Handling	3-25
3.9.1	Nonconforming Material	3-25
3.9.2	Material Review System.	3-26
3.9.3	Stockroom Inventory Practices	3-26
3.9.3.1	FIFO Inventory Policy	3-26
3.9.3.2	Reworked Parts.	3-26
3.9.4	ESD Precautions.	3-26
3.10	Documentation and Test Data	3-28
3.10.1	Availability of Documentation	3-28
3.10.2	Availability of Other Information	3-29
3.11	Independent Reliability Verification	3-30
4.	Laser Reliability and Quality Criteria	4-1
4.1	Laser Diode Qualification	4-1

4.1.1	Characterization	4-1
4.1.2	Reliability Tests	4-5
4.2	Laser Diode Lot-to-Lot Controls	4-9
4.2.1	Visual Inspection.	4-9
4.2.2	Optical and Electrical Testing	4-9
4.2.3	Screening	4-11
4.3	Laser Module Qualification	4-12
4.3.1	Characterization	4-12
4.3.2	Reliability Tests	4-15
4.3.3	Qualification of Non-hermetic Laser Modules	4-22
4.3.4	Qualification of Pump Laser Modules	4-23
4.3.5	Qualification of DWDM Laser Modules	4-24
4.3.6	Qualification of Laser Modules with Integrated Modulators	4-25
4.4	Laser Module Lot-to-Lot Controls.	4-25
4.4.1	Visual Inspection.	4-26
4.4.2	Optical and Electrical Testing	4-26
4.4.3	Screening	4-27
4.5	Integrated Laser Module Qualification	4-28
4.6	Integrated Laser Module Lot-to-Lot Controls	4-29
4.7	Qualification of Other Component Parts.	4-30
4.7.1	Monitor Photodiode	4-30
4.7.2	Thermoelectric Cooler	4-30
4.7.3	Optical Isolator	4-32
4.7.4	Temperature Sensor.	4-32
4.7.5	Fiber Pigtail	4-32
4.7.6	Optical Connector	4-32
4.7.7	General Electrical/Electronic Components	4-32
4.7.8	Hybrids	4-33
4.8	Lot-to-Lot Controls of Other Component Parts	4-33
4.8.1	Monitor Photodiodes	4-33
4.8.2	Thermo Electric Coolers	4-33
4.8.3	Optical Isolators	4-33
4.8.4	Temperature Sensor.	4-34
4.8.5	Fiber Pigtail	4-34
4.8.6	Optical Connector	4-34
4.8.7	General Electrical/Electronic Components	4-34
4.8.8	Hybrids	4-34
5.	Special Procedures and Test Methods for Lasers	5-1
5.1	Wavelength and Spectral Width.	5-1
5.2	Far-Field Pattern	5-3
5.3	Threshold Current	5-4
5.4	Threshold Current Temperature Sensitivity	5-4
5.5	Linearity of the L-I Curve	5-5
5.5.1	Overall Linearity	5-5
5.5.2	Saturation of Optical Output	5-5
5.5.3	Kinks	5-6

5.6	Voltage-Current Curve	5-6
5.7	Modulation Depth	5-7
5.8	Rise and Fall Times	5-7
5.9	Turn-On Delay	5-9
5.10	Cutoff Frequency	5-9
5.11	Self-Pulsation	5-9
5.12	Monitor Operation	5-10
	5.12.1 Dark Current	5-10
	5.12.2 Photocurrent	5-10
5.13	Thermoelectric Cooler and Temperature Sensor Checks	5-10
5.14	Coupling Efficiency	5-10
5.15	Front-To-Rear Tracking Ratio	5-11
	5.15.1 Laser Diode	5-11
	5.15.2 Laser Module	5-11
5.16	Front-To-Rear Tracking Error	5-11
5.17	Thermal Impedance	5-12
	5.17.1 Threshold Current Method	5-12
	5.17.2 Rollover L-I Method	5-12
	5.17.3 Forward Voltage Method	5-13
5.18	Accelerated Aging	5-13
	5.18.1 Analysis Methods	5-13
	5.18.2 Activation Energy	5-15
5.19	Reliability Calculations	5-15
	5.19.1 Median Life	5-16
	5.19.2 Wear-Out Failure Rate	5-18
	5.19.3 Random Failure Rate	5-19
	5.19.4 Reporting of Results	5-20
5.20	Temperature Cycling	5-21
5.21	Damp Heat (Steady State)	5-21
5.22	ESD Threshold	5-22
5.23	Cyclic Moisture Resistance	5-22
6.	LED Reliability and Quality Requirements	6-1
6.1	LED Qualification	6-1
	6.1.1 Characterization	6-1
	6.1.2 Reliability Tests	6-3
6.2	LED Lot-to-Lot Controls	6-6
	6.2.1 Visual Inspection	6-6
	6.2.2 Optical and Electrical Testing	6-7
	6.2.3 Screening	6-8
6.3	LED Module Qualification	6-8
	6.3.1 Characterization	6-9
	6.3.2 Reliability Tests	6-10
	6.3.3 Qualification of Non-Hermetic LED Modules	6-15
6.4	LED Module Lot-to-Lot Controls	6-16
	6.4.1 Visual Inspection	6-16
	6.4.2 Optical and Electrical Testing	6-17

6.4.3	Screening	6-17
6.5	Integrated LED Module Qualification	6-18
6.6	Integrated LED Module Lot-to-Lot Controls	6-19
6.7	Qualification of Other Component Parts	6-19
6.8	Lot-to-Lot Controls of Other Component Parts	6-19
7.	Special Procedures and Test Methods for LEDES.	7-1
7.1	Wavelength and Spectral Width	7-1
7.2	LED Light-Current Curve	7-1
7.3	Modulation Depth	7-2
7.4	Rise and Fall Times	7-2
7.5	Turn-On Delay	7-2
7.6	Cutoff Frequency	7-2
7.7	Thermoelectric Cooler and Temperature Sensor Checks	7-2
7.8	Accelerated Aging	7-2
7.8.1	Analysis Method	7-3
7.8.2	Activation Energy	7-3
7.9	Temperature Cycling	7-4
7.10	Damp Heat (Steady State)	7-4
7.11	Cyclic Moisture Resistance	7-4
7.12	Endurance Tests for Other Components	7-4
7.13	Reliability Calculations	7-4
7.14	ESD Threshold	7-4
8.	Photodetectors Reliability and Quality Requirements.	8-1
8.1	Photodiode Qualification	8-1
8.1.1	Characterization	8-1
8.1.2	Reliability Tests	8-3
8.2	Photodiode Lot-to-Lot Controls	8-7
8.2.1	Visual Inspection	8-7
8.2.2	Optical and Electrical Testing	8-7
8.2.3	Screening	8-8
8.3	Detector Module Qualification	8-9
8.3.1	Characterization	8-10
8.3.2	Reliability Tests	8-11
8.3.3	Qualification of Non-Hermetic Detector Modules	8-15
8.4	Detector Module Lot-to-Lot Controls	8-16
8.4.1	Visual Inspection	8-16
8.4.2	Optical and Electrical Testing	8-16
8.4.3	Screening	8-17
8.5	Integrated Detector Module Qualification	8-18
8.6	Integrated Detector Module Lot-to-Lot Controls	8-19
8.7	Qualification of Other Component Parts	8-19
8.8	Lot-to-Lot Controls of Other Component Parts	8-19
9.	Special Procedures and Test Methods for Photodetectors	9-1
9.1	Responsivity of Photodetectors	9-1
9.2	Photodetector Quantum Efficiency	9-2

9.3	Photodetector Linearity and Gain	9-2
9.4	Dark Current	9-3
9.5	Capacitance	9-3
9.6	Breakdown Voltage	9-3
9.7	Excess Noise Factor	9-3
9.8	Cutoff Frequency	9-4
9.9	Thermoelectric Cooler and Temperature Sensor Checks	9-4
9.10	Thermal Impedance	9-5
9.11	Accelerated Aging Life Test (Photodiodes and Detector Modules)	9-5
	9.11.1 Analysis Method	9-5
	9.11.2 Activation Energy	9-6
9.12	Temperature Cycling	9-6
9.13	Damp Heat (Steady State)	9-6
9.14	Endurance Tests for Other Components	9-6
9.15	Reliability Calculations	9-6
9.16	ESD Threshold	9-6
10.	Modulator Reliability and Quality Criteria	10-1
10.1	Integrated Modulator Qualification	10-1
	10.1.1 Characterization	10-1
	10.1.2 Reliability Tests	10-3
10.2	Integrated Modulator Lot-to-Lot Controls	10-6
	10.2.1 Visual Inspection	10-7
	10.2.2 Optical and Electrical Testing	10-7
	10.2.3 Screening	10-8
10.3	External Modulator Qualification	10-8
	10.3.1 Characterization	10-9
	10.3.2 Reliability Tests	10-10
	10.3.3 Qualification of Non-Hermetic External Modulators	10-15
10.4	External Modulator Lot-to-Lot Controls	10-15
	10.4.1 Visual Inspection	10-15
	10.4.2 Optical and Electrical Testing	10-16
	10.4.3 Screening	10-16
	Appendix A: Lot Tolerance Percent Defective (LTPD) Table	A-1
	Appendix B: Overview of Telcordia Sampling Plans	B-1
	References	References-1
	Bibliography	Bibliography-1
	Glossary	Glossary-1
	Acronyms	Acronyms-1

List of Figures

Figure 1-1.	Examples of Optoelectronic Device Module Designs	1-7
Figure 1-2.	Schematic of a Common Laser Module Design	1-7
Figure 2-1.	Elements of a Comprehensive Reliability Assurance Program	2-2
Figure 5-1.	Example of a Single-Mode Laser Optical Spectrum	5-3
Figure 5-2.	Laser Far Field Pattern Measurement	5-3
Figure 5-3.	Example of L-I and dL/dI Curves With a Kink.	5-6
Figure 5-4.	Measurement of Rise and Fall Times	5-8
Figure 5-5.	Measurement of Turn-On Delay	5-9
Figure 5-6.	Example of a Lognormal Probability Plot	5-17
Figure 5-7.	Goldthwaite Curves	5-18
Figure 5-8.	Nomograph for Calculating Random Failure Rates.	5-20
Figure 9-1.	Example of Photodetector Linearity.	9-2
Figure 9-2.	Example of an APD Gain Profile	9-3

List of Tables

Table 1-1.	Definition of Quality Levels.	1-11
Table 5-1.	Sample Format for Reporting Reliability Information	5-21
Table A-1.	LTPD Sampling Plan*	A-1
Table B-1.	Sampling Plan Variables.	B-2