

Contents

| | |
|--|-----------|
| Preface | Preface-1 |
| 1. Introduction | 1-1 |
| 1.1 Business Drivers | 1-1 |
| 1.2 Purpose and Scope | 1-2 |
| 1.3 Target Audience | 1-2 |
| 1.4 Discussion of Business Drivers | 1-2 |
| 1.4.1 Maximize effective use of network resources | 1-3 |
| 1.4.2 Maintain network integrity | 1-3 |
| 1.4.3 Minimize customer service interruption | 1-3 |
| 1.4.4 Improve support to network design, network engineering, and traffic forecasting | 1-4 |
| 1.4.5 Quality of Service (QOS) and Service Level Agreement (SLA) support | 1-4 |
| 1.5 Overview of the TMN Functional Architecture | 1-4 |
| 1.6 Structure and Use of This Document | 1-5 |
| 1.7 Requirements Terminology | 1-6 |
| 1.8 Requirement Labeling Conventions | 1-7 |
| 1.8.1 Numbering of requirement and related objects | 1-7 |
| 1.8.2 Requirement, Conditional Requirement, and Objective Object identification | 1-7 |
| 1.9 Interaction Diagrams | 1-8 |
| 2. Basic Principles | 2-1 |
| 2.1 Performance Management Overview | 2-1 |
| 2.1.1 Traffic performance management | 2-1 |
| 2.1.2 Transport performance management | 2-1 |
| 2.2 Description of Performance Monitoring | 2-2 |
| 2.3 What the NE Provides | 2-2 |
| 2.3.1 Data types | 2-2 |
| 2.3.1.1 Generated data | 2-3 |
| 2.3.1.2 Parametric data | 2-4 |
| 2.3.2 Data generation structures | 2-5 |
| 2.3.3 Data quality | 2-7 |
| 2.3.3.1 Accuracy | 2-7 |
| 2.3.3.2 Integrity and security | 2-8 |
| 2.3.4 Data presentation | 2-8 |
| 2.3.4.1 Data generation | 2-8 |
| 2.3.4.2 Data retention | 2-9 |
| 2.3.4.3 Data distribution | 2-9 |
| 2.3.4.4 Measurement report format | 2-10 |
| 2.3.5 Traffic management controls | 2-10 |
| 2.3.5.1 Automatic traffic management controls | 2-11 |
| 2.3.5.1.1 Automatic Congestion Control (ACC) | 2-11 |
| 2.3.5.1.2 Automatic Call Gap (ACG) | 2-11 |

| | | |
|---------|--|------|
| | 2.3.5.1.3 Trunk Reservation (TR) | 2-12 |
| | 2.3.5.1.4 Automatic congestion indicators | 2-12 |
| | 2.3.5.1.5 Selective discard and tagging | 2-12 |
| | 2.3.5.2 Manual traffic management controls | 2-13 |
| | 2.3.5.2.1 Manual code controls | 2-13 |
| | 2.3.5.2.2 Manual trunk group controls | 2-14 |
| | 2.3.5.2.3 Manual reroutes | 2-14 |
| 2.4 | Network Data Collection | 2-14 |
| 2.4.1 | NE monitoring | 2-14 |
| 2.4.2 | Data validation | 2-15 |
| 2.4.3 | Data reporting | 2-15 |
| 2.5 | Network Traffic Management | 2-15 |
| 2.5.1 | Traffic behavior monitoring | 2-16 |
| 2.5.2 | Problem investigation | 2-16 |
| 2.5.3 | Control formulation | 2-17 |
| 2.5.4 | Control application and monitoring | 2-17 |
| 2.6 | Performance Management Systems in the TMN Environment | 2-18 |
| 2.7 | TMN Management Application Functions | 2-18 |
| 3. | Telecommunications Entities and Terminology | 3-1 |
| 3.1 | Telecommunications Network | 3-1 |
| 3.1.1 | Transport infrastructure, facilities, and circuits | 3-3 |
| 3.1.2 | Switching infrastructure | 3-7 |
| 3.1.2.1 | The roles of switching nodes | 3-7 |
| 3.1.2.2 | Directing traffic | 3-7 |
| 3.1.3 | Customer | 3-8 |
| 3.1.4 | Service instance, service product, and service feature | 3-10 |
| 3.2 | Network Elements (NEs) | 3-10 |
| 3.2.1 | Transport NEs | 3-11 |
| 3.2.2 | Switching NEs | 3-12 |
| 3.2.3 | Signaling NEs | 3-12 |
| 3.2.4 | User access NEs | 3-12 |
| 3.3 | TMN Layers and Their Domains | 3-13 |
| 4. | Performance Quality Assurance | 4-1 |
| 4.1 | EML | 4-1 |
| 4.1.1 | NE(s) performance assessment | 4-1 |
| 4.2 | NML | 4-1 |
| 4.2.1 | Network performance assessment | 4-1 |
| 4.3 | SML | 4-1 |
| 4.4 | BML | 4-1 |
| 5. | Performance Monitoring | 5-1 |
| 5.1 | EML | 5-1 |
| 5.1.1 | Traffic status | 5-1 |
| 5.1.2 | Traffic performance monitoring | 5-6 |
| 5.2 | NML | 5-11 |
| 5.3 | SML | 5-11 |

| | | |
|-------------|---|------|
| 5.4 | BML | 5-11 |
| 5.4.1 | Performance monitoring policy | 5-11 |
| 6. | Performance Management Control | 6-1 |
| 6.1 | EML | 6-1 |
| 6.1.1 | Traffic administration | 6-1 |
| 6.2 | NML | 6-7 |
| 6.2.1 | Traffic control | 6-7 |
| 6.2.1.1 | Traffic behavior monitoring | 6-8 |
| 6.2.1.2 | Failure monitoring | 6-10 |
| 6.2.1.3 | Configuration Tracking | 6-11 |
| 6.2.1.4 | Problem investigation | 6-12 |
| 6.2.1.4.1 | Identifying potential problems | 6-14 |
| 6.2.1.4.2 | Identifying alternative problem types and actual problems | 6-15 |
| 6.2.1.4.3 | Mass calling events | 6-17 |
| 6.2.1.4.4 | Identifying the source of an actual problem | 6-18 |
| 6.2.1.5 | Control formulation | 6-19 |
| 6.2.1.6 | Control application and monitoring | 6-23 |
| 6.2.1.7 | Customer service management | 6-24 |
| 6.3 | SML | 6-25 |
| 6.4 | BML | 6-25 |
| 6.4.1 | Network traffic management policy | 6-25 |
| 7. | Performance Analysis | 7-1 |
| 7.1 | EML | 7-1 |
| 7.1.1 | NE(s) traffic exception analysis | 7-1 |
| 7.1.1.1 | NTM data collection | 7-2 |
| 7.1.1.2 | Exception analysis | 7-3 |
| 7.1.1.3 | Exception reporting | 7-4 |
| 7.1.2 | NE(s) traffic capacity analysis | 7-4 |
| 7.1.2.1 | NDC data collection | 7-5 |
| 7.1.2.2 | Capacity analysis | 7-6 |
| 7.1.2.3 | Capacity data reporting | 7-7 |
| 7.1.2.4 | Exception reporting on NDC data | 7-8 |
| 7.2 | NML | 7-9 |
| 7.2.1 | Traffic exception analysis | 7-9 |
| 7.2.2 | Traffic capacity analysis | 7-13 |
| 7.3 | SML | 7-16 |
| 7.3.1 | Customer traffic performance summary | 7-16 |
| 7.4 | BML | 7-20 |
| 7.4.1 | Exception threshold policy | 7-20 |
| 7.4.2 | Traffic forecasting | 7-20 |
| Appendix A: | Cross-Reference Tables for Interactions | A-1 |
| A.1 | Introduction | A-1 |
| A.2 | Performance Quality Assurance | A-2 |

| | | | |
|--|--------------------------------|-------|--------------|
| A.2.1 | BML | | A-2 |
| A.2.2 | SML | | A-2 |
| A.2.3 | NML | | A-2 |
| A.2.4 | EML | | A-2 |
| A.3 | Performance Monitoring | | A-3 |
| A.3.1 | BML | | A-3 |
| A.3.2 | SML | | A-4 |
| A.3.3 | NML | | A-4 |
| A.3.4 | EML | | A-4 |
| A.4 | Performance Management Control | | A-5 |
| A.4.1 | BML | | A-5 |
| A.4.2 | SML | | A-6 |
| A.4.3 | NML | | A-6 |
| A.4.4 | EML | | A-9 |
| A.5 | Performance Analysis | | A-10 |
| A.5.1 | BML | | A-10 |
| A.5.2 | SML | | A-11 |
| A.5.3 | NML | | A-12 |
| A.5.4 | EML | | A-14 |
| Appendix B: Cross Reference Table for Management Application Functions | | | B-1 |
| References | | | References-1 |
| Acronyms | | | Acronyms-1 |
| Glossary | | | Glossary-1 |
| Index | | | Index-1 |

List of Figures

| | | |
|-------------|--|------|
| Figure 2-1. | State or Reference Data, No Message | 2-5 |
| Figure 2-2. | State or Reference Data, With Unthresholded Message | 2-6 |
| Figure 2-3. | State or Reference Data, With Thresholded Message | 2-6 |
| Figure 2-4. | Counter, With Thresholded Message | 2-6 |
| Figure 2-5. | Counter, Without Message | 2-6 |
| Figure 2-6. | Log Record, With Message | 2-7 |
| Figure 3-1. | Generalized Telecommunications Network | 3-1 |
| Figure 3-2. | Examples of Different Transport Layers within a Network | 3-3 |
| Figure 3-3. | Transport Layers Used to Support Multiple Services over ATM | 3-5 |
| Figure 3-4. | Architecture Example of Multiple Services over ATM | 3-6 |
| Figure 5-1. | Overview of Information Flow for Performance Monitoring | 5-1 |
| Figure 5-2. | Interaction Diagram for Traffic status | 5-2 |
| Figure 5-3. | Interaction Diagram for Traffic performance monitoring | 5-6 |
| Figure 6-1. | Overview of Information Flow for Performance Management Control | 6-1 |
| Figure 6-2. | Interaction Diagram for Traffic administration | 6-2 |
| Figure 6-3. | Interaction Diagram for Traffic control | 6-7 |
| Figure 7-1. | Overview of Information Flow for Performance Analysis | 7-1 |
| Figure 7-2. | Interaction Diagram for NE(s) traffic exception analysis | 7-2 |
| Figure 7-3. | Interaction Diagram for NE(s) traffic capacity analysis | 7-5 |
| Figure 7-4. | Interaction Diagram for Traffic exception analysis | 7-10 |
| Figure 7-5. | Interaction Diagram for Traffic capacity analysis | 7-14 |
| Figure 7-6. | Interaction Diagram for Customer traffic performance summary | 7-17 |

List of Tables

| | | |
|-------------|--|------|
| Table 2-1. | Performance Management MAF Matrix | 2-19 |
| Table A-1. | Network performance assessment - Traffic exception analysis | A-2 |
| Table A-2. | Network performance assessment - Traffic capacity analysis | A-2 |
| Table A-3. | Performance monitoring policy - Traffic performance monitoring | A-3 |
| Table A-4. | Performance monitoring policy - Traffic capacity analysis | A-3 |
| Table A-5. | Performance monitoring policy - NE(s) traffic exception analysis | A-3 |
| Table A-6. | Performance monitoring policy - NE(s) traffic capacity analysis | A-3 |
| Table A-7. | Traffic status - Detection, counting, storage and reporting | A-4 |
| Table A-8. | Traffic status - Audit report | A-4 |
| Table A-9. | Traffic performance monitoring - Detection, counting, storage and reporting | A-4 |
| Table A-10. | Network traffic management policy - Customer traffic performance summary | A-5 |
| Table A-11. | Network traffic management policy - Traffic control | A-5 |
| Table A-12. | Network traffic management policy - Traffic administration | A-5 |
| Table A-13. | Traffic control - Execution of traffic control | A-6 |
| Table A-14. | Traffic control - Traffic administration | A-6 |
| Table A-15. | Traffic control - Traffic performance monitoring | A-6 |
| Table A-16. | Traffic control - Traffic status | A-7 |
| Table A-17. | Traffic control - Traffic exception analysis | A-7 |
| Table A-18. | Traffic control - Circuit inventory notification (CM) | A-7 |
| Table A-19. | Traffic control - Interexchange circuit design (CM) | A-7 |
| Table A-20. | Traffic control - Access circuit design (CM) | A-8 |
| Table A-21. | Traffic control - Routing design (CM) | A-8 |
| Table A-22. | Traffic control - Network fault event analysis, including correlation and filtering (FM) | A-8 |
| Table A-23. | Traffic control - Transport network status (CM) | A-8 |
| Table A-24. | Request for service (CM) - Traffic control | A-9 |
| Table A-25. | Service outage reporting (FM) - Traffic control | A-9 |
| Table A-26. | Traffic administration - Detection, counting, storage and reporting | A-9 |
| Table A-27. | Traffic administration - Execution of traffic control | A-10 |
| Table A-28. | Exception threshold policy- Traffic exception analysis | A-10 |
| Table A-29. | Exception threshold policy- NE(s) traffic exception analysis | A-10 |
| Table A-30. | Traffic forecasting - Traffic capacity analysis | A-11 |
| Table A-31. | Facility infrastructure design (CM) - Traffic forecasting | A-11 |
| Table A-32. | Network infrastructure design (CM) - Traffic forecasting | A-11 |
| Table A-33. | Customer traffic performance summary - Traffic exception analysis | A-11 |
| Table A-34. | Customer traffic performance summary - Traffic capacity analysis | A-12 |

| | | |
|-------------|---|------|
| Table A-35. | Request for service (CM) - Customer traffic performance summary | A-12 |
| Table A-36. | Traffic exception analysis - NE(s) traffic exception analysis | A-12 |
| Table A-37. | Traffic exception analysis - Circuit inventory notification (CM) | A-12 |
| Table A-38. | Traffic exception analysis - Interexchange circuit design (CM) | A-13 |
| Table A-39. | Traffic exception analysis - Access circuit design (CM) | A-13 |
| Table A-40. | Traffic capacity analysis - NE(s) traffic capacity analysis | A-13 |
| Table A-41. | Traffic capacity analysis - Traffic administration | A-13 |
| Table A-42. | Traffic capacity analysis - Circuit inventory notification (CM) | A-14 |
| Table A-43. | Traffic capacity analysis - Interexchange circuit design (CM) | A-14 |
| Table A-44. | Traffic capacity analysis - Access circuit design (CM) | A-14 |
| Table A-45. | NE(s) traffic exception analysis - Traffic performance monitoring | A-14 |
| Table A-46. | NE(s) traffic capacity analysis - Traffic performance monitoring | A-15 |
| Table A-47. | NE(s) traffic capacity analysis - Traffic status | A-15 |
| Table B-1. | MAF Cross-Reference Table | B-1 |