

Table of Contents

Preface	xiii
1 Introduction	
1.1 Purpose and Scope of Document	1-1
1.2 Definitions and Scope	1-1
1.2.1 Cabinet Environment and Applicable GRs	1-3
1.3 Target Audience	1-4
1.4 Structure and Use of This Document	1-4
1.5 Requirements Terminology	1-5
1.6 Requirement Labeling Conventions	1-5
1.6.1 Numbering of Requirement and Related Objects	1-5
1.6.2 Requirement, Conditional Requirement, and Objective Identification	1-6
1.6.3 Requirement Conformance	1-6
1.7 Cabinet Configuration	1-9
2 General Information	
2.1 General Description	2-1
2.2 Operating Environment	2-1
2.3 Telecommunications Equipment	2-2
2.4 Test Environmental Criteria	2-2
2.4.1 Ambient Laboratory Conditions	2-2
2.4.2 Environmental Tests	2-2
2.4.3 Thermal Soak Time	2-3
2.5 Safety Precautions	2-3
2.6 Measurements	2-3
2.7 Laboratory Conditions	2-3
2.8 Sample Preparation	2-3
2.9 Calibration	2-4
2.10 Standard Conflicts	2-4
2.11 Force and Weight Tolerances	2-4
2.12 Damage Definition	2-4
3 Detailed Requirements	
3.1 Product Samples	3-1
3.2 Product Changes	3-1
3.3 Safety and Reliability Considerations	3-1
3.3.1 Restriction of Hazardous Substances (RoHS) Compliance	3-3
3.3.2 Listing	3-3
3.3.3 Surface Temperature Requirements	3-3
3.3.4 Indicator Signs and Viewability	3-5
3.3.5 Labels and Markings	3-6
3.3.6 General Labeling Size Criteria	3-8
3.4 Metallic Materials	3-8
3.5 Polymeric and Other Non-Metallic Materials	3-9
3.6 Finish	3-12
3.6.1 Color	3-12

3.6.2 Appearance	3-13
3.6.3 Paint Adhesion	3-13
3.6.4 Flexibility	3-14
3.6.5 Paint Adhesion After Exposure	3-14
3.7 Graffiti-Resistant Paint	3-15
3.8 Screens and Filters	3-15
3.9 Insect Intrusion	3-15
3.10 Door Restrainers (Vertically Hinged Doors)	3-16
3.11 Wall-Mounted Equipment	3-17
3.12 Horizontally Hinged Doors	3-17
3.13 Lifting Details	3-19
3.14 Security	3-20
3.15 Alarms	3-21
3.15.1 General	3-21
3.16 Condensation	3-23
3.17 Fans	3-24
3.18 Bonding and Grounding	3-24
3.19 AC Power	3-26
3.19.1 Commercial Power	3-26
3.19.2 Auxiliary Power	3-27
3.20 Splicing Area	3-28
3.21 Electronic Equipment Compartment	3-29
3.22 Battery Compartment	3-30
3.23 Service Demarcation Compartment	3-35
3.24 Marking, Packaging, and Shipping	3-35
3.25 Installation and Maintenance	3-37
3.26 Quality	3-39
3.27 Exposure to High Temperature	3-40
3.28 Environmental Seal Integrity	3-42
3.28.1 Water Resistance	3-42
3.28.2 Dust Resistance	3-43
3.29 Acoustical Noise Emissions	3-44
3.30 Conditional Noise Requirements	3-46
3.31 Impact Resistance	3-46
3.32 Corrosion Resistance	3-47
3.32.1 Salt Fog	3-47
3.32.2 Temperature Cycling/High Humidity	3-48
3.33 Shock and Vibration	3-50
3.33.1 Transportation Shock	3-50
3.33.2 Transportation Shock (Rail)	3-50
3.33.3 Transportation Vibration — Packaged Environment	3-50
3.33.4 Installation Shock	3-51
3.33.5 Environmentally Induced Vibration	3-51
3.33.5.1 Office Vibration Environment and Criteria	3-51
3.33.5.2 Physical Performance Criteria	3-51
3.33.5.3 Functional Performance Criteria	3-52

Appendix A: Evaluating Dust Accumulation

A.1 Observational Standard for Evaluating Dust Accumulation A-1

Appendix B: References

B.1 Telcordia Documents B-1

B.2 Non-Telcordia Documents B-2

B.3 To Obtain Additional Reference Material B-5

B.4 Telcordia Document Sets—Family of Requirements (FR) and Family of Documents (FD) B-6

B.5 Telcordia Reference Notes B-7

 B.5.1 Contact Telcordia Customer Service B-7

 B.5.2 Order Documents Online From the Telcordia SuperStore B-7

 B.5.3 Web Sites for Generic Requirements Information B-8

 B.5.4 Licensing Agreements for Telcordia Documents B-8

Appendix C: Acronyms

Requirement-Object Index

List of Figures

Figure 3-1	Three-Point Test Fixture	3-11
Figure 3-2	Insect Intrusion	3-16
Figure 3-3	Acoustic Noise	3-45
Figure 3-4	Temperature Cycle — Temperature Cycling/High Humidity	3-49
Figure A-1	Observational Standard	A-1

List of Tables

Table 1-1	Detailed Summary of Criteria	1-7
Table 3-1	Limits for Equipment	3-4
Table 3-2	Character and Background Combinations	3-6
Table 3-3	Hydrogen Evolution Rates	3-32

