

## Contents

Preface . . . . .	Preface-1
1. Introduction . . . . .	1-1
1.1 Purpose and Scope . . . . .	1-1
1.2 Background . . . . .	1-2
1.3 Target Audience . . . . .	1-3
1.4 Relationship to other Next Generation Network (NGN) Voice over Packet (VoP) GRs . . . . .	1-3
1.5 Structure of This Document . . . . .	1-4
1.6 Requirements Terminology . . . . .	1-5
1.7 Requirement Labeling Conventions . . . . .	1-6
1.7.1 Numbering of Requirement and Related Objects . . . . .	1-6
1.7.2 Requirement, Conditional Requirement, and Objective Object Identification . . . . .	1-7
2. VOP Network Services Philosophy . . . . .	2-1
2.1 Functional Elements and Their Roles . . . . .	2-1
2.1.1 Services Agent (SA) . . . . .	2-7
2.1.2 Access Gateway (AG) . . . . .	2-8
2.1.3 Signaling Gateway (SG) . . . . .	2-11
2.2 Interfaces and Protocols - Overview . . . . .	2-12
2.2.1 CCA-to-SA Interface . . . . .	2-13
2.2.2 CCA-to-AG Interface . . . . .	2-15
2.2.3 CCA-to-SG Interface . . . . .	2-16
2.2.4 CCA-to-CCA Interface . . . . .	2-18
2.2.5 Core Network Interfaces . . . . .	2-19
3. End-User Interfaces and Classes of Services Supported in VOP Networks	3-1
3.1 End-User Interfaces . . . . .	3-1
3.1.1 Conventional Analog Lines . . . . .	3-1
3.1.2 ISDN Basic Rate Interfaces . . . . .	3-2
3.1.3 Conventional DS1-Based Trunks . . . . .	3-2
3.1.4 ISDN Primary Rate Interfaces . . . . .	3-3
3.2 Classes of Services . . . . .	3-3
3.2.1 Generally-Available Services . . . . .	3-3
3.2.2 Residential and Small Business Services for Analog Lines . . . . .	3-4
3.2.3 Large Business Services for Analog Lines . . . . .	3-6
3.2.4 Residential and Small Business Services for ISDN BRIs . . . . .	3-8
3.2.5 Large Business Services for ISDN BRIs . . . . .	3-10
3.2.6 Services for Conventional DS1 Trunks . . . . .	3-12
3.2.7 Services for ISDN PRIs . . . . .	3-13
4. Individual Services Supported in VOP Networks . . . . .	4-1
4.1 Generally Available Services . . . . .	4-5
4.1.1 Toll-Free Service . . . . .	4-5
4.1.2 Local Number Portability . . . . .	4-6

4.1.3	Operator Services . . . . .	4-7
4.1.3.1	Busy Line Verification . . . . .	4-10
4.1.3.2	Operator Interrupt . . . . .	4-12
4.1.3.3	Calling Card Billing . . . . .	4-13
4.2	Residential and Small Business Services for Analog Lines . . . . .	4-15
4.2.1	Call Waiting . . . . .	4-15
4.2.2	Cancel Call Waiting . . . . .	4-16
4.2.3	Calling Number Delivery . . . . .	4-17
4.2.4	Calling Name Delivery . . . . .	4-18
4.2.5	Calling Identity Delivery Blocking . . . . .	4-19
4.2.6	Anonymous Call Rejection . . . . .	4-20
4.2.7	Calling Identity Delivery on Call Waiting . . . . .	4-21
4.2.8	Call Forwarding (CF) Features . . . . .	4-22
4.2.9	Three-Way Calling . . . . .	4-24
4.2.10	Message Waiting Indicator for Voice Mail Services . . . . .	4-25
4.2.11	Automatic Callback and Automatic Recall . . . . .	4-27
4.2.12	Customer Originated Trace . . . . .	4-30
4.2.13	Screening List Services . . . . .	4-32
4.2.14	Residence Distinctive Alerting Service (Teen Service) . . . . .	4-34
4.3	Large Business Services for Analog Lines . . . . .	4-35
4.3.1	Services Common to Large Business, Residential, and Small Business Users . . . . .	4-35
4.3.2	Services Unique to Large Business Users . . . . .	4-37
4.3.3	Business Group System Services . . . . .	4-38
4.3.3.1	Intercom Dialing . . . . .	4-38
4.3.3.2	Abbreviated Dialing Features . . . . .	4-39
4.3.3.3	Business Group Direct Inward Dialing . . . . .	4-40
4.3.3.4	Business Group Direct Outward Dialing . . . . .	4-40
4.3.3.5	Semi-Restricted Line (Originating and Terminating) . . . . .	4-41
4.3.3.6	Fully-Restricted Line (Originating and Terminating) . . . . .	4-42
4.3.3.7	Voice/Data Protection . . . . .	4-43
4.3.3.8	Business Group Distinctive Alerting . . . . .	4-45
4.3.3.9	Multiline Hunt Service . . . . .	4-46
4.3.4	Business Group Attendant Services (Attendant Console) . . . . .	4-47
4.3.4.1	Camp-On . . . . .	4-47
4.3.4.2	Multiple Position Hunt with Queuing . . . . .	4-48
4.3.5	Business Group Private Networking Services . . . . .	4-50
4.3.5.1	INWATS . . . . .	4-50
4.3.5.2	OUTWATS . . . . .	4-51
4.3.5.3	Private Virtual Network (PVN) Service . . . . .	4-52
4.3.5.4	Automatic Route Selection . . . . .	4-54
4.4	Residential and Small Business Services for ISDN BRIs . . . . .	4-56
4.4.1	Services Common to Analog Line and ISDN BRI End Users . . . . .	4-56
4.4.2	Electronic Key Telephone Service (EKTS) . . . . .	4-57
4.4.3	Call Hold . . . . .	4-60

4.4.4	Additional Call Offering . . . . .	4-62
4.4.5	Flexible Calling . . . . .	4-63
4.5	Large Business Services for ISDN BRIs . . . . .	4-66
4.5.1	Services Common to Residential/Small Business BRIs and Large Business BRIs . . . . .	4-66
4.5.2	Services Common to Analog Large Business Users and ISDN BRI Large Business Users . . . . .	4-66
4.5.3	Services Unique to Large Business BRI Users . . . . .	4-67
4.6	Services for Conventional DS1 Trunks . . . . .	4-68
4.6.1	Direct Inward Dialing . . . . .	4-68
4.6.2	Direct Outward Dialing . . . . .	4-69
4.6.3	Automatically Identified Outward Dialing . . . . .	4-69
4.6.4	INWATS . . . . .	4-71
4.6.5	OUTWATS . . . . .	4-72
4.7	Services for ISDN PRIs . . . . .	4-73
4.7.1	Calling Number Identification . . . . .	4-73
4.7.2	Calling Name Identification . . . . .	4-76
4.7.3	Call-by-Call Service Selection (for Non-ISDN Foreign Exchange Facilities, Non-ISDN Tie Trunks, OUTWATS, and INWATS) . . . . .	4-77
4.7.4	Switched Fractional DS1 (SWF-DS1, NX64 Kbps Service) . . . . .	4-80
4.7.5	Two B-Channel Transfer . . . . .	4-82
4.7.6	Hotel / Motel and Selective Class of Call Screening Services . . . . .	4-84
4.7.7	Private Networking Services . . . . .	4-86
5.	Call Flows and High-Level Requirements for Select Set of Features . . . . .	5-1
5.1	Toll-Free Service . . . . .	5-1
5.1.1	Assumptions . . . . .	5-1
5.1.2	Toll-Free Service Call Flows . . . . .	5-2
5.1.2.1	Number Translation Initiated in PSTN . . . . .	5-2
5.1.2.2	Number Translation Initiated in VOP Network . . . . .	5-4
5.1.2.3	Toll-Free Database in VOP Network . . . . .	5-7
5.1.3	High-Level Feature Requirements . . . . .	5-10
5.1.3.1	Number Translation Initiated in PSTN . . . . .	5-10
5.1.3.2	Number Translation Initiated in the VOP Network . . . . .	5-11
5.2	Local Number Portability . . . . .	5-13
5.2.1	Assumptions . . . . .	5-13
5.2.2	Local Number Portability Call Flows . . . . .	5-14
5.2.2.1	Call to a Ported Number Involving TG to TG Call Setup . . . . .	5-14
5.2.2.2	Call to a Ported Number Involving AG to AG Call Setup . . . . .	5-17
5.2.2.3	Call to a Ported-Out User Involving AG to TG Call Setup . . . . .	5-20
5.2.2.4	Call to a Ported Number Involving TG to AG Call Setup . . . . .	5-23
5.2.3	High-Level Feature Requirements . . . . .	5-26

5.2.3.1	Call to a Ported Number Involving TG to TG Call Setup . . . . .	5-26
5.2.3.2	Call to a Ported Number Involving AG to AG Call Setup . . . . .	5-29
5.2.3.3	Call to a Ported-Out User Involving AG to TG Call Setup . . . . .	5-29
5.2.3.4	Call to a Ported Number Involving TG to AG Call Setup . . . . .	5-31
5.3	Call Waiting . . . . .	5-31
5.3.1	Call Flow for Call Waiting for An Analog Line End-User . . . . .	5-32
5.3.2	High-Level Feature Requirements for Call Waiting for An Analog Line End-User . . . . .	5-34
5.4	Calling Number Identification . . . . .	5-40
5.4.1	Call Flow for Calling Number Delivery to An Analog Line End User . . . . .	5-41
5.4.2	High-Level Feature Requirements for CND to An Analog Line End User . . . . .	5-43
5.5	Calling Name Identification . . . . .	5-46
5.5.1	Call Flow for Calling Name Delivery to An Analog Line End User . . . . .	5-47
5.5.2	High-Level Feature Requirements for CNAMD to An Analog Line End User . . . . .	5-51
6.	CCA-AG Protocols for VOP Network Services . . . . .	6-1
6.1	Megaco/H.248 Protocol for Analog Line Control . . . . .	6-1
6.1.1	Status of IETF Megaco and ITU H.248 Documents . . . . .	6-1
6.1.2	Definitions of Contexts, Terminations, Line Events, and Line Signals . . . . .	6-2
6.1.3	Megaco/H.248 Messages Used By VOP Network Services . . . . .	6-3
6.1.4	Megaco/H.248 Message Parameters Used By VOP Network Services . . . . .	6-5
6.1.5	Telcordia ITU-T Contribution on "Essential Tones Missing from H.248" . . . . .	6-11
6.1.6	Telcordia ITU-T Contribution on "Need for a Mechanism to Support Caller Identification Services in H.248" . . . . .	6-14
6.1.7	Section 12, "Package Definition", of Megaco Version 7 / Draft H.248 Version 16 . . . . .	6-16
6.2	ISDN and SCTP Protocols for DS1 Trunks, ISDN BRIs, and ISDN PRIs . . . . .	6-20
6.2.1	Existing Documents on ISDN Q.931 and Q.932 . . . . .	6-20
6.2.2	Existing Documents on SCTP and IUA . . . . .	6-21
6.3	Use of Megaco/H.248 for Core Network Connection Control for DS1 Trunks, BRIs, and PRIs . . . . .	6-22
6.3.1	Megaco/H.248 for Conventional DS1 Trunks . . . . .	6-22
6.3.2	Megaco/H.248 for ISDN BRIs and PRIs . . . . .	6-22
6.4	Protocol Elements Used to Support VOP Network Services . . . . .	6-25
6.4.1	Megaco/H.248 Commands and Responses . . . . .	6-26

6.4.2	Megaco/H.248 Descriptors . . . . .	6-30
6.4.3	Megaco/H.248 Analog Line Events . . . . .	6-31
6.4.4	Megaco/H.248 Analog Line Signals . . . . .	6-31
6.4.5	ISDN Q.931/Q.932 Messages . . . . .	6-32
6.4.6	ISDN Q.931/Q.932 Information Elements . . . . .	6-34
7.	CCA-SG Protocols for VOP Network Services . . . . .	7-1
7.1	Support for ISUP Protocols . . . . .	7-1
7.1.1	ISUP for Local Number Portability . . . . .	7-1
7.1.2	ISUP for Calling Number ID . . . . .	7-2
7.1.3	ISUP for Calling Name Delivery . . . . .	7-3
7.1.4	ISUP for Toll-Free Service . . . . .	7-3
7.2	Use of Pre-IN TCAP Versus IN TCAP for VOP Network Services . . . . .	7-4
7.3	Support for SCCP/TCAP Protocols . . . . .	7-5
7.3.1	SCCP/TCAP for Local Number Portability . . . . .	7-5
7.3.2	SCCP/TCAP for Toll-Free Service . . . . .	7-7
7.3.3	SCCP/TCAP for Calling Name Delivery . . . . .	7-9
7.4	Support for MTP Protocols . . . . .	7-12
8.	CCA-CCA Protocols for VOP Network Services . . . . .	8-1
8.1	BICC Protocol Impacts from VOP Network Services . . . . .	8-1
9.	CCA Support of an API for Third-Party Creation of VOP Network Services . . . . .	9-1
9.1	Security Interface . . . . .	9-4
9.2	Call Control Interface . . . . .	9-7
9.2.1	Call Connection Agent Interface . . . . .	9-8
9.2.2	Call Interface . . . . .	9-9
9.2.3	Connection Interface . . . . .	9-9
9.2.3.1	NULL . . . . .	9-9
9.2.3.2	AUTHORIZE_CALL_ATTEMPT . . . . .	9-10
9.2.3.3	COLLECT_INFORMATION . . . . .	9-10
9.2.3.4	ANALYZE_INFORMATION . . . . .	9-11
9.2.3.5	SELECT_ROUTE . . . . .	9-12
9.2.3.6	SEND_CALL . . . . .	9-12
9.2.3.7	ALERTING . . . . .	9-14
9.2.3.8	ACTIVE . . . . .	9-15
9.2.3.9	SUSPENDED . . . . .	9-16
9.2.3.10	DISCONNECTED . . . . .	9-17
9.2.3.11	EXCEPTION . . . . .	9-17
9.2.3.12	SELECT_FACILITY . . . . .	9-18
9.2.3.13	PRESENT_CALL . . . . .	9-18
9.2.3.14	Connection Object State Transition Diagram . . . . .	9-19
9.2.4	Address Interface . . . . .	9-21
9.2.5	Terminal Interface . . . . .	9-21
9.2.6	TerminalConnection Interface . . . . .	9-21
9.2.7	Service Registration and Invocation Interfaces . . . . .	9-22
9.2.7.1	Service Invocation . . . . .	9-22
9.2.7.2	Service Registration . . . . .	9-23

9.2.7.3	Implementation Using AIN-Style Triggers . . . . .	9-24
9.3	User Interaction Interface . . . . .	9-24
9.3.1	Functions . . . . .	9-24
9.3.1.1	Play Announcement . . . . .	9-24
9.3.1.2	Play Announcement and Collect Information . . . . .	9-25
9.3.1.3	Text-to-Speech . . . . .	9-25
9.3.1.4	Text-to-Speech and Collect Digits . . . . .	9-25
9.3.1.5	Recognize Voice . . . . .	9-25
9.3.1.6	Record Announcement . . . . .	9-25
9.3.2	Operations . . . . .	9-25
9.4	Charging/Accounting Interface . . . . .	9-28
9.4.1	Functions . . . . .	9-28
9.4.2	Operations . . . . .	9-28
	Acronyms . . . . .	Acronyms-1
	References . . . . .	References-1
	Requirement-Object Index . . . . .	ROI-1

## List of Figures

Figure 2-1.	High-Level VOP Network Architecture .....	2-1
Figure 2-2.	The CCA-to-SA Interface .....	2-13
Figure 2-3.	The CCA-to-AG Interface .....	2-15
Figure 2-4.	The CCA-to-SG Interface .....	2-17
Figure 2-5.	The CCA-to-CCA Interface .....	2-18
Figure 4-1.	VOP Network Support of TG Trunk Groups to a PSTN OSS.....	4-8
Figure 5-1.	Number Translation Initiated in PSTN.....	5-2
Figure 5-2.	Number Translation Initiated in VOP Network.....	5-5
Figure 5-3.	Toll-Free Database in VOP Network.....	5-8
Figure 5-4.	A Successful Call Setup to a Ported Number Using Two TGs and Two CCAs.....	5-15
Figure 5-5.	A Successful Call Setup to a Ported Number Involving Two AGs, Each Serving an Analog Line Using Two CCAs.....	5-18
Figure 5-6.	A Successful Call Setup to a Ported Number from an AG to a TG	5-21
Figure 5-7.	A Successful Call Setup to a Ported Number from a TG to an AG	5-24
Figure 5-8.	High-Level Call Flow for VOP Call Waiting.....	5-32
Figure 5-9.	High-Level Call Flow for VOP Calling Number Delivery.....	5-41
Figure 5-10.	High-Level Call Flow for VOP Calling Name Delivery.....	5-47
Figure 6-1.	Megaco/H.248 Protocol for Analog Line Control .....	6-2
Figure 6-2.	Megaco/H.248 Protocol: Terminations and Contexts .....	6-3
Figure 6-3.	Megaco/H.248 Protocol: Use of Move Command for Call Waiting ..	6-4
Figure 9-1.	Structural View of the API .....	9-3
Figure 9-2.	Access View of the API.....	9-4
Figure 9-3.	Call Control Object Relationships.....	9-8
Figure 9-4.	Connection State Transition Diagram .....	9-20





## List of Tables

Table 4-1.	Classes of Services and Individual Services Described in this GR . . . . .	4-2
Table 9-1.	User Interaction Operations . . . . .	9-27
Table 9-2.	Charging/Accounting Operations . . . . .	9-29