

Contents

Preface

1 Introduction

1.1 Purpose and Scope	1-1
1.2 Target Audience	1-2
1.3 Structure and Use of This Document	1-3
1.4 Requirements Terminology	1-3
1.5 Requirement Labeling Conventions	1-4
1.5.1 Numbering of Requirement and Related Objects	1-4
1.5.2 Requirement, Conditional Requirement, and Objective Object Identification	1-5

2 ATM Technology and Network Architectures

2.1 ATM Technology	2-1
2.1.1 ATM Cells	2-1
2.1.2 Adaptation	2-1
2.1.3 Virtual Paths and Virtual Channels	2-2
2.1.4 ATM Layer Operations Flows	2-3
2.2 Terminology Issues	2-5
2.3 ATM Network Elements	2-7
2.4 Service Access Configurations	2-8
2.4.1 Basic Access Configurations	2-8
2.4.2 ILMI	2-10
2.4.3 Access Signaling	2-11
2.4.4 Proxy Signaling	2-12
2.4.5 Virtual UNIs	2-13
2.4.6 IMA Access Links	2-14
2.5 Interoffice Signaling	2-15
2.6 Service Offerings	2-18
2.6.1 PVCs	2-20
2.6.2 Soft PVCs	2-21
2.6.2.1 SPVC Mechanisms	2-22
2.6.3 SVCs and SVPs	2-24
2.7 Voice and Telephony over ATM	2-25
2.7.1 Tandem Switch Replacement with ATM	2-25
2.8 ATM Network Architectures	2-29
2.9 Connection Protection for ATM Traffic	2-30
2.9.1 Physical Layer Protection	2-30
2.9.2 ATM Layer Connection Protection	2-31
2.9.2.1 Dedicated Point-to-Point VP/VPG Protection	2-31
2.9.2.2 ATM Protection Domains	2-33

3 Management Architectures

3.1 TMN Logical Architecture	3-1
3.1.1 Management Functional Areas	3-1
3.1.2 Logical Layers and Management Systems	3-2
3.2 Network Level Management Framework	3-5
3.2.1 Motivation for the Network View	3-6
3.2.2 General Network View Concepts	3-6
3.3 EMS Architecture	3-14
3.4 EMS Functional Scope	3-15
3.4.1 Network Elements	3-15
3.4.2 Services	3-16
3.4.3 Protection	3-16

4 Operations Functional Requirements

4.1 Configuration Management	4-1
4.1.1 Network Planning and Engineering	4-2
4.1.2 Installation	4-3
4.1.2.1 NE Software Installation	4-3
4.1.3 Provisioning	4-4
4.1.3.1 Assignable Inventory Management	4-4
4.1.3.2 Unassignable Inventory Management	4-5
4.1.3.3 Service Feature Software Download	4-5
4.1.3.4 Pending Change Management	4-5
4.1.3.5 NE/Subnetwork Administration and Configuration	4-6
4.1.3.5.1 NE Administration	4-6
4.1.3.5.2 ATM Interface Configuration	4-7
4.1.3.5.3 Link Configuration	4-12
4.1.3.5.4 Inter-Layer Management	4-12
4.1.3.5.5 PNNI Configuration	4-13
4.1.3.5.6 Topology Management	4-19
4.1.3.6 Interexchange Circuit Design	4-20
4.1.3.7 Access Circuit Design	4-22
4.1.3.8 Facility Design	4-24
4.1.3.9 NE Database Management	4-24
4.1.3.10 Inventory Discovery, Auditing and Resynchronization	4-26
4.1.3.11 Inventory Notification and Query	4-28
4.1.3.12 Connection Management	4-30
4.1.3.12.1 Subnetwork Connection Establishment and Modification	4-31
4.1.3.12.2 Subnetwork Connection Release	4-35
4.1.3.12.3 Link Connection and Cross Connection Management	4-36
4.1.3.12.4 Connection Management: ATM Adaptation (AAL) Layer	4-38
4.1.3.12.5 Connection Management: Circuit Emulation Service Using AAL1	4-41
4.1.3.12.6 Connection Management: Circuit Emulation Service Using AAL2	4-46
4.1.3.12.7 Activity Tracking	4-46

4.1.3.12.8 Scheduling	4-46
4.1.3.12.9 Protection	4-50
4.1.4 Status and Control	4-50
4.1.5 Configuration of Signaling Channels	4-52
4.1.5.1 Signaling Overview	4-52
4.1.5.2 Configuration of the Signaling Channel's ATM Layer	4-54
4.1.5.3 Configuration of the SAAL for Signaling Channels	4-55
4.1.5.3.1 Configuration of the AAL5 CP for Signaling Channels	4-55
4.1.5.3.2 Configuration of the SSCOP Layer for Signaling Channels	4-55
4.1.5.3.3 Configuration of the SSCF-UNI Layer for Signaling Channels	4-57
4.1.5.4 Configuration of the Signaling Layer (Access)	4-57
4.1.5.5 Configuration of the PNNI Signaling Layer	4-58
4.1.6 Data Management	4-58
4.1.6.1 Database Backup and Restoration	4-58
4.2 Fault Management	4-60
4.2.1 RAS Quality Assurance	4-60
4.2.1.1 Network Outage Reporting	4-60
4.2.2 Alarm Surveillance	4-61
4.2.2.1 Alarm Reporting	4-62
4.2.2.2 General	4-62
4.2.2.3 ATM Specific	4-62
4.2.2.4 Alarm Summary	4-64
4.2.2.5 Alarm Correlation and Filtering	4-64
4.2.3 Fault Localization and Testing	4-66
4.2.4 Fault Correction	4-70
4.2.4.1 NE(s) Fault Correction	4-70
4.3 Performance Management	4-70
4.3.1 Performance Quality Assurance	4-71
4.3.1.1 NE(s) Performance Assessment	4-71
4.3.2 Performance Management Control	4-71
4.3.2.1 Traffic Administration	4-71
4.3.2.2 Performance Administration	4-71
4.3.2.2.1 Thresholds Associated with Interfaces	4-72
4.3.2.2.2 Thresholds Associated with Connections and Segments	4-74
4.3.2.2.3 Settings Related to PM Data Collection	4-74
4.3.3 Performance Monitoring	4-75
4.3.3.1 Traffic Status	4-75
4.3.3.2 Traffic Performance Monitoring	4-76
4.3.3.3 NE(s) Threshold Crossing Alert Processing	4-76
4.3.3.4 NE(s) Trend Analysis	4-76
4.3.3.4.1 Impairment Persistence Determination	4-77
4.3.3.5 Performance Monitoring Data Accumulation	4-77
4.3.3.5.1 General	4-78
4.3.3.5.2 ATM Layer and AAL Performance Monitoring	4-78
4.3.3.5.3 Signaling Channel Performance Monitoring	4-80
4.3.3.5.4 CES (Using AAL1) Performance Monitoring	4-81

4.3.3.5.5	CES (Using AAL2) Performance Monitoring	4-83
4.3.3.5.6	PNNI Performance Monitoring	4-83
4.3.3.5.7	Soft PVC Performance Monitoring	4-84
4.3.4	Performance Analysis	4-84
4.3.4.1	Traffic Capacity Analysis	4-84
4.3.4.2	NE(s) Performance Characterization	4-85
4.3.4.3	NE(s) Traffic Exception Analysis	4-85
4.4	Accounting Management	4-86
4.4.1	Usage Measurement	4-86
4.4.1.1	Usage Accumulation and Assembly	4-86
4.4.1.2	Usage Validation	4-88
4.4.1.3	Administration of Usage Data Collection	4-88
4.5	Security Management	4-90
4.5.1	Prevention	4-90
4.5.1.1	Identification	4-90
4.5.1.2	Authentication	4-91
4.5.1.3	System Access Control	4-91
4.5.1.4	Resource Access Control	4-92
4.5.1.5	Data and System Integrity	4-92
4.5.2	Detection	4-92
4.5.2.1	Security Alarm Reporting	4-93
4.5.3	Containment and Recovery	4-94
4.5.3.1	NE(s) Intrusion Recovery	4-94
4.5.3.2	Administration of NE(s) Revocation List	4-94
4.5.3.3	Protected Storage of NE(s) Configuration Data	4-95
4.5.4	Security Administration	4-95
4.5.4.1	NE(s) and EMS Audit Trail Management	4-95
4.5.4.2	NE(s) and EMS Security Alarm Management	4-96
4.5.4.3	Administration of Keys for NEs	4-96
4.5.5	DCN Security	4-96
4.6	Common Management Operations	4-97
4.6.1	User Layer Management	4-97
4.6.2	Data Management	4-99
4.6.2.1	Data Stewardship	4-100
4.6.3	Operations Control Management	4-100

5 Operations Interfaces

5.1	EMS/NE Interface	5-1
5.2	NMS/EMS Interface	5-9
5.2.1	Developing an NMS/EMS Interface	5-9
5.2.2	Existing/Developing Standards	5-10
5.2.2.1	ITU-T Q.18/4 Generic Network Level Model	5-10
5.2.2.2	ATM Forum Network Level Model	5-11
5.2.2.3	TeleManagement Forum Network Level Model for ATM	5-11
5.2.2.4	Internet Engineering Task Force (IETF) RFC 2515	5-11
5.2.3	Summary of Requirements	5-12

6 Common System Requirements

6.1 System Administration	6-1
6.2 System Reliability and Availability	6-3
6.3 System Capacity and Performance	6-4
6.3.1 System-to-System Interface	6-4
6.3.2 Real Time Performance	6-4
6.3.3 Load Sharing and EMS Extensibility	6-6
6.3.4 Performance Measurements/Alarms	6-7
6.4 Data Communications	6-7
6.5 Equipment Environment	6-9
6.6 Product Support	6-9

Appendix A: References

A.1 Telcordia Technologies Documents	A-1
A.2 Non-Telcordia Technologies Documents	A-3

Appendix B: Glossary

Appendix C: Acronyms

Requirement-Object Index

List of Figures

Figure 2-1	Virtual Channel Connections	2-2
Figure 2-2	Virtual Path Connections	2-3
Figure 2-3	Illustration of VP/VC Connections and Segments	2-4
Figure 2-4	ATM Network Access Configurations	2-9
Figure 2-5	ILMI Example	2-10
Figure 2-6	Access Signaling on a UNI	2-12
Figure 2-7	Proxy Signaling	2-13
Figure 2-8	Example Configuration of Two Virtual UNIs	2-14
Figure 2-9	Inverse Multiplexing for ATM	2-15
Figure 2-10	An Example Signaling Configuration	2-17
Figure 2-11	PVC Establishment	2-21
Figure 2-12	PNNI Hierarchy Example	2-23
Figure 2-13	Voice Tandem Gateway Architecture	2-26
Figure 2-14	Voice Tandem Gateway Functions	2-28
Figure 2-15	Media Gateway Controller Functions	2-29
Figure 2-16	ATM Network Architecture Example	2-30
Figure 2-17	ATM Point-to-Point Protection Switching Mechanism	2-32
Figure 2-18	Examples of Protection Domains for an ATM Connection	2-34
Figure 3-1	TMN Functional Structure	3-4
Figure 3-2	Examples of System Implementation of TMN Logical Layer Functions	3-5
Figure 3-3	Partitioning of a Layer Network	3-8
Figure 3-4	Abstracted View of a Partitioned Layer Network	3-10
Figure 3-5	Examples of Connections	3-12
Figure 3-6	Relationship Between Link End and CTPs	3-13
Figure 3-7	Inter-layer Configuration	3-14
Figure 3-8	EMS Architecture Example	3-15
Figure 4-1	Link Connection Between EMS Management Domains	4-37
Figure 4-2	Examples of Circuit Emulation Service	4-42
Figure 4-3	Depiction of a Periodic Schedule	4-48
Figure 4-4	Signaling Transport	4-53
Figure 4-5	Loopback Locations with ATM VP Protection	4-67

List of Tables

Table 2-1	Mapping of Terminology	2-6
Table 3-1	General Types of ATM Network Layers	3-7
Table 4-1	Parameters and Timers for SSCOP	4-55
Table 4-2	Impact of 1+1 VP Protection Switching on OAM Cell Loopback Test	4-67
Table 4-3	Impact of 1:1 VP Protection Switching on OAM Cell Loopback Test	4-68
Table 4-4	VP/VC Performance Monitoring Parameters	4-79
Table 5-1	ATM EMS-NE Interface Requirements	5-1
Table 5-2	SONET NMS-EMS Interface Requirements	5-12