

# Contents

<b>Preface</b> . . . . .	xiii
The Telcordia Technologies GR Process . . . . .	xiii
About GR-3109-CORE . . . . .	xiii
Funders of GR-3109-CORE, Issue 1, are: . . . . .	xiii
Relative Maturity Level . . . . .	xiv
GR-3109-CORE Plans . . . . .	xiv
To Submit Comments . . . . .	xiv
<b>1 Introduction</b>	
1.1 Purpose and Scope . . . . .	1-1
1.2 Target Audience . . . . .	1-2
1.3 Future Additions . . . . .	1-2
1.4 Relationship to Other Telcordia Documents . . . . .	1-2
1.5 Structure and Use of This Document . . . . .	1-4
1.6 Requirements Terminology . . . . .	1-5
1.7 Requirement Labeling Conventions . . . . .	1-6
1.7.1 Numbering of Requirement and Related Objects . . . . .	1-6
1.7.2 Requirement, Conditional Requirement, and Objective Identification . . . . .	1-7
<b>2 PV-IDLC System Overview</b>	
2.1 Application Environment . . . . .	2-1
2.2 PV-IDLC Reference Model and Functional Overview . . . . .	2-1
2.2.1 PV-IDLC System Overview . . . . .	2-2
2.2.2 Document Focus . . . . .	2-3
2.2.3 Functional Overview of PV-IDLC Components . . . . .	2-3
2.2.4 Packet Voice DLC . . . . .	2-4
2.2.5 Derived Voice over Broadband . . . . .	2-5
2.3 PV-IDLC Signaling and Supervision Approaches . . . . .	2-5
2.3.1 PV-IDLC DC Supervision and Alerting . . . . .	2-5
2.3.2 PV-IDLC Addressing Approaches . . . . .	2-6
2.3.3 PV-IDLC Call Progress Tone Approaches . . . . .	2-7
2.4 PV-IDLC Service Capabilities . . . . .	2-8
2.5 Digital Switch Interfaces . . . . .	2-9
2.6 Transition to a Softswitch Environment . . . . .	2-9
<b>3 Telephony Service Requirements</b>	
3.1 Summary of Required and Optional Service Capabilities . . . . .	3-1
3.2 Single Party Message Telephone Service . . . . .	3-1
3.2.1 Signaling and Supervision . . . . .	3-2
3.2.2 Transmission . . . . .	3-2
3.3 Coin Telephone Service - Option . . . . .	3-2
3.3.1 Signaling and Supervision . . . . .	3-2

- 3.3.2 Transmission . . . . . 3-2
- 3.4 Locally Switched Special Services - Option . . . . . 3-3
- 3.5 Universal Voice Grade Line Units . . . . . 3-3
  - 3.5.1 Signaling and Supervision . . . . . 3-4
  - 3.5.2 Transmission . . . . . 3-4
- 3.6 Locally Switched Loop Start Services with Line Side Answer Supervision . . . 3-4
  - 3.6.1 Signaling and Supervision . . . . . 3-5
  - 3.6.2 Transmission . . . . . 3-5
- 3.7 Locally Switched Ground Start Services with Line Side Answer Supervision . . 3-5
  - 3.7.1 Signaling and Supervision . . . . . 3-5
  - 3.7.2 Transmission . . . . . 3-5
- 3.8 ISDN Basic Access - Option . . . . . 3-5
- 3.9 Services for the Hearing Impaired . . . . . 3-6
- 3.10 On-Hook Transmission Capabilities . . . . . 3-7
  - 3.10.1 On-Hook Transmission - Service Examples . . . . . 3-7
  - 3.10.2 On-Hook Transmission Criteria . . . . . 3-8
- 3.11 Non-locally/Nonswitched Services . . . . . 3-8

#### 4 Telephony Signaling and Supervision Criteria

- 4.1 Loop Start Signaling . . . . . 4-1
- 4.2 Ground Start Signaling - Option . . . . . 4-3
- 4.3 Loop Reverse Battery Signaling - Option . . . . . 4-4
- 4.4 General Loop Supervision Criteria . . . . . 4-4
- 4.5 PV-IDLC System Ringing Criteria . . . . . 4-5
- 4.6 Coin Telephone Signaling - Option . . . . . 4-6
- 4.7 Special Considerations for Systems Using Interpreted Signaling . . . . . 4-6
  - 4.7.1 Alerting Signals . . . . . 4-7
  - 4.7.2 Flash/Disconnect Timing . . . . . 4-10
- 4.8 Special Considerations for Systems Using Message-Oriented Call Progress  
Tones . . . . . 4-10
- 4.9 Special Considerations for Systems Using Message-Oriented Addressing . . . 4-13
  - 4.9.1 Generation of Addressing Signals . . . . . 4-13
  - 4.9.2 Detection of DTMF and MF Addressing . . . . . 4-14
  - 4.9.3 Detection of Dial Pulse Addressing . . . . . 4-16
- 4.10 Call Processing Considerations of PV-IDLC Systems . . . . . 4-16
  - 4.10.1 PV-IDLC Originating Call Failures . . . . . 4-17
    - 4.10.1.1 Behavior Towards Originating Interface . . . . . 4-17
    - 4.10.1.2 Behavior at GR-303 Interface . . . . . 4-19
  - 4.10.2 PV-IDLC Terminating Call Failures . . . . . 4-21
    - 4.10.2.1 Call Processing Overload . . . . . 4-21
    - 4.10.2.2 Congestion within the PV-IDLC System . . . . . 4-22
    - 4.10.2.3 PVE Failures . . . . . 4-23
      - 4.10.2.3.1 Generic Interface Behaviors . . . . . 4-23
      - 4.10.2.3.2 Behavior Toward Calling Party Interface . . . . . 4-25
    - 4.10.2.4 Terminating Call Failure Treatments . . . . . 4-26
    - 4.10.2.5 Alternative to Providing Failure Treatment . . . . . 4-28

4.10.3 Failures During Active Calls . . . . .	4-28
4.11 Service Related Timing Requirements . . . . .	4-29

## 5 Voice Quality and Performance Criteria

5.1 Overview of Speech Transmission Performance Issues . . . . .	5-2
5.1.1 PSTN Quality Voice . . . . .	5-2
5.1.2 Key Attributes Controlling Perceived Voice Quality . . . . .	5-3
5.2 Speech Transmission Performance Criteria . . . . .	5-4
5.2.1 Packet Loss . . . . .	5-5
5.2.2 Transmission Loss Planning . . . . .	5-6
5.2.3 E-model Transmission Rating . . . . .	5-11
5.2.4 Bearer Path Delay . . . . .	5-12
5.2.5 Objective Measures of Subjective Voice Quality . . . . .	5-15
5.2.5.1 P.862 Listening Quality Tests . . . . .	5-15
5.2.5.2 Transmission Rating Estimates Through Passive Monitoring . . . . .	5-17
5.2.5.3 Talker Performance Test . . . . .	5-17
5.2.6 Bandwidth Management and QoS Allocation . . . . .	5-17
5.2.6.1 Packet Transport - Background . . . . .	5-18
5.2.6.2 Control and Capacity of the Packet Transport Plane . . . . .	5-19
5.2.6.3 Allocating QoS Budget . . . . .	5-20
5.3 Call Control Quality . . . . .	5-21

## 6 Bearer Information Processing Criteria

6.1 Voice Sample Encoding . . . . .	6-1
6.2 Packet Loss Concealment (PLC) . . . . .	6-4
6.3 Voiceband Echo Cancellation . . . . .	6-5
6.3.1 Echo Control Architecture . . . . .	6-5
6.3.2 Voiceband Echo Cancellation Criteria . . . . .	6-6
6.4 Voice Packetization . . . . .	6-8
6.4.1 Voice Packetization Interval . . . . .	6-8
6.4.2 Packet Jitter Buffer . . . . .	6-9
6.5 Fax and Data Modem Detection and Support . . . . .	6-11
6.5.1 Fax/Modem Pass-through . . . . .	6-13
6.5.2 Fax Calls . . . . .	6-14
6.5.3 Modem Calls . . . . .	6-15
6.5.4 Detection Matrix . . . . .	6-15
6.6 Silence Suppression and Comfort Noise Insertion (Option) . . . . .	6-16

## 7 Generic Interface to the Local Digital Switch

7.1 GR-303 IDLC Criteria . . . . .	7-1
7.1.1 Interface to The Digital Network . . . . .	7-2
7.1.2 Data Links . . . . .	7-3
7.1.3 Call Processing Techniques . . . . .	7-4
7.1.4 Operations Requirements for the GR-303 PV-IDLC Interface . . . . .	7-5
7.2 GR-8-CORE IDLC Criteria (Option) . . . . .	7-6

7.2.1 Facility Interface . . . . .	7-7
7.2.2 Framing and Signaling . . . . .	7-7
7.2.3 Call Processing . . . . .	7-7
7.2.4 System Maintenance . . . . .	7-7

## 8 Traffic Sensitive Criteria

## 9 Miscellaneous Criteria

9.1 Physical and Environmental . . . . .	9-1
9.1.1 Physical Requirements . . . . .	9-1
9.1.2 Environmental Requirements . . . . .	9-1
9.2 Synchronization . . . . .	9-2
9.3 PVE/Network Gateway Powering . . . . .	9-4
9.3.1 PVE Powering . . . . .	9-4
9.3.2 NGW Powering . . . . .	9-6
9.4 Electromagnetic Compatibility and Electrical Safety Criteria . . . . .	9-6
9.5 Reliability and Quality . . . . .	9-8
9.5.1 System Reliability Criteria . . . . .	9-9
9.5.1.1 Service Availability . . . . .	9-9
9.5.1.2 System Maintenance Rates . . . . .	9-12
9.5.2 Silent Failures . . . . .	9-13
9.5.3 Operations System Interface Availability . . . . .	9-13
9.5.4 Reliability Predictions . . . . .	9-14
9.5.5 Infant Mortality Criteria . . . . .	9-17
9.5.6 Protection and Equipment Duplication . . . . .	9-17
9.5.7 Reliability Assurance . . . . .	9-17
9.5.7.1 Equipment Reliability Assurance . . . . .	9-18
9.5.7.2 Component Reliability Assurance . . . . .	9-18
9.5.8 Physical Design . . . . .	9-19
9.5.9 Software Reliability/Quality Assurance . . . . .	9-19
9.5.10 Manufacturing Process . . . . .	9-20
9.5.11 Reliability and Quality Reporting/Verification . . . . .	9-21
9.5.12 Product Support Systems . . . . .	9-22

## 10 Operations Support and Transition

10.1 Configuration Management . . . . .	10-1
10.2 Fault Management . . . . .	10-1
10.3 Performance Management . . . . .	10-2
10.4 Craft Interface Criteria . . . . .	10-2
10.5 Security Management . . . . .	10-2
10.6 Transition to a Softswitch Environment . . . . .	10-3
10.6.1 Background . . . . .	10-3
10.6.2 Transition Issues . . . . .	10-8

**Appendix A: References**

To Contact Telcordia Customer Service or to Order Documents . . . . . A-4

**Appendix B: Acronyms**

**Requirement-Object Index**

## List of Figures

Figure 2-1	PV-IDLC Reference Architecture . . . . .	2-1
Figure 4-1	TMC Flow for PV-IDLC Blocked Originating Call . . . . .	4-20
Figure 4-2	NGW Terminating Call Time-slot Assignment Rejection . . . . .	4-22
Figure 4-3	Sample EOC Service State Change Event Report . . . . .	4-24
Figure 5-1	PVE-A Loss Plan Illustration . . . . .	5-9
Figure 5-2	PVE-B/C Loss Plan Illustration . . . . .	5-10
Figure 5-3	TIA-TSB116 Voice Quality Categories and R-values . . . . .	5-11
Figure 5-4	Parameters Affecting Voice Quality . . . . .	5-18
Figure 6-1	PV-IDLC Echo Control Architecture . . . . .	6-5
Figure 10-1	Functional View of Telcordia VOP NGN, with PV-IDLC Overlay . .	10-5

## List of Tables

Table 2-1	PV-IDLC Locally-Switched Service Summary . . . . .	2-8
Table 4-1	Relationship of GR-8-CORE Signaling State Names to GR-303-CORE . . . . .	4-1
Table 4-2	Ringling Pattern Recognition . . . . .	4-7
Table 4-3	Ringling Pattern Generation . . . . .	4-8
Table 4-4	Flash/Disconnect Timing . . . . .	4-10
Table 4-5	DTMF Nominal Frequencies . . . . .	4-14
Table 4-6	GR-317 (SS7) Unsuccessful Call Treatments . . . . .	4-26
Table 5-1	Listening-Quality Scale . . . . .	5-15
Table 6-1	Detection of Voice, Fax, and Data Modem Calls . . . . .	6-16
Table 7-1	Minimum Set of GR-303-CORE SAPI/TEI Values . . . . .	7-3
Table 9-1	Per-line Downtime Allocations . . . . .	9-11