

Table of Contents

1 Introduction

1.1 Purpose and Scope of Document	1-1
1.2 Reasons for GR-3155, Issue 2	1-3
1.3 Organization	1-4
1.4 Conduits, Ducts, Innerducts, and Microducts	1-4
1.4.1 Application Notes - Materials, GR-356, and Microduct Sizes	1-4
1.4.2 Placement and Operational Stresses	1-6
1.4.3 In-Living Unit (ILU) Cable Pathways	1-9
1.5 Requirements Terminology	1-9
1.6 Requirement Labeling Conventions	1-10
1.6.1 Numbering of Requirement and Related Objects	1-10
1.6.2 Requirement, Conditional Requirement, and Objective Identification	1-11

2 General Information and Design Considerations

2.1 General Information on Conduits and Ducts	2-2
2.1.1 Pre-Installed Cable	2-3
2.1.2 Cable Pulling	2-3
2.1.3 Cable Blowing	2-3
2.1.4 Fire-Resistant Ducts	2-4
2.1.5 Microduct Dimensions	2-4
2.2 Product Conformance	2-6
2.3 General Product Design	2-7
2.3.1 Conformance Criteria - Requirements	2-7
2.3.2 Test Method	2-7
2.4 General Design Guidelines	2-8
2.4.1 Deployment Simulation - Test Track	2-8

3 General Requirements and Objectives

3.1 Product Samples	3-1
3.1.1 Conformance Criteria - Requirement	3-1
3.1.2 Test Method	3-1
3.2 Product Change	3-1
3.2.1 Conformance Criteria - Requirement	3-1
3.2.2 Test Method	3-1
3.3 Safety and Reliability	3-2
3.3.1 Conformance Criteria - Requirements	3-2
3.3.2 Test Method	3-2
3.4 Listing	3-3
3.4.1 Conformance Criteria - Requirements	3-3
3.4.2 Test Method	3-3
3.4.3 Test Configuration and Conditions	3-3
3.5 Materials Requirements	3-4
3.5.1 Base Resin Material	3-4
3.5.2 Lubrication - Pre-Lubricated and Permanently Lubricated Products	3-4
3.5.3 Test Method	3-6
3.6 Craftsperson Interaction and Hardware Compatibility	3-6

3.6.1	Conformance Criteria - Requirements	3-6
3.6.2	Test Method	3-7
3.7	Instructions and Labeling	3-7
3.7.1	Conformance Criteria - Requirements	3-7
3.7.2	Test Method	3-7
3.8	Package Labeling	3-8
3.8.1	Conformance Criteria - Requirements	3-8
3.8.2	Test Method	3-8
3.9	Toxic Materials	3-9
3.9.1	Conformance Criteria - Requirement	3-9
3.9.2	Test Method	3-9
3.10	Tools	3-10
3.10.1	Conformance Criteria - Requirement	3-10
3.10.2	Test Method	3-10
3.11	Dimensions	3-10
3.11.1	Conformance Criteria - Requirements	3-12
3.11.2	Test Method	3-12
3.11.3	Test Configuration and Conditions	3-13
3.12	Ability to Cut	3-13
3.12.1	Conformance Criteria - Requirement	3-13
3.12.2	Test Method	3-13
3.13	Quality	3-13
3.13.1	Conformance Criteria - Requirements	3-14
3.13.2	Test Method	3-14
3.14	Documentation	3-15
3.14.1	Conformance Criteria - Requirements	3-15
3.14.2	Test Method	3-16
3.15	Packaging	3-16
3.15.1	Conformance Criteria - Requirements	3-16
3.15.2	Test Method	3-17
3.16	Shipping	3-17
3.16.1	Conformance Criteria - Requirements	3-17
3.16.2	Test Method	3-18
3.17	Marking	3-19
3.17.1	Conformance Criteria - Requirements	3-19
3.17.2	Test Method	3-20
3.18	Color Coding	3-21
3.18.1	Conformance Criteria - Requirements	3-22
3.18.2	Test Method	3-22
3.19	Product Compatibility	3-23
3.19.1	Conformance Criteria - Requirement	3-23
3.19.2	Test Method	3-24

4 Mechanical Requirements

4.1	Operational - Assembly and Disconnection	4-1
4.1.1	Conformance Criteria - Requirement	4-1
4.1.2	Test Method	4-1
4.2	Ovality	4-2
4.2.1	Conformance Criteria - Requirement	4-2
4.2.2	Test Method - Ovality Calculation	4-2

4.2.3 Test Method - Diameter Slug Test 4-4

4.2.4 Test Configuration and Conditions 4-6

4.3 Coefficient of Friction (CoF) 4-6

4.3.1 Conformance Criteria - Requirements 4-6

4.3.2 Test Method 4-7

4.3.3 Test Configuration and Conditions 4-8

4.4 Tensile and Pull Strength 4-9

4.4.1 Conformance Criteria - Requirements 4-9

4.4.2 Test Method 4-9

4.4.3 Test Configuration and Conditions 4-10

4.5 Elongation 4-11

4.5.1 Conformance Criteria - Requirements 4-11

4.5.2 Test Method 4-11

4.6 Compression 4-12

4.6.1 Conformance Criteria - Requirements 4-12

4.6.2 Test Method 4-13

4.6.3 Test Configuration and Conditions 4-13

4.7 Impact 4-14

4.7.1 Conformance Criteria - Requirement 4-14

4.7.2 Test Method 4-14

4.7.3 Test Configuration and Conditions 4-16

4.8 Bending Resistance 4-16

4.8.1 Conformance Criteria - Requirements 4-16

4.8.2 Test Method 4-17

4.8.2.1 Bending Resistance 4-17

4.8.2.2 Kink Resistance: 4-18

4.8.3 Test Configuration and Conditions 4-18

4.9 Pressure Burst Strength 4-20

4.9.1 Conformance Criteria - Requirements 4-20

4.9.2 Test Method 4-20

4.9.3 Test Configuration and Conditions 4-21

4.10 Cable Installation - Field Simulation 4-21

4.10.1 Conformance Criteria - Requirement 4-21

4.10.2 Test Method 4-22

4.10.3 Test Configuration and Conditions 4-23

4.10.4 Pushing Pre-Terminated Fiber Cables 4-25

5 Environmental Requirements

5.1 Assembly - Craft Interaction 5-1

5.1.1 Conformance Criteria - Requirement 5-1

5.1.2 Test Method 5-1

5.1.3 Test Configuration and Conditions 5-2

5.2 Dimensions 5-2

5.2.1 Conformance Criteria - Requirements 5-2

5.2.2 Test Method 5-3

5.2.3 Test Configuration and Conditions 5-3

5.3 Aging - Mold Stress 5-4

5.3.1 Conformance Criteria - Requirements 5-4

5.3.2 Test Method 5-4

5.3.3 Test Configuration and Conditions 5-4

5.4	Temperature-Humidity Cycling	5-4
5.4.1	Conformance Criteria - Requirements	5-4
5.4.2	Test Method	5-5
5.4.3	Test Configuration and Conditions	5-8
5.4.4	Test Apparatus	5-8
5.5	Chemical Resistance	5-9
5.5.1	Conformance Criteria - Requirements	5-9
5.5.2	Test Method	5-9
5.6	Fungus Resistance	5-12
5.6.1	Conformance Criteria - Requirement	5-12
5.6.2	Test Method	5-12
5.7	Ultraviolet (UV) Resistance: Outdoor Products Only	5-12
5.7.1	Conformance Criteria - Requirements	5-12
5.7.2	Test Method	5-13
5.7.3	Test Configuration and Conditions	5-13
5.8	Flammability - Fire Resistance	5-14
5.8.1	Conformance Criteria - Requirements	5-14
5.8.2	Test Method	5-14
5.9	Electrical Requirements - Dielectric Withstand and Conductivity	5-15
5.9.1	Conformance Criteria - Requirements	5-15
5.9.2	Test Method	5-15
5.9.3	Test Configuration and Conditions	5-15
5.10	Rodent Resistance	5-15
5.10.1	Conformance Criteria - Requirement	5-16
5.11	Freeze-Thaw Resistance (Direct Buried Applications Only)	5-17
6	Microduct Hardware Accessory Requirements	
6.1	Couplers	6-1
6.1.1	Conformance Criteria - Requirements	6-1
6.1.2	Test Method	6-1
6.2	End-Caps	6-2
6.2.1	Conformance Criteria - Requirements	6-2
6.2.2	Test Method	6-3
6.3	Pull Line/String Requirements	6-4
6.3.1	Conformance Criteria - Requirements	6-4
6.3.2	Test Method	6-5
6.4	Mounting Hardware	6-7
6.4.1	Conformance Criteria - Requirement	6-7
6.4.2	Test Method	6-7
6.5	Breakout, Splice or Termination Boxes	6-8
6.5.1	Product Sample, Labels, and Safety	6-9
6.5.2	Materials and Color	6-11
6.5.3	Instructions, Labeling, and Packaging	6-12
6.5.4	Craftsperson Interaction and Hardware Compatibility - Tools and Methods	6-12
6.5.5	Dimensions	6-13
6.5.6	Quality and Documentation	6-14
6.5.7	Packaging and Shipping	6-14
6.5.8	Marking and Color Coding	6-15
6.5.9	Mechanical Requirements	6-15

- 6.5.9.1 Shape and Dimensions 6-16
- 6.5.9.2 Compression Resistance 6-16
- 6.5.9.3 Impact 6-17
- 6.5.9.4 Working Space 6-17
- 6.5.10 Environmental Requirements 6-18
 - 6.5.10.1 Assembly - Craftsperson Interaction 6-18
 - 6.5.10.2 Dimensions 6-18
 - 6.5.10.3 Aging - Mold Stress 6-19
 - 6.5.10.4 Temperature-Humidity Cycling 6-19
 - 6.5.10.5 Chemical Resistance 6-21
- 6.5.11 Fungus Resistance 6-21
- 6.5.12 Flammability - Fire Resistance 6-21
- 6.5.13 Rodent Resistance 6-22
- 6.5.14 Breakout Box Mounting Hardware 6-23
- 6.5.15 Adhesion 6-23
- 6.5.16 Insect Resistance 6-24

7 Bundled Microduct Assemblies

- 7.1 Introduction 7-1
- 7.2 Microduct Assembly Configurations 7-1
- 7.3 General Requirements 7-6
- 7.4 Mechanical Requirements 7-7
- 7.5 Environmental Requirements 7-9
- 7.6 Accessories Requirements 7-10

8 In-Living Unit (ILU) Cable Pathways

- 8.1 Scope and Product Description 8-1
- 8.2 Application 8-2
- 8.3 Environmental and Mechanical Caveats 8-3
- 8.4 General Information and Design Considerations 8-4
- 8.5 General Requirements and Objectives 8-5
 - 8.5.1 Product Samples 8-5
 - 8.5.2 Product Change 8-5
 - 8.5.3 Safety and Reliability 8-5
 - 8.5.4 Listing 8-6
 - 8.5.5 Materials 8-6
 - 8.5.6 Color 8-7
 - 8.5.7 Craftsperson Interaction and Hardware Compatibility 8-7
 - 8.5.8 Instructions, Labeling, and Packaging 8-7
 - 8.5.9 Tools 8-8
 - 8.5.10 Ability to Cut 8-8
- 8.6 Dimensions 8-8
- 8.7 Quality 8-9
- 8.8 Documentation 8-10
- 8.9 Packaging and Shipping 8-10
- 8.10 Marking and Color Coding 8-10
- 8.11 Product Compatibility 8-12
- 8.12 Mechanical Requirements 8-12
 - 8.12.1 Shape - Ovality and Dimensions 8-12
 - 8.12.2 Tensile Pull Strength and Elongation 8-13

8.12.3	Compression Resistance	8–13
8.12.4	Impact	8–14
8.12.5	ILU and Cable Installation - Flexibility and Bending Resistance	8–14
8.12.5.1	Flexibility and Bending	8–14
8.12.5.2	Installation - Simulation	8–15
8.13	Environmental Requirements	8–16
8.13.1	Assembly - Craftsperson Interaction	8–16
8.13.2	Dimensions	8–17
8.13.3	Aging - Mold Stress	8–18
8.13.4	Temperature-Humidity Cycling	8–18
8.13.5	Chemical Resistance	8–20
8.13.6	Fungus Resistance	8–20
8.13.7	Flammability - Fire Resistance	8–20
8.13.8	Electrical Requirements - Dielectric Withstand and Conductivity	8–21
8.13.9	Rodent Resistance	8–21
8.14	ILU Hardware Accessory Requirements	8–22
8.14.1	Mounting Hardware	8–22
8.14.2	Breakout, Splice, or Termination Boxes	8–22
8.15	Adhesion	8–23

Appendix A: References

A.1	Telcordia References	A–1
A.2	Other References	A–1
A.3	To Obtain Additional Reference Material	A–3
A.4	Telcordia Document Sets—Family of Requirements (FR) and Family of Documents (FD)	A–4
A.5	Telcordia Reference Notes	A–5
A.5.1	Contact Telcordia Customer Service	A–5
A.5.2	Order Documents Online From the Telcordia SuperStore	A–5
A.5.3	Web Sites for Generic Requirements Information	A–6
A.5.4	Licensing Agreements for Telcordia Documents	A–6

Appendix B: Acronyms

Requirement-Object Index (ROI)

List of Figures

Figure 2-1	Microduct Dimensions	2-6
Figure 2-2	Raceway 1	2-9
Figure 2-3	Raceway 2	2-9
Figure 4-1	Test Ball for Diameter Slug Test	4-5
Figure 4-2	Test Setup for Diameter Slug Test	4-5
Figure 4-3	Compression Apparatus for Ovality Test	4-6
Figure 4-4	Setup to Measure CoF with a 5-lb Load and 3-mm Cable	4-8
Figure 4-5	Schematic of Test Configurations for Pull Strength	4-10
Figure 4-6	Apparatus for Compression Test	4-13
Figure 4-7	Apparatus for 4-ft-lb Impact Test	4-16
Figure 4-8	Schematic for Bend Test	4-18
Figure 4-9	Schematic #1 for Kink-Resistance Test - Moving Plates	4-19
Figure 4-10	Schematic #2 for Kink-Resistance Test - Moving Microduct	4-19
Figure 4-11	Burst Strength Test Apparatus	4-21
Figure 4-12	Raceway - #1	4-24
Figure 4-13	Raceway - #2	4-24
Figure 5-1	Test Frame for Microduct with Cable	5-2
Figure 5-2	Environmental Cycling for Indoor Products	5-6
Figure 5-3	Environmental Cycling for Outdoor Products	5-7
Figure 5-4	Test Frame for Environmental Aging Test	5-8
Figure 5-5	3-Point Test Fixture	5-11
Figure 5-6	Test Configurations for Pull Strength Measurements	5-11
Figure 6-1	Examples of Breakout Boxes	6-8
Figure 7-1	Bundled Microduct Examples - Flat and Linked	7-3
Figure 7-2	Bundled Microduct Examples - Direct Buried and In-Conduit Install	7-4
Figure 7-3	Bundled Microduct Examples - Shape Options	7-5
Figure 7-4	Bundled Microduct Examples - Aerial Applications	7-5
Figure 7-5	Optical Fiber Color Coding per TIA-598	7-6
Figure 8-1	Example of ILU Product	8-1
Figure 8-2	Example of ILU Critical Dimensions	8-9

List of Tables

Table 1-1	Conduit Product Application Guide	1-5
Table 3-1	Microduct Sizes	3-11
Table 3-2	Shipping Reel Dimensions	3-18
Table 4-1	Diameter Slug Test Specifications	4-4
Table 7-1	Microduct Assembly - Thin-Walled Microduct Configurations . . .	7-1
Table 7-2	Microduct Assembly - Thick-Walled Microduct Configurations . . .	7-2