

Table of Contents

- Preface** xi
- 1 Introduction**
 - 1.1 Purpose and Scope 1-1
 - 1.1.1 Further Details for FTTH Scope 1-2
 - 1.2 Target Audience 1-6
 - 1.3 Document Hierarchy 1-7
 - 1.4 Structure and Use of This Document 1-7
 - 1.5 Related Telcordia Documents 1-7
 - 1.6 Requirements Terminology 1-8
 - 1.7 Requirement Labeling Conventions 1-8
 - 1.7.1 Numbering of Requirement and Related Objects 1-9
 - 1.7.2 Requirement, Conditional Requirement, and Objective Identification . . . 1-9
- 2 General Information**
 - 2.1 Baseline Product Criteria 2-1
 - 2.1.1 Characteristics of Optical Fiber 2-2
 - 2.1.2 Characteristics of Fiber Optic Units 2-4
 - 2.1.3 Characteristics of Electrical Power Conductors 2-5
 - 2.1.4 Characteristics of Hybrid Optical and Electrical Cables 2-5
 - 2.1.5 Characteristics of Pre-Terminated Hybrid Cable Assemblies 2-6
 - 2.1.6 Safety 2-6
 - 2.1.7 Sustainability 2-7
 - 2.2 Engineering of FTTH Systems 2-8
- 3 Product Manufacturer’s Qualification Requirements**
 - 3.1 Units and Tolerances 3-1
 - 3.2 Product Reliability/Quality Assurance 3-1
 - 3.2.1 Product Changes 3-2
 - 3.3 Product Testing Guidelines 3-2
 - 3.4 Standard Test Conditions 3-2
- 4 Requirements for Optical Fibers**
- 5 Requirements for Power Conductors**
 - 5.1 Mechanical Design Requirements 5-2
 - 5.1.1 Conductor Material 5-2
 - 5.1.2 Separator (Optional) 5-2
 - 5.1.3 Insulation 5-2
 - 5.1.4 Low-Lead and Zero-Lead Insulation 5-3
 - 5.1.5 Insulation Color 5-3
 - 5.2 General Engineering and Electrical Design Requirements 5-4
 - 5.2.1 Reliability 5-5
 - 5.3 Engineering Design Data and Electrical Design Requirements 5-5
 - 5.3.1 Dielectric Voltage-Withstand Test 5-5

5.4 Mechanical Strength and Robustness Requirements	5-6
5.4.1 Conductor Insulation Tensile Strength	5-6
5.4.2 Bend Resistance	5-6
5.4.3 Compression and Cut-Through Penetration Tests	5-7
5.4.4 High Temperature Deformation Resistance	5-9
5.5 Resistance to Sunlight (Ultraviolet Light)	5-10

6 Requirements for Hybrid Cables

6.1 Normal Test Conditions	6-1
6.2 Description of Hybrid Cable Samples	6-1
6.3 Cable Construction	6-2
6.3.1 Continuity of Metallic Elements	6-2
6.3.2 Cable Core	6-2
6.3.3 Number of Fibers per Unit/Binder	6-3
6.3.4 Number of Power Conductors	6-3
6.3.5 Grouping of Power Conductors	6-3
6.3.6 Shielding/Grounding	6-4
6.3.7 Outer Jacket (Sheath) Removal	6-4
6.4 Marking, Packaging, and Shipping	6-5
6.4.1 Marking and Identification	6-5
6.4.2 Cable Re-Marking	6-6
6.4.3 Cable Length and Length Markings	6-6
6.4.4 Fiber and Fiber Unit Identification	6-7
6.4.5 Power Conductor Identification	6-8
6.4.6 Packaging	6-8
6.4.7 Shipping	6-9
6.5 Cable Jacket	6-9
6.5.1 Jacket Material	6-9
6.5.2 Cable Outer Diameter and Jacket Thickness	6-11
6.5.3 Cable Jacket Yield Strength and Ultimate Elongation	6-12
6.6 Mechanical Requirements	6-12
6.6.1 Optical Measurement Equipment	6-12
6.6.2 Optical and Electrical Acceptance Criteria	6-13
6.6.3 Low and High Temperature Cable Bend	6-14
6.6.4 Impact Resistance	6-15
6.6.5 Compressive Strength	6-15
6.6.6 Tensile Strength of Cable	6-15
6.6.7 Cable Twist	6-17
6.6.8 Abrasion Resistance	6-17
6.6.9 Cable Cyclic Flexing	6-20
6.7 Environmental Requirements	6-20
6.7.1 Temperature Cycling	6-20
6.7.2 Cable Aging	6-22
6.7.3 Cable Freezing	6-23
6.7.4 Color Permanence and Marking Durability	6-23
6.7.5 Wasp-Spray Exposure	6-24
6.7.6 Lightning Damage Susceptibility	6-25
6.7.7 Optical Performance Requirements of Hybrid Cable	6-25
6.8 Hardware Compatibility	6-25
6.8.1 Pull Tests	6-26

7 Connectors

8 Pre-Terminated Assemblies

8.1 Characteristics of Pre-Terminated Hybrid Cable Assemblies 8-1

8.2 Requirements 8-1

8.3 Marking and Packaging 8-2

Appendix A: References

A.1 Telcordia Documents A-1

A.2 Non-Telcordia Documents A-2

A.3 Telcordia Document Sets—Family of Requirements (FR) A-4

A.4 To Obtain Additional Reference Material A-5

A.5 Telcordia Reference Notes A-5

 A.5.1 Contact Telcordia Customer Service A-5

 A.5.2 Order Documents Online From the Telcordia SuperStore A-6

Appendix B: Acronyms

Requirement-Object Index

List of Figures

Figure 1-1	Possible Core Configurations	1–4
Figure 5-1	V-Edge Schematic	5–9
Figure 6-1	Horizontal Scrape Abrasion Apparatus	6–19

List of Tables

Table 5-1	Ampacity	5-4
Table 5-2	Bend Radii for Bend Resistance Requirement	5-7
Table 5-3	Minimum Point Penetration Resistance	5-8
Table 5-4	Minimum V-Edge Compression/Penetration Resistance	5-8
Table 6-1	Optical Acceptance Criteria	6-13
Table 6-2	Estimated (Nominal) Cable Weights	6-16
Table 6-3	Temperature Cycling Optical Acceptance Criteria	6-21
Table 6-4	Cable Aging Optical Acceptance Criteria	6-23

