
Generic Requirements for Optical Cable Innerduct and Accessories

Contents

[Telcordia GR-356-Documentation Information](#)

Preface	Preface-1
1. Introduction.....	1-1
1.1 Purpose and Scope of Document	1-1
1.2 Organization	1-1
1.3 Summary of Changes	1-2
1.4 Definitions.....	1-3
1.4.1 Requirements Terminology	1-3
1.4.2 Requirement Labeling Conventions	1-4
1.4.3 Numbering of Requirement and Related Objects	1-4
1.4.4 Requirement, Conditional Requirement, and Objective Object Identification	1-5
2. General Information.....	2-1
2.1 General Product Description	2-1
2.2 Product Applications and Environmental Exposure	2-2
2.3 Innerduct Classification & Selection	2-3
3. General Requirements.....	3-1
3.1 Innerduct Materials	3-1
3.1.1 Polyethylene (PE)	3-1
3.1.2 Poly (vinyl Chloride) (PVC)	3-2
3.1.3 Reworked Material	3-2
3.2 Innerduct Material Additives	3-3
3.2.1 Carbon Black	3-3
3.2.2 Antioxidants	3-3
3.2.3 UV Stabilizers	3-3
3.2.4 Antifriction Compounds	3-4
3.3 Documentation	3-4
3.3.1 Practices	3-4
3.3.2 Workcenter Information Package	3-5
3.4 Product Packaging, Shipping, and Marking.....	3-5
3.4.1 Packaging	3-5
3.4.2 Shipping	3-6
3.4.3 Product Marking	3-7
3.4.4 Footage Marking	3-7
3.4.5 Shipping Reel Marking	3-7
3.4.6 Innerduct Pull Line	3-8

3.5	Product Requirements	3-8
3.5.1	Product Safety	3-8
3.5.2	Quality and Workmanship	3-8
3.5.3	Product Compatibility	3-9
3.6	Electrical Requirements	3-9
3.6.1	Electrical Conductivity	3-9
3.7	Product Qualification Requirements	3-9
3.8	Initial Product Qualification and Periodic Requalification	3-9
4.	Performance Requirements and Test Procedures	4-1
4.1	Physical Characteristics	4-1
4.1.1	Nominal Sizes for Innerduct	4-1
4.1.2	Nominal Sizes for Buried Service Cable Innerduct	4-2
4.1.3	Nominal Sizes for Large Diameter Innerduct	4-3
4.1.4	Ovality	4-3
4.1.5	Coefficients of Friction	4-5
4.1.6	Color Coding	4-7
4.2	Mechanical Characteristics	4-8
4.2.1	Pulling Strength	4-8
4.2.2	Elongation	4-9
4.2.3	Compression	4-10
4.2.4	Impact Test	4-11
4.2.5	Bending Test	4-11
4.2.6	Burst Strength	4-13
4.3	Environmental Requirements	4-13
4.3.1	Environmental Stress Cracking	4-13
4.3.2	Hydrocarbon Resistance	4-14
4.3.3	Flame Resistance	4-15
4.3.4	Ultraviolet Resistance	4-15
4.4	Optical Requirements	4-16
4.5	Magnetic Requirements and Objectives	4-16
4.5.1	Magnetic Field Strength	4-17
4.5.2	Buried Detection	4-17
4.5.3	Magnetic Signature Identification	4-18
4.5.4	Mechanical Properties	4-18
4.6	Figure-8 Innerduct	4-18
4.6.1	Steel Strand	4-18
4.6.2	Web Separation	4-18
5.	Innerduct Accessories	5-1
5.1	Couplers	5-1
5.2	End Caps	5-3
5.3	Pull Line Requirements	5-3
5.3.1	Pull Line Coefficient of Friction	5-3
5.3.2	Pull Line Duct Cutting	5-4

5.3.3	Pull Line Tensile Strength	5-5
5.3.4	Pull Line Stretch	5-7
5.3.5	Pull Line Print Durability	5-9
5.3.6	Pull Line Length	5-9
5.3.7	Pull Line Splice	5-10
References	References-1
Bellcore Documents	References-1
External References	References-1
Glossary	Glossary-1

List of Figures

Figure 2-1.	Dimensions of Ribbed Innerduct.....	2-4
Figure 4-1.	Test Setup For Measuring Sliding Coefficient of Friction	4-6
Figure 4-2.	Burst Strength Test Apparatus.....	4-13
Figure 4-3.	Test Setup for Measuring Magnetic Field Strength.....	4-17
Figure 5-1.	Water Immersion Test	5-2
Figure 5-2.	Pull Line Duct Cutting Apparatus	5-5
Figure 5-3.	Pull Line Tensile Strength Test	5-7

List of Tables

Table 2-1.	Innerduct Selection Guide	2-5
Table 3-1.	Innerduct Qualification Schedule	3-10
Table 4-1.	Ovality Test Loadings for Non-Corrugated Duct.....	4-4
Table 4-2.	Ovality Test Loadings for Corrugated Duct.....	4-4
Table 4-3.	Test Mandrel (Drum) Sizes	4-12