

Contents

Preface	Preface-1
1. Introduction	1-1
1.1 Changes and Reasons for Update	1-2
1.2 Related Documents	1-2
1.3 High-Level Feature Description	1-3
1.3.1 Options for a Waiting Call	1-5
1.3.2 Options for a Held Call	1-7
1.3.3 Options for a Conferenced Call	1-8
1.4 Terminology	1-9
1.4.1 Service Terminology	1-9
1.5 Requirements Terminology	1-10
1.6 Requirement Labeling Conventions	1-11
1.6.1 Numbering of Requirement and Related Objects	1-11
1.6.2 Requirement, Conditional Requirement, and Objective Object Identification	1-11
2. User Perspective	2-1
2.1 CWD Using an ADSI-compatible CPE	2-1
2.2 CWD Using 2500 Telephone Sets	2-3
3. Feature Requirements	3-1
3.1 Feature Operations	3-1
3.1.1 Main Feature Operations	3-1
3.1.1.1 Client Company Restrictions on Call Waiting Deluxe Options	3-3
3.1.1.2 Call Waiting Deluxe Timers	3-4
3.1.1.3 Call Waiting Deluxe Default Treatment	3-6
3.1.1.4 Waiting Call State	3-7
3.1.1.5 Held Call State	3-11
3.1.1.6 Conference Call State	3-13
3.1.2 Error Treatments, Disconnects, and Unusual Events	3-15
3.1.2.1 Error Treatments	3-15
3.1.2.2 Disconnects	3-16
3.1.2.3 Unusual Events	3-17
3.1.3 Special Disconnect Events/Treatments	3-18
3.1.3.1 Waiting/Held Party Disconnects	3-19
3.1.3.2 Far End Disconnects	3-19
3.2 Internal Call Processing Controls	3-23
3.2.1 Connections	3-23
3.2.2 Class of Service	3-24
3.2.3 Overload	3-24
3.3 Signaling	3-26
3.3.1 Customer Loop Signaling	3-26
3.3.2 Customer Signaling	3-27

3.4	Administration	3-28
3.4.1	Service Changes	3-28
3.4.1.1	Client Company	3-28
3.4.1.2	Customer	3-30
3.4.2	Installation	3-31
3.4.3	Person-System Interface and Input/Output Messages	3-31
3.4.4	Traffic Measurements	3-31
3.4.5	Charge Treatment Determination and Automatic Message Accounting	3-33
3.4.5.1	CWD Usage	3-33
3.4.5.2	Connection Charges	3-35
3.4.6	Data Items and Usage	3-36
3.5	Maintenance	3-37
3.6	Performance	3-37
3.7	Interactions	3-38
3.8	Limitations and Restrictions	3-47
3.9	Changes from TR-NWT-000416 to GR-416	3-48
4.	Feature Flow Diagrams	4-1
	Appendix A: Advanced Intelligent Network Feature Mapping	A-1
A.1	Overview	A-1
A.2	Related Documents	A-1
A.3	AIN Call Model Feature Mapping	A-2
A.3.1	Waiting Call State	A-2
A.3.2	CWD Default Treatment	A-5
A.3.3	Held Call State	A-6
A.3.4	Call Waiting Conference Call State	A-7
A.3.5	Error Treatment and Unusual Events	A-8
A.4	Figures	A-8
	References	References-1
	Glossary	Glossary-1

List of Figures

Figure 1-1.	CWD State Diagram	1-5
Figure 2-1.	Usable Options From a Standard 2500 Telephone Set	2-4
Figure 3-1.	CWD Timers	3-4
Figure 3-2.	DTMF Receiver - Waiting State Options	3-7
Figure 3-3.	DTMF Receiver - Held State Options	3-11
Figure 3-4.	DTMF Receiver - Conference State Options	3-14
Figure 3-5A.	Far End Disconnects - Held State	3-20
Figure 3-5B.	Before Far End T-disconnect Expires - Wait State	3-21
Figure 3-5C.	After Far End T-disconnect Expires - Wait State	3-21
Figure 4-1.	CWD Session (Activation and Alerting)	4-2
Figure 4-2.	CWD Session (Re-Alerting)	4-3
Figure 4-3.	CWD Session (Waiting Call Options excluding ANSWER)	4-4
Figure 4-4.	CWD Session (ANSWER Option)	4-5
Figure 4-5.	CWD Session (Held Call Options)	4-6
Figure 4-6.	CWD Session (Conference Options)	4-7
Figure 4-7.	CWD Session (Default Treatment)	4-8
Figure 4-8.	CWD Session (Customer Disconnects While a Call is Waiting)	4-9
Figure 4-9.	CWD Session (Far-End Disconnects While a Call is Waiting)	4-10
Figure 4-10.	CWD Session (Customer Disconnects While a Call is Held)	4-11
Figure 4-11.	CWD Session (Far-End Disconnects While a Call is Held)	4-11
Figure 4-12.	CWD Session (Disconnect treatment for Conference)	4-12
Figure A-1.	Party A is connected to Party C	A-9
Figure A-2.	Party B originates a call and is connected to Party C	A-9
Figure A-3.	Party A is connected to Party C	A-9
Figure A-4.	B originated a call to C and is not connected	A-9
Figure A-5.	Call Waiting Conference Call	A-10

List of Tables

Table 1-1.	Terminology	1-9
Table 2-1.	Options per Call State	2-1
Table 3-1.	CWD Types	3-29
Table 3-2.	CWD Announcements	3-30
Table 3-3.	Client Company-Settable Timers	3-30
Table 3-4.	TR to GR Requirement Numbering Mapping	3-48
Table 3-5.	TR to GR Conditional Requirement and Objective Mapping	3-54