

---

# Network Element Configuration Management

## Contents

1.	Introduction.....	1-1
1.1	Description of an NE.....	1-1
1.2	Description of an NS.....	1-2
1.3	History of Changes to GR-472-CORE.....	1-2
1.4	Document Organization.....	1-3
1.5	Requirements Terminology.....	1-3
1.6	Requirement Labeling Conventions.....	1-4
1.6.1	Numbering of Requirement and Related Objects.....	1-4
1.6.2	Requirement, Conditional Requirement, and Objective Object Identification.....	1-5
2.	General Configuration Management Considerations.....	2-1
2.1	Operations Interfaces for Configuration Management.....	2-1
2.1.1	Telecommunications Management Network (TMN).....	2-2
2.1.2	Logical Layers of a TMN.....	2-3
2.1.2.1	Business Management Layer (BML).....	2-6
2.1.2.2	Service Management Layer (SML).....	2-6
2.1.2.3	Network Management Layer (NML).....	2-6
2.1.2.4	Element Management Layer (EML).....	2-6
2.1.2.5	Network Element Layer (NEL).....	2-7
2.1.3	Management Functional Areas (MFAs).....	2-7
2.1.4	Management Application Functions (MAFs) for CM.....	2-8
2.1.5	Open Standards Interfaces.....	2-8
2.1.5.1	Common Object Request Broker Architecture (CORBA).....	2-8
2.1.5.2	Transaction Language 1 (TL1).....	2-9
2.1.6	Management Information Models.....	2-9
2.1.7	Object-Oriented Information Model.....	2-10
2.1.7.1	Abstract Syntax Notation One (ASN.1).....	2-10
2.1.7.2	Managed Objects.....	2-11
2.1.7.3	Object Attributes.....	2-11
2.1.7.4	Inheritance.....	2-11
2.1.7.5	Containment.....	2-12
2.1.7.6	Object Identification.....	2-12
2.1.7.7	Relational Attributes.....	2-12
2.1.7.8	Common Management Information Services (CMIS).....	2-13
2.1.7.9	Guidelines for the Definition of Managed Objects (GDMOs).....	2-14
2.1.8	Relational Information Model.....	2-14

---

2.1.8.1	Administrative View.....	2-14
2.1.8.2	Object Entity Identifiers .....	2-15
2.1.8.3	Data Dictionary.....	2-15
2.2	Generalized Configuration Management Definitions and Functions.....	2-17
2.2.1	General Definitions .....	2-17
2.2.1.1	Resources and Services.....	2-17
2.2.1.2	Operations and Transactions.....	2-18
2.2.1.3	Minimum Command Rule .....	2-18
2.2.1.4	Minimum Data Rule .....	2-18
2.2.1.5	Atomic Transactions.....	2-18
2.2.1.6	Default Attribute Values.....	2-19
2.2.2	Functional Categories .....	2-19
2.2.2.1	Interrogation .....	2-19
2.2.2.2	Immediate Update.....	2-20
2.2.2.3	Pending Update.....	2-20
3.	Configuration Management Functions of Transport NEs.....	3-1
3.1	Termination Point Configuration Management Function .....	3-2
3.2	Cross-Connection Configuration Management Function .....	3-4
3.3	Common Equipment .....	3-5
4.	Configuration Management Functions of Switching NEs .....	4-1
4.1	Information Base Query Functions .....	4-1
4.2	Information Base Update Functions.....	4-2
4.2.1	Update Data Integrity and Validation Tests.....	4-2
4.2.2	Atomicity of Update Transactions .....	4-3
4.2.3	Best-Effort Update Operations.....	4-3
4.2.4	Delayed Update Activation.....	4-4
4.2.5	Derivation of Read-Only Attribute Values .....	4-4
4.3	ISDN Functions.....	4-5
4.3.1	Single Logical Operations Functions .....	4-5
4.3.2	Customer Premises Memory Administration.....	4-5
4.3.3	Parameter Downloading.....	4-5
4.3.4	Input Message Sequencing.....	4-5
5.	Configuration Management Functions of Network Systems.....	5-1
5.1	Data Query Functions .....	5-2
5.2	Data Update Functions .....	5-2
5.2.1	Update Data Integrity and Validation Tests.....	5-2
5.2.2	Atomicity of Update Transactions .....	5-3
5.2.3	Best Effort Update Operations .....	5-4
5.3	Delayed Update Activation .....	5-4
6.	System Administration (SA) Functions .....	6-1
6.1	System Security and Integrity .....	6-1
6.2	System Dependent Data Management (SDDM) .....	6-2

---

---

6.3	Database Initialization and Reinitialization .....	6-3
6.4	Report Scheduling and Generation .....	6-4
6.5	Data Redundancy Management .....	6-5
6.5.1	Criteria for Issuing an EUN to a CMOS .....	6-6
6.5.2	Capture Buffer.....	6-7
6.5.3	Updates Initiated by Other NEs or NSs .....	6-8
6.6	Memory Backup and Restoration.....	6-9
6.6.1	Transport NE Local Memory Backup and Restoration .....	6-11
6.6.2	Switching NE Local Memory Backup and Restoration.....	6-12
6.6.3	Switching NE External Memory Backup and Restoration .....	6-14
6.6.4	Transport NE External Memory Backup and Restoration .....	6-16
6.6.5	Remote Memory Backup and Restoration by CMOS.....	6-16
6.6.6	Network System Data and Program Backup and Restoration .....	6-17
6.7	Software Management .....	6-19
6.8	External Resource Access Management .....	6-19
6.9	Automatic Internal Administration (AIA) for ISDN .....	6-20
6.9.1	AIA Overview .....	6-20
6.9.2	AIA Requirements .....	6-22
6.10	CM Systems Considerations for the Year 2000 (Y2K) .....	6-23
6.10.1	Date-Sensitive Criteria.....	6-24
6.10.2	Machine-to-Machine Interfaces .....	6-24
6.10.2.1	Transaction Language 1 (TL1) .....	6-24
6.10.2.2	Common Management Information Service Element (CMISE) .....	6-25
6.10.2.3	Other Interfaces .....	6-25
6.10.3	CM Management Functional Area (MFA) .....	6-25
6.10.3.1	System Configuration Data Functions.....	6-25
6.10.3.2	Software Management Functions .....	6-26
	References .....	References-1
	Acronyms.....	Acronyms-1

---

## List of Figures

Figure 2-1. Generalized TMN Physical Architecture .....	2-3
Figure 2-2. TMN Functional Layering and Operations Interfaces.....	2-5
Figure 2-3. TMN Layers and MFAs .....	2-7
Figure 2-4. General View of Memory Administration of NEs and NSs.....	2-10
Figure 2-5. Relational Attributes Between Independent Objects.....	2-13
Figure 2-6. Managed Object Domains .....	2-18
Figure 3-1. Generalized View of Transport NE Administration.....	3-2

## List of Tables

Table 2-1.	Heading Structure in a Data Dictionary .....	2-15
Table 6-1.	Standard Date Format .....	6-24