

Table of Contents

Preface	xi
1 Introduction	
1.1 Purpose and Scope	1-1
1.2 Target Audience	1-3
1.3 Reasons for GR-487-CORE	1-3
1.3.1 Reasons for GR-487-CORE, Issue 5	1-3
1.3.2 Reasons for GR-487-CORE, Issue 4	1-4
1.3.3 Reasons for GR-487-CORE, Issue 3	1-4
1.3.4 Reasons for GR-487-CORE, Issue 2	1-5
1.4 Structure and Use of This Document	1-5
1.5 Products Covered	1-6
1.5.1 Landline Electronic Equipment Cabinets	1-6
1.5.2 Wireless Cabinets	1-6
1.5.3 Field Retrofit Cabinets	1-7
1.5.4 Field Adjunct Cabinets	1-7
1.5.5 Small Cabinets and Enclosures	1-7
1.5.6 Power Pedestals	1-7
1.5.7 Cabinets Installed in a Coastal Environment	1-7
1.5.8 Cabinets and Enclosures with Integrated Electronics	1-8
1.6 Battery References	1-8
1.7 Coordination With GR-3108-CORE, Generic Requirements for Network Equipment in the Outside Plant	1-9
1.7.1 GR-3108 Class References	1-9
1.7.1.1 GR-3108 Class 1: Controlled Protected Environments	1-10
1.7.1.2 GR-3108 Class 2: Protected Environments	1-10
1.7.1.3 GR-3108 Class 3: Protected Equipment in Severe Outside Environments	1-10
1.7.1.4 GR-3108 Class 4: Products in Unprotected Environment	1-11
1.8 Requirements Terminology	1-11
1.9 Requirement Labeling Conventions	1-12
1.9.1 Numbering of Requirement and Related Objects	1-12
1.9.2 Requirement, Conditional Requirement, and Objective Identification	1-12
1.9.3 Requirement Conformance	1-13
1.10 Cabinet Configuration	1-17
2 General Information	
2.1 General Description	2-1
2.2 Operating Environment	2-1
2.3 Telecommunications Equipment	2-2
2.4 Test Environmental Criteria	2-2
2.4.1 Ambient Laboratory Conditions	2-2
2.4.2 Environmental Tests	2-2
2.4.3 Thermal Soak Time	2-3
2.5 Safety Precautions	2-3
2.6 Measurements	2-3

2.7 Laboratory Conditions	2-3
2.8 Sample Preparation	2-4
2.9 Calibration	2-4
2.10 Standard Conflicts	2-4
2.11 Force and Weight Tolerances	2-4
2.12 Damage Definition	2-4
3 Detailed Requirements	
3.1 Product Samples	3-1
3.2 Product Changes	3-1
3.3 Safety and Reliability Considerations	3-1
3.3.1 Restriction of Hazardous Substances (RoHS) Compliance	3-3
3.3.2 Listing	3-3
3.3.3 Surface Temperature Requirements	3-3
3.3.3.1 Test Conditions for Surface Temperature Measurements for Cabinets/Enclosures Placed in a Class 4 Environment	3-5
3.3.4 Indicator Signs and Viewability	3-6
3.3.5 Labels and Markings	3-6
3.4 Metallic Materials	3-8
3.5 Polymeric and Other Non-Metallic Materials	3-9
3.6 Finish	3-16
3.6.1 Color	3-17
3.6.2 Appearance	3-18
3.6.3 Paint Adhesion	3-18
3.6.4 Flexibility	3-19
3.6.5 Paint Adhesion After Exposure	3-19
3.6.6 Ultraviolet Resistance	3-20
3.7 Graffiti-Resistant Paint	3-21
3.8 Screens and Filters	3-21
3.9 Insect Intrusion	3-22
3.10 Door Restrainers (Vertically Hinged Doors)	3-24
3.11 Wall-Mounted Equipment	3-27
3.12 Horizontally Hinged Doors	3-27
3.13 Lifting Details	3-29
3.14 Roof Compression	3-30
3.15 External Icing	3-32
3.16 Security	3-32
3.17 Alarms	3-36
3.17.1 General	3-36
3.17.2 Engine Generator	3-38
3.18 Condensation	3-39
3.19 Fans	3-39
3.20 Bonding and Grounding	3-40
3.21 AC Power	3-41
3.21.1 Commercial Power	3-41
3.21.2 Auxiliary Power	3-43
3.22 Splicing Area	3-44
3.23 Electronic Equipment Compartment	3-45
3.24 Battery Compartment	3-46
3.25 Engine-Generator Compartment	3-53

3.26	Service Demarcation Compartment	3-54
3.27	Pole Mount, Strand, Wall Mount, and Ceiling Mount Equipment	3-55
3.28	Marking, Packaging, and Shipping	3-57
3.29	Installation and Maintenance	3-58
3.30	Quality	3-60
3.31	Exposure to High Temperature	3-61
3.32	Thermal Shock	3-71
3.33	Water and Dust Intrusion, and Water Resistance	3-73
3.33.1	Wind-Driven Rain	3-74
3.33.2	Rain Intrusion	3-75
3.33.3	Water Intrusion for Below-Grade Cabinets	3-76
3.33.4	Water Intrusion Flood-Prone Areas	3-77
3.33.5	Lawn Sprinklers	3-77
3.33.6	Weathertightness	3-79
3.34	Acoustical Noise Emissions	3-80
3.35	Conditional Noise Requirements	3-83
3.36	Wind Resistance	3-83
3.37	Impact Resistance	3-87
3.38	Firearms Resistance	3-87
3.39	Fire Resistance	3-89
3.40	Corrosion Resistance	3-91
3.40.1	Salt Fog	3-91
3.40.2	Temperature Cycling/High Humidity	3-92
3.41	Shock and Vibration	3-95
3.41.1	Transportation Shock	3-95
3.41.2	Transportation Shock (Rail)	3-95
3.41.3	Transportation Vibration— Packaged Environment	3-95
3.41.4	Installation Shock	3-96
3.41.5	Environmentally Induced Vibration	3-98
3.41.6	Earthquake Resistance	3-99
3.42	Cold and Hot Start	3-100
3.43	Cabinet Integration Testing	3-100

Appendix A: Evaluating Dust Accumulation and Wind-Driven Rain Test

A.1	Observational Standard for Evaluating Dust Accumulation	A-1
A.2	Wind-Driven Rain Test Set-Up Calibration Suggested Procedure	A-2
A.2.1	Purpose	A-2
A.2.2	Test Set Calibration	A-2

Appendix B: OSP Cabinet Retrofit/Augment Guidelines

B.1	Background	B-1
B.2	Basic Guidelines	B-1
B.3	Retrofit Parameters	B-1
B.3.1	Physical Space – Parameter 1	B-2
B.3.2	DC Power – Parameter 2	B-2
B.3.3	Power/Battery Reserve – Parameter 3	B-3
B.3.4	AC Power – Parameter 4	B-4
B.3.5	Thermal Capacity – Parameter 5	B-4
B.3.6	Signal/Transmission Capacity – Parameter 6	B-5
B.3.7	Electromagnetic Interference (EMI) – Parameter 7	B-6

B.3.8 Bonding and Grounding Safety – Parameter 8	B-6
B.3.9 Acoustic Noise - Parameter 9	B-6
B.4 Testing	B-6
B.5 Documentation	B-7

Appendix C: References

C.1 Telcordia Documents	C-1
C.2 Non-Telcordia Documents	C-3
C.3 To Obtain Additional Reference Material	C-6
C.4 Telcordia Document Sets—Family of Requirements (FR) and Family of Documents (FD)	C-7
C.5 Reference Notes	C-8
C.5.1 Contact Customer Service	C-8
C.5.2 Order Documents Online From the Telcordia SuperStore	C-8
C.5.3 Web Sites for Generic Requirements Information	C-9
C.5.4 Licensing Agreements for Telcordia Documents	C-9

Appendix D: Acronyms

Requirement-Object Index

List of Figures

Figure 3-1	Three-Point Test Fixture	3-12
Figure 3-2	Insect Intrusion	3-23
Figure 3-3	Dynamic Wind Test	3-26
Figure 3-4	Roof Compression	3-31
Figure 3-5	Example 1 of Locking Mechanism	3-34
Figure 3-6	Example 2 of Locking Mechanism	3-35
Figure 3-7	Temperature Cycling – Thermal Shock	3-73
Figure 3-8	Top View	3-78
Figure 3-9	Side View	3-79
Figure 3-10	Acoustic Noise	3-82
Figure 3-11	Application of Force to Pole-Mounted Cabinet	3-84
Figure 3-12	Overturning Moment Applied to Pad-Mounted Cabinet	3-86
Figure 3-13	Firearms Resistance Test	3-88
Figure 3-14	Temperature Cycle – Temperature Cycling/High Humidity	3-94
Figure A-1	Observational Standard	A-1
Figure A-2	Wind Speed and Rainfall Verification Fixture	A-3
Figure A-3	Reduction of Water Collection Aperture With an Inclined Rain Gauge During Wind-Driven Rain Testing	A-4

List of Tables

Table 1-1	Detailed Summary of Criteria	1-14
Table 3-1	Limits for Equipment	3-4
Table 3-2	Character and Background Combinations	3-7
Table 3-3	Description of Required Samples, Sample Count, and Exposure Duration	3-10
Table 3-4	Ultraviolet Resistance Sources	3-15
Table 3-5	Description of Required Samples, Sample Count, and Exposure Duration	3-16
Table 3-6	Ultraviolet Resistance Sources	3-21
Table 3-7	Hydrogen Evolution Rates and Boost Gassing Current	3-50
Table 3-8	Solar Load Categories	3-62
Table 3-9	Spectral Distribution of Solar Simulator	3-68
Table 3-10	Steps, Temperatures, and Duration	3-72
Table 3-11	Steps, Temperatures, Humidities, and Durations	3-94
Table 3-12	Vertical Drop Heights	3-97