

# Table of Contents

<b>Preface</b> . . . . .	xi
--------------------------	----

## 1 Introduction

1.1 Reasons for GR-513-CORE, Issue 2 . . . . .	1-1
1.2 Other Telcordia Documents on Power Systems and Equipment . . . . .	1-2
1.2.1 Document Scope . . . . .	1-4
1.2.2 Considerations Beyond Document Scope . . . . .	1-7
1.3 Requirements Terminology . . . . .	1-7
1.4 Requirement Labeling Conventions . . . . .	1-8
1.4.1 Numbering of Requirement and Related Objects . . . . .	1-8
1.4.2 Requirement, Conditional Requirement, and Objective Identification . . . . .	1-8

## 2 Power System Requirements

2.1 General Power System Design . . . . .	2-1
2.1.1 Power Equipment in Telecommunications Facilities and NEC Code . . . . .	2-2
2.1.2 Battery Disconnects . . . . .	2-3
2.2 Standby AC Plant . . . . .	2-4
2.2.1 General Selection Guidelines . . . . .	2-5
2.2.2 Unattended or Partially Attended Plants . . . . .	2-6
2.2.3 AC Standby Plant Loads . . . . .	2-6
2.2.3.1 Non-Essential Loads . . . . .	2-6
2.2.3.2 Essential Loads . . . . .	2-6
2.2.4 Voltage Level . . . . .	2-8
2.2.5 Reliability and Maintenance . . . . .	2-8
2.2.5.1 Reliability Levels . . . . .	2-9
2.2.5.2 Maintenance . . . . .	2-10
2.2.6 Electrical Safety . . . . .	2-10
2.3 Alternative Standby or Primary Power Systems . . . . .	2-11
2.3.1 General Design Requirements . . . . .	2-13
2.3.2 Site-Specific Considerations . . . . .	2-14
2.4 DC Power System . . . . .	2-15
2.4.1 Rectifier Battery Plants . . . . .	2-15
2.4.2 Converter and Inverter Plants . . . . .	2-16
2.4.3 DC Distribution . . . . .	2-17
2.4.4 Voltage Limits and Load Currents Determination . . . . .	2-17
2.4.4.1 List 1 Currents - Normal Load and Operating Conditions . . . . .	2-17
2.4.4.2 List 2 Currents - Worst-Case Load or Operating Conditions . . . . .	2-18
2.4.4.3 List 3 Currents . . . . .	2-19
2.4.5 Distribution and Voltage Drops . . . . .	2-19
2.4.6 Cabling and Bus Bars . . . . .	2-20
2.4.7 Distribution Protection . . . . .	2-20
2.4.8 Grounding Referencing for the DC Return . . . . .	2-21
2.5 Energy Storage Technologies . . . . .	2-22
2.5.1 Battery Chemistries and Technologies . . . . .	2-22
2.5.1.1 Lithium-Ion Battery Chemistries and Technologies . . . . .	2-26
2.5.1.2 Comparison of Battery Technologies . . . . .	2-28
2.5.2 Supercapacitors . . . . .	2-31

- 2.5.3 Central Office and Microwave Radio Long-Duration Batteries . . . . . 2-33
- 2.5.4 Batteries for Outside Plant (OSP) and Fiber Regeneration Site Facilities . . . . . 2-34
- 2.5.5 Battery Reserve Time . . . . . 2-35
  - 2.5.5.1 Central Office Facilities . . . . . 2-36
  - 2.5.5.2 Outside Plant (OSP) Facilities . . . . . 2-36
  - 2.5.5.3 Facilities with Uninterruptible Power Systems (UPS) Units . . . . . 2-36
- 2.5.6 Batteries Supporting Alternative Applications - Wind Power, Photovoltaic, and Hybrid Systems . . . . . 2-37
- 2.5.7 Engine-Start Batteries . . . . . 2-37
- 2.5.8 Batteries for Uninterruptible Power Source (UPS) Batteries . . . . . 2-38
- 2.6 Distributed Power (DP) Within the CO . . . . . 2-39
  - 2.6.1 General Features . . . . . 2-39
  - 2.6.2 AC Feed Cables and Conduit . . . . . 2-40
  - 2.6.3 DC Cables and Distribution . . . . . 2-42
  - 2.6.4 Distributed Power Plant Equipment . . . . . 2-44
    - 2.6.4.1 Rectifiers . . . . . 2-44
    - 2.6.4.2 Spatial Requirements - Equipment Cabinet or Closure . . . . . 2-44
    - 2.6.4.3 Maintenance . . . . . 2-45
    - 2.6.4.4 Equipment Power Connectors . . . . . 2-46
    - 2.6.4.5 Grounding, Bonding, and Protection . . . . . 2-46
  - 2.6.5 Power Backup and Battery Standby . . . . . 2-50
  - 2.6.6 Alarm and Monitoring . . . . . 2-51
- 2.7 Telecom Data Centers . . . . . 2-52
- 2.8 AC Powered Equipment Within the CO Facilities . . . . . 2-52

**3 Monitoring, Control and Alarms**

- 3.1 Introduction . . . . . 3-1
- 3.2 Power System Monitor/Controller - General Features . . . . . 3-1
  - 3.2.1 General Communication Protocols . . . . . 3-3
  - 3.2.2 TL1 Packet - Communication Protocols . . . . . 3-3
  - 3.2.3 SNMP - Communication Protocols . . . . . 3-5
  - 3.2.4 Contact Closures - Power Devices in the Outside Plant (OSP) and Remote Access . . . . . 3-7
  - 3.2.5 Hardware Requirements . . . . . 3-8
    - 3.2.5.1 Power Devices in the Outside Plant (OSP) . . . . . 3-9
- 3.3 Data Collection and Storage Requirements . . . . . 3-9
- 3.4 Access and Security Requirements . . . . . 3-10
- 3.5 Display Requirements . . . . . 3-11
- 3.6 Alarm Management . . . . . 3-11
  - 3.6.1 Alarm Categories . . . . . 3-11
- 3.7 Power Alarms . . . . . 3-13
  - 3.7.1 General . . . . . 3-13
  - 3.7.2 Alarm and Monitoring Requirements . . . . . 3-14
  - 3.7.3 AC Mains . . . . . 3-17
  - 3.7.4 DC Power Plant . . . . . 3-17
  - 3.7.5 Backup Batteries . . . . . 3-18
  - 3.7.6 Converters . . . . . 3-19
  - 3.7.7 Inverters . . . . . 3-19
  - 3.7.8 Standby Engine - Engine-Alternator (AC) and Engine-Generator (DC) . . . . . 3-20

## 4 Outside Plant (OSP) Sites

4.1 DC Power Systems for OSP Locations . . . . .	4-1
4.2 Backup or Standby Power Requirements . . . . .	4-2
4.3 Outside Plant (OSP) Locations . . . . .	4-3
4.3.1 General Requirements . . . . .	4-3
4.3.2 Telecommunications Huts . . . . .	4-4
4.3.3 Controlled Environmental Vaults (CEVs) . . . . .	4-4
4.3.4 Walk-In Cabinets . . . . .	4-5
4.3.5 Electronic Equipment Cabinets . . . . .	4-5
4.3.5.1 Cabinets . . . . .	4-5
4.3.5.2 Small Cabinets . . . . .	4-6
4.3.5.3 Pole Mounted Cabinets . . . . .	4-6
4.3.6 Wireless Cell Sites . . . . .	4-6
4.3.7 Powered Optical Network Units . . . . .	4-7
4.3.8 Commercial Customer Premises (CCP) . . . . .	4-7
4.3.9 Customer-Powered FTTP Sites . . . . .	4-8

## 5 Reporting and Listing Requirements

5.1 Operational Locations for Power Equipment . . . . .	5-1
5.2 Energy Metrics . . . . .	5-1
5.2.1 Rectifiers, Inverters, and Converters . . . . .	5-1
5.2.2 Batteries . . . . .	5-3
5.2.3 Air Flow Characteristics (EC Class) . . . . .	5-3
5.2.4 Surface Temperatures . . . . .	5-4

## 6 Reliability, Quality and Documentation Requirements

6.1 General Design Requirements . . . . .	6-1
6.2 Safety and Reliability Considerations . . . . .	6-1
6.3 Materials . . . . .	6-2
6.4 Documentation . . . . .	6-3
6.4.1 Instructions and Training . . . . .	6-3
6.5 Installation and Maintenance . . . . .	6-4
6.6 Quality Management System (QMS) . . . . .	6-5
6.6.1 Product Changes . . . . .	6-5
6.6.2 Engineering Complaint Process . . . . .	6-6

## 7 Functional Requirements

7.1 AC-Power System . . . . .	7-1
7.1.1 Commercial AC Service . . . . .	7-1
7.1.1.1 Overvoltage Protection . . . . .	7-1
7.1.1.2 AC Grounding Requirements . . . . .	7-2
7.1.2 Standby AC Plants . . . . .	7-3
7.1.3 AC-Powered Equipment . . . . .	7-3
7.1.3.1 General . . . . .	7-3
7.1.3.2 No-Break Power System Requirements . . . . .	7-4
7.1.3.3 Protected Power System Requirements . . . . .	7-4
7.2 DC Power System . . . . .	7-5
7.2.1 Power Equipment - AC Input Requirements . . . . .	7-6
7.2.2 DC Power Plant Capacity . . . . .	7-7

7.2.3 Output Voltage Range . . . . . 7-7

7.2.4 Telephone Influence Factor . . . . . 7-9

7.2.5 Electrical Noise . . . . . 7-9

7.2.6 DC Plant Start-Up Characteristics . . . . . 7-10

7.2.7 DC Power System Grounding Requirements and Definitions . . . . . 7-11

7.2.8 Grounding Interfaces . . . . . 7-12

7.2.9 Batteries and Accessories . . . . . 7-12

7.2.10 DC Distribution . . . . . 7-13

    7.2.10.1 Power Feeders . . . . . 7-13

    7.2.10.2 Current Drains . . . . . 7-15

**Appendix A: References**

A.1 Telcordia Documents . . . . . A-1

A.2 Non-Telcordia Reference Documents . . . . . A-4

A.3 Telcordia Reference Notes . . . . . A-6

**Appendix B: GR-513 and the LSSGR FR-64 Family of GRs**

**Appendix C: Communication Protocols and Alarm Types**

C.1 Telcordia References on Communication Protocols . . . . . C-1

C.2 Environmental Alarm Types . . . . . C-2

**Appendix D: Environmental Classes of GR-3108**

**Appendix E: Nickel Metal Hydride Battery Requirements**

**Appendix F: Acronyms and Definitions**

**Requirement-Object Index**

## List of Figures

Figure 2-1	Typical AC-DC Power System for a Telecommunications Office . . .	2-5
Figure 2-2	Example of Voltage Drop Calculation . . . . .	2-19
Figure 2-3	Schematic -- Li-ion Battery's Battery Management System (BMS) .	2-28
Figure 2-4	Grounding Schematic (DP in CO Facility) . . . . .	2-48
Figure 2-5	System Grounding of a Single Line . . . . .	2-49
Figure 3-1	PSMC Schematic . . . . .	3-2
Figure 7-1	Protection Levels . . . . .	7-2
Figure 7-2	Typical DC Power System for a Local Switching Office . . . . .	7-5

## List of Tables

Table 2-1	Battery Chemistry and Technology Comparison . . . . .	2-23
Table 2-2	Common Rechargeable Lithium Electro-Chemical Systems . . . . .	2-26
Table 2-3	Battery Technology Comparison . . . . .	2-29
Table 2-4	Cable Feed Architecture Choices for Distributed Power Plant . . . . .	2-40
Table 3-1	Alarm Level Classification and Associated Colors . . . . .	3-13
Table 3-2	Power Systems Report Parameters . . . . .	3-14
Table 3-3	Battery Plants . . . . .	3-18
Table 3-4	Converter Plants . . . . .	3-19
Table 3-5	Inverter Plants . . . . .	3-19
Table 5-1	Report Format for Rectifiers . . . . .	5-2
Table 7-1	Rectifier AC Voltage Ranges . . . . .	7-6
Table 7-2	Central Office DC Power Plant Voltages . . . . .	7-8
Table 7-3	Transient Limits . . . . .	7-9
Table C-1	Valid Values for Alarm Parameters . . . . .	C-2
Table E-1	Functional Performance Requirements for Ni-MH Batteries . . . . .	E-1