

Contents

Verification Connections	FSD 25-05-0903
3C-Type Operator Switchboard Interface.	FSD 25-06-0501
Direct Trunk Interface to IC Operator System	FSD 25-06-0502
Interface to Local Telephone Company Operator Services System	FSD 25-06-0506



Performance from Experience

LSSGR: Verification Connections (FSD 25-05-0903)

A Module of LSSGR, FR-64

Telcordia Technologies Generic Requirements
GR-531-CORE
Issue 1
June 2000

Comments Requested (See Preface)

Contents

1.	Introduction	1-1
1.1	Definition	1-1
1.2	Background	1-1
1.3	High Level Feature Description	1-1
2.	User Perspective	2-1
3.	Feature Requirements	3-1
3.1	Feature Operations	3-1
3.1.1	Main Feature Operations	3-1
3.1.2	Other Feature Operations	3-1
3.1.3	Release Treatment	3-1
3.1.4	Interrupt Treatment	3-1
3.1.5	Error Treatment and Abnormal Events	3-2
3.2	Internal Call Processing Controls	3-2
3.2.1	Connections	3-2
3.2.2	Class of Service	3-2
3.2.3	Code Interpretation	3-3
3.2.4	Screening	3-3
3.2.5	Routing	3-3
3.2.6	Charge Treatment Determination	3-3
3.2.7	Overload	3-3
3.3	Signaling	3-3
3.3.1	Customer Loop	3-3
3.3.2	Customer Signaling	3-3
3.3.3	Intersystem DC Signaling	3-4
3.3.4	Intersystem AC Signaling	3-4
3.3.5	Operator Services Signaling	3-4
3.4	Transmission	3-4
3.5	Administration	3-4
3.5.1	Service Changes	3-4
3.5.2	Installation	3-4
3.5.3	Modification or Retrofit	3-4
3.5.4	Person/System Interface	3-4
3.5.5	Traffic Measurements	3-4
3.5.6	Maintenance Measurements	3-5
3.5.7	Network Management	3-5
3.5.8	Billing and Comptroller	3-5
3.5.9	Quantities	3-5
3.5.10	Data Items and Usage	3-5
3.6	Maintenance	3-5
3.7	Performance	3-5
3.8	Interactions	3-5
3.9	Limitations and Restrictions	3-6
3.10	Timing and Tolerances	3-6

4. Feature Flow Diagram 4-1
References References-1

List of Figures

Figure 1.	Feature Flow Diagram	4-5
-----------	--------------------------------	-----



Performance from Experience

LSSGR: 3C-Type Operator Switchboard Interface (FSD 25-06-0501)

A Module of LSSGR, FR-64

Telcordia Technologies Generic Requirements
GR-531-CORE
Issue 1
June 2000

Comments Requested (See Preface)

Contents

1.	Introduction	1-1
1.1	Definition	1-1
1.2	Background	1-1
1.3	High Level Feature Description	1-1
2.	User Perspective	2-1
3.	Feature Requirements	3-1
3.1	Feature Operations	3-1
3.1.1	Main Feature Operations	3-1
3.1.2	Other Feature Operations	3-1
3.1.3	Release Treatment	3-1
3.1.4	Interrupt Treatment	3-2
3.1.5	Error Treatment and Abnormal Events	3-2
3.2	Internal Call Processing Controls	3-2
3.2.1	Connections	3-2
3.2.2	Class of Service	3-2
3.2.3	Code Interpretation	3-2
3.2.4	Screening	3-2
3.2.5	Routing	3-3
3.2.6	Charge Treatment Determination	3-3
3.2.7	Overload	3-3
3.3	Signaling	3-3
3.3.1	Customer Loop	3-3
3.3.2	Customer Signaling	3-3
3.3.3	Intersystem DC Signaling	3-3
3.3.4	Intersystem AC Signaling	3-3
3.3.5	Operator Services Signaling	3-4
3.4	Transmission	3-4
3.5	Administration	3-4
3.5.1	Service Changes	3-4
3.5.2	Installation	3-5
3.5.3	Modification or Retrofit	3-5
3.5.4	Person/System Interface	3-5
3.5.5	Traffic Measurements	3-5
3.5.6	Maintenance Measurements	3-5
3.5.7	Network Management	3-5
3.5.8	Billing and Comptroller	3-5
3.5.9	Quantities	3-5
3.5.10	Data Items and Usage	3-5
3.6	Maintenance	3-6
3.7	Performance	3-6
3.8	Interactions	3-6
3.9	Limitations and Restrictions	3-6
3.10	Timing and Tolerances	3-6

4. Feature Flow Diagram 4-1
References References-1
Glossary Glossary-1



Performance from Experience

LSSGR: Direct Trunk Interface to IC Operator System (FSD 25-06-0502)

A Module of LSSGR, FR-64

Telcordia Technologies Generic Requirements
GR-531-CORE
Issue 1
June 2000

Comments Requested (See Preface)

Contents

1.	Introduction	1-1
1.1	Definition	1-1
1.2	Background	1-1
1.3	High Level Feature Description	1-1
2.	User Perspective	2-1
3.	Feature Requirements	3-1
3.1	Feature Operations	3-1
3.1.1	Main Feature Operations	3-1
3.1.2	Other Feature Operations	3-1
3.1.3	Release Treatment	3-1
3.1.4	Interrupt Treatment	3-1
3.1.4.1	Ringback and Coin Control	3-2
3.1.4.2	Flash	3-2
3.1.5	Error Treatment and Abnormal Events	3-2
3.2	Internal Call Processing Controls	3-2
3.2.1	Connections	3-2
3.2.2	Class of Service	3-2
3.2.3	Code Interpretation	3-2
3.2.4	Screening	3-3
3.2.5	Routing	3-3
3.2.5.1	Routing of Outgoing Interoffice Station Calls	3-3
3.2.5.2	Routing of 0+ Calls	3-3
3.2.5.3	Routing of Assistance Calls	3-3
3.2.6	Charge Treatment Determination	3-3
3.2.7	Overload	3-4
3.3	Signaling	3-4
3.3.1	Customer Loop	3-4
3.3.2	Customer Signaling	3-4
3.3.3	Intersystem DC Signaling	3-4
3.3.3.1	Disconnects	3-4
3.3.3.2	Reverse Make Busy	3-4
3.3.3.3	Interoffice Flash	3-5
3.3.3.4	ANI Request (Second Start Signal)	3-5
3.3.4	Intersystem AC Signaling	3-5
3.3.4.1	MF Codes	3-5
3.3.4.2	ANI	3-5
3.3.4.3	Inband Coin Control and Ringback	3-5
3.3.5	Operator Services Signaling	3-5
3.4	Transmission	3-6
3.5	Administration	3-6
3.6	Maintenance	3-6
3.7	Performance	3-6
3.8	Interactions	3-6

3.9 Limitations and Restrictions 3-6
3.10 Timing and Tolerances 3-6
4. Feature Flow Diagram 4-1
References References-1
Glossary Glossary-1

List of Tables

Table A.	MF Outpulsing	4-1
----------	-------------------------	-----



Performance from Experience

LSSGR: Interface to Local Telephone Company Operator Services System (FSD 25-06-0506)

A Module of LSSGR, FR-64

Telcordia Technologies Generic Requirements
GR-531-CORE
Issue 1
June 2000

Comments Requested (See Preface)

Contents

1. Introduction	1-1
1.1 Definition	1-1
1.2 Background	1-1
1.3 High Level Feature Description	1-1
2. User Perspective	2-1
3. Feature Requirements	3-1
3.1 Feature Operations	3-1
3.2 Internal Call Processing Controls	3-1
3.3 Signaling	3-1
3.4 Transmission	3-1
3.5 Administration	3-1
3.6 Maintenance	3-1
3.7 Performance	3-1
3.8 Interactions	3-1
3.9 Limitations and Restrictions	3-1
3.10 Timing and Tolerances	3-1
4. Feature Flow Diagram	4-1
References	References-1
Definitions for GR-531-CORE	Glossary-1
Interoffice Index	Glossary-3