

# Table of Contents

## 1 Introduction

1.1 Purpose . . . . .	1-1
1.2 Requirements Terminology . . . . .	1-2
1.2.1 Requirement Labeling Conventions . . . . .	1-3
1.2.2 Numbering of Requirement and Related Objects . . . . .	1-3
1.2.3 Requirement, Conditional Requirement, and Objective Identification . . . . .	1-4
1.3 Organization of This Document . . . . .	1-4
1.4 Related Documents . . . . .	1-5
1.5 Updating of this Document . . . . .	1-6
1.6 Reasons for Reissue . . . . .	1-6
1.6.1 General . . . . .	1-6
1.6.2 Revisions for the Current Issue (Issue 15) . . . . .	1-6
1.7 Prior Revision History . . . . .	1-7
1.7.1 Revisions for Issue 14 . . . . .	1-7
1.7.2 Revisions for Issue 13 . . . . .	1-8
1.7.3 Revisions for Issue 12 . . . . .	1-9
1.7.4 Revisions for Issue 11 . . . . .	1-10
1.7.5 Revisions for Issue 10 . . . . .	1-12
1.7.6 Revisions for Issue 9 . . . . .	1-14
1.7.7 Revisions for Issue 8 . . . . .	1-14
1.7.8 Revisions for Issue 7 . . . . .	1-14

## 2 Network Architecture

2.1 CCS Network Services . . . . .	2-1
2.1.1 Circuit-Related Features . . . . .	2-1
2.1.2 Non-Circuit-Related Features . . . . .	2-1
2.2 CCS Network Components . . . . .	2-1
2.2.1 CCS Switching Offices . . . . .	2-2
2.2.2 Service Control Points (SCPs) . . . . .	2-2
2.2.3 Signaling Transfer Points (STPs) . . . . .	2-2
2.2.4 CCS Links . . . . .	2-3
2.3 Network Architecture . . . . .	2-3
2.3.1 Network Configurations . . . . .	2-4
2.3.2 Connectivity . . . . .	2-4
2.3.3 Addressing of Signaling Points . . . . .	2-4
2.3.3.1 Assignment of Network Codes . . . . .	2-5
2.3.3.2 Assignment of Cluster Codes . . . . .	2-5
2.3.3.3 Assignment of Member Codes . . . . .	2-6

## 3 STP Functional Architecture

3.1 SS7 Protocol . . . . .	3-1
3.1.1 Message Transfer Part (MTP) . . . . .	3-1
3.1.2 Signaling Connection Control Part (SCCP) . . . . .	3-1
3.1.3 Integrated Services Digital Network User Part (ISDNUP) . . . . .	3-1
3.1.4 Transaction Capabilities Application Part (TCAP) . . . . .	3-2
3.1.5 Operations, Maintenance, and Administration Part (OMAP) . . . . .	3-2

3.2 STP Functions . . . . .	3-2
3.2.1 Routing Messages . . . . .	3-2
3.2.2 Specialized Routing . . . . .	3-3
3.2.3 Carrier Signaling Access . . . . .	3-3
3.2.4 Priority Processing of Network Management Tasks . . . . .	3-3
3.3 Interfaces . . . . .	3-3
3.3.1 56-kb/s MTP-2 Link Interfaces . . . . .	3-3
3.3.2 ATM High-Speed Signaling Link Interfaces . . . . .	3-4
3.3.3 IP-Based Virtual High-Speed Signaling Link Interfaces . . . . .	3-4
3.3.4 Operations Interfaces . . . . .	3-5
3.4 Capacity . . . . .	3-5
3.4.1 Fundamental Guidelines for Signaling Link Diversity and Capacity Planning . . . . .	3-6
3.4.1.1 A-Link Set Diversity and Capacity Planning . . . . .	3-6
3.4.1.2 B/D-Link Set Diversity and Capacity Planning . . . . .	3-7

## 4 Signaling

4.1 SS7 Protocol Overview . . . . .	4-1
4.2 Message Transfer Part (MTP) . . . . .	4-2
4.2.1 Signaling Data Link . . . . .	4-3
4.2.2 Signaling Link Functions . . . . .	4-3
4.2.3 MTP Signaling Message Handling . . . . .	4-4
4.2.3.1 MTP Addresses . . . . .	4-4
4.2.3.2 MTP Routing Data . . . . .	4-6
4.2.3.2.1 Overview of MTP Routing Data at STPs . . . . .	4-6
4.2.3.2.2 Requirements for Provisioning MTP Routing Data . . . . .	4-7
4.2.3.2.3 Backup Routing Procedures . . . . .	4-10
4.2.3.3 Signaling Link Selection . . . . .	4-10
4.2.3.4 Handling of Messages Indicating Presence of Circular Routing . . . . .	4-13
4.2.3.5 Message Handling During Overload . . . . .	4-14
4.2.4 MTP Network Management Functions . . . . .	4-17
4.2.4.1 Requirements Associated with Link Statuses, Route Statuses, and Congestion Control . . . . .	4-18
4.2.4.2 Introduction to Network Management Performance Requirements . . . . .	4-19
4.2.4.3 Signaling Link Changeover . . . . .	4-21
4.2.4.4 Signaling Link Changeback . . . . .	4-22
4.2.4.5 Forced Rerouting . . . . .	4-24
4.2.4.6 Controlled Rerouting . . . . .	4-24
4.2.4.7 MTP Restart . . . . .	4-25
4.2.4.7.1 Overview of the MTP Restart Procedures . . . . .	4-25
4.2.4.7.2 Transitional Issues . . . . .	4-27
4.2.4.7.3 Requirements for a Restarting STP . . . . .	4-27
4.2.4.7.4 Requirements for an STP Adjacent to a Restarting Node . . . . .	4-32
4.2.4.7.5 Receipt of an Unexpected TRW/TRA Message . . . . .	4-36
4.2.4.7.6 General Rules . . . . .	4-37
4.2.4.8 Management Inhibiting/Uninhibiting . . . . .	4-40
4.2.4.9 Signaling Traffic Flow Control . . . . .	4-40
4.2.4.10 Signaling Link Activation, Restoration, and Deactivation, and Link Set Activation . . . . .	4-42

4.2.4.10.1	General . . . . .	4-42
4.2.4.10.2	MTP3 Link Oscillation Filter . . . . .	4-42
4.2.4.11	Introduction to Cluster Management . . . . .	4-43
4.2.4.11.1	Terminology . . . . .	4-44
4.2.4.11.2	Route Management . . . . .	4-47
4.2.4.12	Transfer-Prohibited Procedure . . . . .	4-50
4.2.4.12.1	Broadcasting TFP/TCP Message . . . . .	4-52
4.2.4.12.2	Preventive TFP/TCP . . . . .	4-54
4.2.4.12.3	Requirements Associated With Cluster Management . . . . .	4-56
4.2.4.12.4	Performance Requirements . . . . .	4-58
4.2.4.13	Transfer-Allowed Procedure . . . . .	4-59
4.2.4.13.1	Broadcasting TFA/TCA . . . . .	4-61
4.2.4.13.2	Requirements Associated With Cluster Management . . . . .	4-64
4.2.4.13.3	Performance Requirements . . . . .	4-66
4.2.4.14	Transfer-Restricted Procedure . . . . .	4-66
4.2.4.14.1	Broadcasting/Response Method TFR/TCR Message . . . . .	4-68
4.2.4.14.2	Requirements Associated With Cluster Management . . . . .	4-72
4.2.4.14.3	Additional Requirements Associated With Cluster Routing and Management Diversity . . . . .	4-74
4.2.4.14.4	Performance Requirements . . . . .	4-75
4.2.4.15	Signaling-Route-Set-Test Procedure . . . . .	4-75
4.2.4.15.1	Different Timer for Routes of Lower Priority Than the Current Route . . . . .	4-77
4.2.4.15.2	Deactivation of Signaling-Route-Set-Test . . . . .	4-77
4.2.4.15.3	Overview of Requirements Associated With Cluster Management . . . . .	4-78
4.2.4.15.4	Overview of Requirements Associated With Additional Criteria for Sending Preventive TFP/TCP Messages . . . . .	4-79
4.2.4.15.5	Summary of Rules for Sending and Responding to Signaling-Route-Set-Test Message . . . . .	4-79
4.2.4.15.6	Performance Requirements . . . . .	4-85
4.2.4.16	Transfer-Controlled Procedure . . . . .	4-85
4.2.4.17	Signaling-Route-Set-Congestion-Test Procedure . . . . .	4-86
4.2.4.18	Processing of MTP Network Management Tasks During Processor Overload . . . . .	4-87
4.2.5	Signaling Link Tests . . . . .	4-89
4.2.6	MTP Circular Route Detection . . . . .	4-89
4.2.6.1	Trigger for the Circular Route Detection Test . . . . .	4-89
4.2.6.2	Procedures for the Circular Route Detection Test . . . . .	4-90
4.2.7	OPC Verification . . . . .	4-93
4.3	Signaling Connection Control Part (SCCP) . . . . .	4-94
4.3.1	SCCP Addressing and Routing . . . . .	4-94
4.3.1.1	GTT and Endnodes/Databases . . . . .	4-95
4.3.1.1.1	Solitary Node/Subsystem . . . . .	4-96
4.3.1.1.2	Multiple Replicates Operating in a Dominant Mode . . . . .	4-96
4.3.1.1.3	Multiple Replicates Operating in the Loadshare Mode . . . . .	4-97
4.3.1.2	GTT Data . . . . .	4-98
4.3.1.3	SCCP Hop Counter . . . . .	4-101
4.3.1.4	Return Cause Parameter in UDTS and XUDTS Messages . . . . .	4-101
4.3.1.5	Verification of XUDT Message Processing Capability . . . . .	4-104

4.3.2	SCCP Connectionless Control . . . . .	4-105
4.3.3	SCCP Management . . . . .	4-105
4.3.3.1	SCCP Management Procedures - Changes to GR-246-CORE . . . . .	4-106
4.3.3.1.1	SP Status Management - (Section 5.2 of T1.112.4 of GR-246-CORE) . . . . .	4-107
4.3.3.1.2	Subsystem Status Management (Section 5.3 of T1.112.4 of GR-246-CORE) . . . . .	4-109
4.3.3.2	Additional Requirements for SCCP Management . . . . .	4-112
4.3.3.2.1	Additional Requirements for SP Congested Control . . . . .	4-112
4.3.3.2.2	Additional Requirements for the Broadcast of Subsystem Prohibited or Allowed Messages . . . . .	4-113
4.3.3.2.3	Additional Performance Requirements . . . . .	4-114
4.3.4	Processing of SCCP Network Management Tasks During Processor Overload . . . . .	4-114
4.3.5	Local Number Portability (LNP) . . . . .	4-115
4.3.5.1	Overview . . . . .	4-115
4.3.5.2	Impacts on the STP . . . . .	4-116
4.3.6	UDT/XUDT Message Change . . . . .	4-116
4.3.6.1	Overview of UDT/XUDT Message Change Procedures . . . . .	4-117
4.3.6.2	Compatibility Test . . . . .	4-117
4.3.6.3	UDT-to-XUDT Message Changes . . . . .	4-118
4.3.6.4	XUDT-to-UDT Message Change . . . . .	4-120
4.3.6.5	Message Return on Error Procedures in a Mixed UDT/XUDT Environment . . . . .	4-121
4.3.6.6	Performance Requirements for UDT/XUDT Message Change . . . . .	4-122
4.3.6.7	Message Change Transition . . . . .	4-122
4.4	Operations, Maintenance, and Administration Part (OMAP) . . . . .	4-123

## 5 Operations Requirements

5.1	Overview of the Operations Environment . . . . .	5-1
5.2	STP Provisioning Requirements . . . . .	5-2
5.2.1	Generic Program Alteration . . . . .	5-2
5.2.2	STP Recent Change and Verify (RC&V) Functions . . . . .	5-3
5.2.3	STP Data Description . . . . .	5-4
5.2.3.1	Overview of Information Modeling Methodology . . . . .	5-4
5.2.3.2	STP Entity/Relationship Diagrams . . . . .	5-9
5.2.3.3	STP Entity Data Dictionary . . . . .	5-11
5.2.3.4	STP Relationship Data Dictionary . . . . .	5-24
5.2.3.5	STP Attribute Data Dictionary . . . . .	5-29
5.2.3.6	STP Database Updates and Data Operations . . . . .	5-38
5.2.3.6.1	General Requirements . . . . .	5-38
5.2.3.6.2	Support of CCS OS Interface RC&V Commands . . . . .	5-43
5.2.3.7	Integrity Constraint Specifications . . . . .	5-48
5.2.3.8	User Views and Logical Data Model . . . . .	5-49
5.2.4	STP Database Management Functions . . . . .	5-49
5.2.4.1	Database Updates . . . . .	5-49
5.2.4.2	Database Assembly . . . . .	5-49
5.2.4.3	STP Database Backup . . . . .	5-49
5.2.4.4	Database Restoration . . . . .	5-50
5.2.4.5	System Initialization . . . . .	5-50

5.2.4.6 System Growth . . . . .	5-50
5.2.5 Memory Space Accounting . . . . .	5-51
5.2.5.1 Background . . . . .	5-51
5.2.5.2 Methodology . . . . .	5-51
5.2.5.3 Reporting Requirements . . . . .	5-54

## 6 STP Fault and Performance Management

6.1 Introduction . . . . .	6-1
6.2 Operations System (OS) Interfaces . . . . .	6-2
6.3 Measured Entity Types . . . . .	6-4
6.4 Measurement Requirements . . . . .	6-5
6.4.1 General Requirements . . . . .	6-5
6.4.2 System Total Measurements . . . . .	6-6
6.4.3 Translation Type Measurements . . . . .	6-12
6.4.4 Link Measurements . . . . .	6-12
6.4.5 Processor Measurements . . . . .	6-16
6.4.6 Link Set Measurements . . . . .	6-17
6.4.7 Destination Measurements . . . . .	6-20
6.4.8 Special Study Measurements . . . . .	6-23
6.4.9 Equipment Unit Measurements . . . . .	6-23
6.4.10 Destination/Source Stream Measurements . . . . .	6-24
6.4.11 SCCP Destination Subsystem Measurements . . . . .	6-25
6.5 Measurement Reports . . . . .	6-26
6.5.1 STP System Total Report . . . . .	6-27
6.5.2 Component Measurement Report . . . . .	6-27
6.5.3 Service Measurement Report . . . . .	6-27
6.5.4 Special Study Report . . . . .	6-27
6.5.5 Daily Maintenance Measurement Report (Performance Management OS and Centralized Fault Management OS) . . . . .	6-28
6.5.6 Daily Maintenance Report (Remote Fault Management OS and Local Craft Terminal) . . . . .	6-28
6.5.7 Day to Hour Maintenance Measurement Report (Performance Management OS and Centralized Fault Management OS) . . . . .	6-28
6.5.8 Day to Hour Maintenance Report (Remote Fault Management OS and Local Craft Terminal) . . . . .	6-29
6.5.9 Signaling Link Marginal Performance Report . . . . .	6-29
6.5.10 Hourly Maintenance Report (Performance Management OS and Centralized Fault Management OS) . . . . .	6-30
6.5.11 Hourly Maintenance Report (Fault Management OS and Local Craft Terminal) . . . . .	6-30
6.5.12 Autonomous Network Management Reports and 5-Minute Exception Reporting . . . . .	6-30
6.6 Event Reporting . . . . .	6-32
6.6.1 Event Report Content . . . . .	6-32
6.6.2 Event Report Types . . . . .	6-33
6.6.3 Trapping Capabilities . . . . .	6-45
6.6.4 Routing Verification Tests . . . . .	6-46
6.7 Control Capabilities . . . . .	6-46
6.7.1 Administration of Network Management Parameters . . . . .	6-46
6.7.2 Administration of Special Studies . . . . .	6-47

6.7.3 Retrieval of Maintenance Status . . . . . 6-48  
 6.7.4 Signaling Link Maintenance . . . . . 6-48  
 6.7.5 Capabilities to Support MTP Restart . . . . . 6-48

**7 Network Management**

**8 System Interfaces**

8.1 Signaling Interfaces . . . . . 8-1  
 8.1.1 Synchronization Requirements for DS0A Interfaces . . . . . 8-1  
     8.1.1.1 CC Redundancy Requirements . . . . . 8-2  
     8.1.1.2 CC Robustness Requirements . . . . . 8-2  
         8.1.1.2.1 CC Phase Hits . . . . . 8-2  
         8.1.1.2.2 CC LOS . . . . . 8-3  
 8.2 OS Interfaces . . . . . 8-4  
 8.2.1 STP/CCS OS . . . . . 8-5  
 8.2.2 STP Remote Fault Management System . . . . . 8-5  
 8.3 Operations Work Positions . . . . . 8-5  
 8.3.1 I/O Work Positions . . . . . 8-6  
     8.3.1.1 On-Site I/O Work Positions . . . . . 8-6  
     8.3.1.2 Remote I/O Work Positions . . . . . 8-7  
     8.3.1.3 I/O Characteristics . . . . . 8-7  
     8.3.1.4 Message Routing and Echoing . . . . . 8-7  
 8.3.2 STP Control and Display Interface . . . . . 8-8  
 8.4 Security of Operations Interfaces . . . . . 8-8

**9 Performance**

9.1 Reliability . . . . . 9-1  
 9.1.1 General Considerations . . . . . 9-1  
 9.1.2 Service (All Causes) Downtime Objectives . . . . . 9-1  
     9.1.2.1 MTP Level . . . . . 9-2  
         9.1.2.1.1 STP Total System Downtime . . . . . 9-2  
         9.1.2.1.2 STP Link Downtime . . . . . 9-3  
     9.1.2.2 SCCP Level . . . . . 9-4  
     9.1.2.3 ISDN-UP . . . . . 9-4  
     9.1.2.4 TCAP . . . . . 9-4  
 9.1.3 Hardware Downtime Requirements . . . . . 9-4  
     9.1.3.1 MTP Level . . . . . 9-4  
         9.1.3.1.1 Predicted STP Total System Downtime . . . . . 9-4  
         9.1.3.1.2 Predicted STP Link Downtime . . . . . 9-5  
 9.1.4 Summary . . . . . 9-5  
 9.2 STP Transport Time . . . . . 9-6  
 9.2.1 STP Node Processing Time . . . . . 9-7  
 9.2.2 Link Output Delay . . . . . 9-7  
 9.2.3 Cross-STP Transport Time . . . . . 9-8  
 9.3 Accuracy . . . . . 9-9

**10 Environmental Requirements**

10.1 Power . . . . . 10-1  
 10.2 Equipment . . . . . 10-1

10.3 Electromagnetic and Electrical Environment . . . . .	10-1
---	------

## 11 Quality

11.1 Introduction . . . . .	11-1
11.2 Reliability and Quality Switching Systems Generic Requirements . . . . .	11-1
11.2.1 System Design and Architecture . . . . .	11-2
11.2.2 Manufacturing and Production . . . . .	11-2
11.2.3 In-Service Performance and Product Support . . . . .	11-2

## 12 Supplier Support

12.1 Documentation on Operations . . . . .	12-1
12.2 Software Documentation . . . . .	12-1

## Appendix A: Changes for E-Links and Complex Network Architectures

### Appendix B: STP Requirements for Toll-Free Service

B.1 Introduction . . . . .	B-1
B.2 MTP and SCCP Message Formats for Toll-Free Service . . . . .	B-1
B.2.1 MTP Message Formats . . . . .	B-1
B.2.2 SCCP Message Formats . . . . .	B-3
B.2.2.1 Overview . . . . .	B-3
B.2.2.2 Unitdata Messages the STP Receives From the SSP . . . . .	B-6
B.2.2.3 SCCP Information for Toll-Free Service Messages After Global Title Translation . . . . .	B-8
B.3 Operations . . . . .	B-11
B.3.1 Provisioning . . . . .	B-11
B.3.2 Administration . . . . .	B-11

### Appendix C: STP Requirements for Gateway Function

C.1 Introduction . . . . .	C-1
C.2 Overview of the Gateway Screening Process . . . . .	C-2
C.2.1 Screening Table Structure . . . . .	C-3
C.2.2 Gateway Link Set Table . . . . .	C-5
C.2.3 Pre-GTT and Post-GTT Gateway Screening . . . . .	C-6
C.3 Description of Gateway Screening Tables . . . . .	C-6
C.3.1 MTP Screening Tables . . . . .	C-6
C.3.2 SCCP Screening Tables . . . . .	C-9
C.3.3 ISDNUP Screening Table . . . . .	C-11
C.4 Motivation for New Screening Requirements . . . . .	C-11
C.4.1 SCCP Message Type Screening . . . . .	C-12
C.4.2 ISDNUP Message Type Screening . . . . .	C-12
C.4.3 Gateway Message Rejection Reporting Suppression . . . . .	C-12
C.5 Gateway Screening Requirements . . . . .	C-13
C.6 Measurements . . . . .	C-14
C.6.1 System Totals . . . . .	C-14
C.6.2 Link Set Utilization . . . . .	C-15
C.6.3 Screening Results Measurements . . . . .	C-16
C.6.4 Maintenance Measurements . . . . .	C-16
C.7 Performance . . . . .	C-17

C.8 Service Indicator Expansion Impacts on Gateway Screening . . . . .	C-17
C.8.1 SI Expansion Format . . . . .	C-17
C.8.2 Impacts of SI Expansion . . . . .	C-18

**Appendix D: Cluster Routing and Management at STPs**

D.1 Introduction . . . . .	D-1
D.1.1 Cluster Routing and Management Diversity (CRMD) . . . . .	D-2
D.2 Applicability of Cluster Management . . . . .	D-3
D.3 Status Definitions . . . . .	D-3
D.4 Cluster Status Maintenance . . . . .	D-4
D.4.1 Additional Status Maintenance Rules for Cluster Routing and Management Diversity . . . . .	D-8
D.5 Procedures for Cluster Management at STPs . . . . .	D-8
D.5.1 Full Point Code Management . . . . .	D-9
D.5.1.1 Sending TFX and TCX Messages . . . . .	D-9
D.5.1.2 Receiving TFX and TCX Messages . . . . .	D-9
D.5.1.3 Sending RSX and RCX Messages . . . . .	D-10
D.5.1.4 Receiving RSX and RCX Messages . . . . .	D-11
D.5.1.5 Actions Taken by the STP Upon Receipt of a TFX or TCX Message . . . . .	D-11
D.5.2 Cluster Management . . . . .	D-12
D.5.2.1 Receipt of TFX and TCX Messages . . . . .	D-12
D.5.2.1.1 Additional Rules for Cluster Routing and Management Diversity . . . . .	D-15
D.5.2.2 Sending or Broadcasting TFX and TCX Messages . . . . .	D-16
D.5.2.2.1 Sending TFP/TCP Messages Upon Receipt of an Undeliverable Message . . . . .	D-19
D.5.2.3 Sending Signaling-Route-Set-Test Messages . . . . .	D-20
D.5.2.3.1 Management of T1.111.4/T10 . . . . .	D-21
D.5.2.4 Receiving Route Set Test Messages . . . . .	D-23
D.5.3 Compatibility Issues . . . . .	D-24
D.5.4 Interaction with SS7 Congestion Control . . . . .	D-26
D.5.4.1 Local Link Congestion . . . . .	D-26
D.5.4.2 TFC Messages . . . . .	D-26
D.5.4.3 Signaling-Route-Set-Congestion-Test Procedures . . . . .	D-26
D.5.5 Interaction With MTP Restart . . . . .	D-27
D.5.6 Interaction With the SCCP Layer . . . . .	D-27
D.5.6.1 Point Code Status Management . . . . .	D-27
D.5.6.2 Subsystem Status Management . . . . .	D-28

**Appendix E: STP Requirements for SCCP INS**

E.1 Introduction . . . . .	E-1
E.2 Definition of Terms . . . . .	E-2
E.3 Format and Coding of the SCCP INS Parameter . . . . .	E-2
E.4 SCCP INS Message Routing Procedures . . . . .	E-4
E.4.1 INS Constrained Routing . . . . .	E-5
E.4.2 INS Suggested Routing . . . . .	E-6
E.4.3 SCCP INS Abnormal Procedures . . . . .	E-13
E.4.3.1 Actions at an INS-Capable STP . . . . .	E-13
E.4.3.2 Error Handling Procedures (Message Return) . . . . .	E-13



- E.5 SCCP INS Operations Requirements . . . . . E-14
  - E.5.1 Memory Administration/Configuration Management Requirements . . E-14
    - E.5.1.1 ICN Required Indicator . . . . . E-15
    - E.5.1.2 Translation from Network-Specific Network ID to SS7-Formatted Network ID . . . . . E-15
    - E.5.1.3 Translation From SS7-Formatted Network ID to DPC . . . . . E-15
    - E.5.1.4 Next Node INS Capability Indicator . . . . . E-16
    - E.5.1.5 Users' View of Data Operations . . . . . E-16
    - E.5.1.6 STP Performance Management (Network Data Collection) Requirements for the INS Capability . . . . . E-17
      - E.5.1.6.1 General Measurement Requirements to Support the INS Capability . . . . . E-17
      - E.5.1.6.2 System Total Measurements Requirements to Support the INS Capability . . . . . E-17
      - E.5.1.6.3 STP Traffic Measurement Requirements . . . . . E-18
    - E.5.1.7 STP Fault Management Requirements for the INS Capability . . . E-19
      - E.5.1.7.1 Event Report Types . . . . . E-19
      - E.5.1.7.2 Event Report Control Capability . . . . . E-20
      - E.5.1.7.3 Additional Event Report Content . . . . . E-20

**Appendix F: Translation Type Mapping Function**

- F.1 Introduction . . . . . F-1
- F.2 Definition of Terms . . . . . F-1
- F.3 Translation Type Mapping Function . . . . . F-1
  - F.3.1 Scope of Activation . . . . . F-2
  - F.3.2 SCCP UDT and XUDT Messages . . . . . F-2
  - F.3.3 Incoming and Outgoing Messages . . . . . F-2
  - F.3.4 Gateway Screening . . . . . F-3
- F.4 STP Operations Requirements for Translation Type Mapping . . . . . F-3
  - F.4.1 STP Provisioning Requirements . . . . . F-3
    - F.4.1.1 User's View of Translation Type Mapping Provisioning Data . . . . F-4
    - F.4.1.2 User's View of Data Operations . . . . . F-5
    - F.4.1.3 Database Management Functions . . . . . F-5
  - F.4.2 STP Performance Management . . . . . F-6
    - F.4.2.1 Measurement Requirements . . . . . F-6
      - F.4.2.1.1 System Total Measurements . . . . . F-6
      - F.4.2.1.2 Translation Type Measurements . . . . . F-6
      - F.4.2.1.3 Gateway Link Set Measurements . . . . . F-6
  - F.4.3 Event Reporting . . . . . F-7
    - F.4.3.1 Message Tracking Capability . . . . . F-7
- F.5 Performance Requirements . . . . . F-7

**Appendix G: Priority Processing of Network Management Tasks in STPs**

- G.1 Introduction . . . . . G-1
- G.2 Monitoring of NM Processor Occupancy . . . . . G-3
- G.3 STP NM Task Prioritization . . . . . G-3
  - G.3.1 Signaling Traffic Management (STM) Functions . . . . . G-4
    - G.3.1.1 Changeover/Changeback Procedures . . . . . G-4
    - G.3.1.2 Forced/Controlled Rerouting Procedures . . . . . G-5
    - G.3.1.3 MTP Restart Procedures . . . . . G-5

G.3.1.4 Link Inhibiting/Uninhibiting . . . . .	G-6
G.3.1.5 Signaling Traffic Flow Control . . . . .	G-6
G.3.1.6 Ranking of STM Tasks . . . . .	G-6
G.3.2 Signaling Route Management (SRM) Functions . . . . .	G-7
G.3.3 Signaling Link Management (SLM) Functions . . . . .	G-8
G.3.4 SCCP Management Functions . . . . .	G-9
G.4 Priority Assignments for NM Tasks . . . . .	G-10
G.5 NM Task Validation . . . . .	G-10

**Appendix H: Guidelines to Determine GTT Table Sizes**

H.1 Introduction . . . . .	H-1
H.2 General Assumptions . . . . .	H-1
H.3 Worst-Case Estimates . . . . .	H-2
H.4 Refining Worst-Case Estimates . . . . .	H-3
H.5 Related Issues . . . . .	H-3

**Appendix I: Estimates of GTT Capacity**

I.1 Introduction . . . . .	I-1
I.2 Services and Service-Related Assumptions . . . . .	I-1
I.3 Network Architectures . . . . .	I-4
I.3.1 Network Model 1 . . . . .	I-5
I.3.1.1 Model 1.a . . . . .	I-5
I.3.1.2 Model 1.b . . . . .	I-5
I.3.1.3 Model 1.c . . . . .	I-6
I.3.1.4 Model 1.d . . . . .	I-6
I.3.2 Network Model 2 . . . . .	I-6
I.3.2.1 Model 2.a . . . . .	I-6
I.3.2.2 Model 2.b . . . . .	I-7
I.3.2.3 Model 2.c . . . . .	I-7
I.3.2.4 Model 2.d . . . . .	I-7
I.3.3 Network Model 3 . . . . .	I-7
I.3.3.1 Model 3.a . . . . .	I-8
I.3.3.2 Model 3.b . . . . .	I-8
I.3.3.3 Model 3.c . . . . .	I-8
I.3.4 Network Model 4 . . . . .	I-8
I.4 Service Impacts on GTT Information . . . . .	I-9
I.4.1 Traffic Mix and GTT Information . . . . .	I-9
I.4.2 SIS Impacts on GTT Capacity . . . . .	I-10
I.5 Results . . . . .	I-10

**Appendix J: Operations Requirements for Selected SCCP Functions**

J.1 Operations Support for XUDT Capabilities . . . . .	J-1
J.1.1 Configuration Management for XUDT Processing . . . . .	J-1
J.1.1.1 XUDT Capability Indicators for SCCP Destinations . . . . .	J-2
J.1.1.2 UDT-to-XUDT Message Change Global Enable/Disable Indicator . . . . .	J-3
J.1.1.3 Non-Expendable Unrecognized Optional Parameter List for XUDT-to-UDT Conversion . . . . .	J-5
J.1.1.4 Common CM Interface Requirements for XUDT Parameters . . . . .	J-7
J.1.2 Fault Management: XUDT Event-Reporting Requirements . . . . .	J-7

J.1.3 Performance Management for XUDT Processing:	
Network Data Collection (NDC) Requirements . . . . .	J-10
J.1.3.1 XUDT Measurement Collection and Reporting . . . . .	J-11
J.1.3.2 Operations Interface Support for XUDT Measurements . . . . .	J-12
J.2 Operations Requirements for the Two-Step GTT Function . . . . .	J-16
J.2.1 Overview . . . . .	J-16
J.2.2 Configuration Management Requirements for Consolidated GTTs . . . . .	J-17
J.2.2.1 Provisioning Data Elements . . . . .	J-17
J.2.2.1.1 Two-Step GTT: Application Group . . . . .	J-18
J.2.2.1.2 Two-Step GTT: Consolidated Global Title Translation . . . . .	J-20
J.2.2.2 Data Operations . . . . .	J-22
J.2.2.2.1 Two-Step GTT: Application Group . . . . .	J-22
J.2.2.2.2 Two-Step GTT: Consolidated GTT . . . . .	J-22
J.2.2.3 Database Management Functions . . . . .	J-23
J.2.3 Performance Management Requirements for Consolidated GTTs . . . . .	J-23
J.2.4 Return Cause Parameters . . . . .	J-23
J.2.5 Fault Management Requirements for Consolidated GTTs . . . . .	J-24

## Appendix K: Additional Signaling Link Interfaces

K.1 ATM High-Speed Signaling Links Using the SAAL Protocol . . . . .	K-1
K.1.1 Deployment Drivers . . . . .	K-1
K.1.1.1 Intranetwork Increased Link Capacity . . . . .	K-2
K.1.1.2 Use in Network Interconnection . . . . .	K-4
K.1.2 Protocol Architecture . . . . .	K-4
K.1.2.1 STP Supporting 56-kb/s MTP2 Links and ATM HSLs . . . . .	K-4
K.1.2.2 STP Supporting ATM HSLs Only . . . . .	K-6
K.1.3 Network Management Considerations . . . . .	K-6
K.1.3.1 Exclusion of ATM HSLs from the MTP3 Link Oscillation Filter (LOF) . . . . .	K-6
K.1.3.2 Unwanted Interactions between the MTP3 LOF Procedure B and the SAAL SSCF Timer T2 . . . . .	K-7
K.1.3.3 Interactions Between SSCF Timer T2 and MTP3 Timer T17/T1.111.4 . . . . .	K-9
K.1.3.4 Conclusions Regarding SSCF Timer T2 . . . . .	K-10
K.1.4 STP Database Updates and Data Operations for ATM HSLs . . . . .	K-10
K.2 IPVHSLs Using the M2PA Protocol . . . . .	K-11
K.2.1 Deployment Drivers . . . . .	K-11
K.2.1.1 Intranetwork Increased Link Capacity . . . . .	K-11
K.2.1.2 Use in Network Interconnection . . . . .	K-13
K.2.2 IPVHSL Protocol Architecture . . . . .	K-14
K.2.3 STP Database Updates and Data Operations for IPVHSLs . . . . .	K-15
K.2.4 IPVHSL Event Report Types . . . . .	K-16
K.2.5 IPVHSL Link Measurements . . . . .	K-17
K.2.5.1 Overview of IPVHSL Measurement Requirements . . . . .	K-17
K.2.5.2 Clarifications Regarding Measurement Differences for M2PA Links . . . . .	K-18
K.2.6 SCTP Layer Considerations . . . . .	K-20
K.2.6.1 SCTP Specification . . . . .	K-20
K.2.6.2 SCTP Implementation Considerations . . . . .	K-21
K.2.6.2.1 SCTP Association Multi-Homing . . . . .	K-21

K.2.6.2.2 SCTP Procedural Clarifications . . . . . K-34

**Appendix L: References**

**Appendix M: Acronyms and Glossary**

M.1 Acronyms . . . . . M-1  
M.2 Definitions of Terms . . . . . M-8

**Requirement-Object Index**

## List of Figures

Figure 1-1	CCS Generic Requirements Guide Diagram . . . . .	1-2
Figure 2-1	CCS Network . . . . .	2-6
Figure 2-2	Example of CCS Network Architecture . . . . .	2-7
Figure 2-3	Topological View of a CCS Network . . . . .	2-8
Figure 3-1	A-Link Set Capacity Planning with 2-Way Diversity . . . . .	3-7
Figure 3-2	B/D-link Set Capacity Planning with 3-Way Diversity . . . . .	3-8
Figure 4-1	Relationship Between Far-End PC of Link Sets at STPs and Primary PC of Multiple PC SPCS . . . . .	4-123
Figure 4-2	Adjacent STP View of a Multiple PC SPCS . . . . .	4-123
Figure 4-3	Example of Routing Priorities in the Presence of E-links . . . . .	4-124
Figure 5-1	Entities . . . . .	5-56
Figure 5-2	Relationship . . . . .	5-56
Figure 5-3	Associative Entity . . . . .	5-57
Figure 5-4	Composite Entity . . . . .	5-57
Figure 5-5	Dependent Entity . . . . .	5-58
Figure 5-6	Subtype Entity . . . . .	5-58
Figure 5-7	Multi-Source Role Entity . . . . .	5-59
Figure 5-8	MTP Routing Data Model . . . . .	5-60
Figure 5-9	SCCP Routing Data Model . . . . .	5-61
Figure 5-10	Generalization/Abstractions for Gateway Screening . . . . .	5-62
Figure 5-11	Gateway Screening Data Model . . . . .	5-63
Figure 9-1	Access and Backbone Network . . . . .	9-10
Figure A-1	Message Looping Without the 1st Additional Rule for Preventive TFP/TCPs . . . . .	A-3
Figure A-2	Message Looping Without the 2nd Additional Rule for Preventive TFP/TCPs . . . . .	A-4
Figure C-1	MSU Format at MTP Level 3 for SI Expansion . . . . .	C-17
Figure C-2	Extended Service Indicator Octet . . . . .	C-18
Figure C-3	Interaction Among Functionalities of MTP and SCCP Processing and Gateway Screening . . . . .	C-19
Figure C-4	Possible Flow of MTP Screening Steps . . . . .	C-20
Figure C-5	Possible Flow of Screening Steps for MTP Network Management Messages, SCCP, SCCP Management, and ISDNUP Messages . . . . .	C-20
Figure D-1	Model Network Configuration . . . . .	D-29
Figure D-2	Three-Level Architecture Model . . . . .	D-30
Figure E-1	INS SDL (Sheet 1 of 4) . . . . .	E-9
Figure E-2	INS SDL (Sheet 2 of 4) . . . . .	E-10
Figure E-3	INS SDL (Sheet 3 of 4) . . . . .	E-11
Figure E-4	INS SDL (Sheet 4 of 4) . . . . .	E-12
Figure G-1	Network Management Priority Processing Conceptual View . . . . .	G-2
Figure I-1	Network Model 1 . . . . .	I-5
Figure I-2	Network Model 2 . . . . .	I-6
Figure I-3	Network Model 3 . . . . .	I-7
Figure I-4	Network Model 4 . . . . .	I-8
Figure K-1	Example of CCS Network Architecture with STP to SCP HSLs . . . . .	K-2
Figure K-2	Example of CCS Network Architecture with STP to STP HSLs . . . . .	K-3
Figure K-3	SS7 56-kb/s Links and ATM HSL Protocol Model . . . . .	K-5

Figure K-4	Example of CCS Network Architecture with STP to SCP IPVHSLs	K-12
Figure K-5	Example of CCS Network Architecture with STP-to-STP IPVHSLs	K-13
Figure K-6	IPVHSL Protocol Stack . . . . .	K-15
Figure K-7	Single SS7 M2PA Link on a Uni-homed SCTP Association . . . . .	K-22
Figure K-8	Single SS7 M2PA Link on a Multi-homed SCTP Association (2 Paths) . . . . .	K-23
Figure K-9	Single SS7 M2PA Link on a Multi-homed SCTP Association (4 Paths) . . . . .	K-24
Figure K-10	2-Link SS7 M2PA Link Set Over Uni-homed SCTP Associations . .	K-24
Figure K-11	2-Link M2PA Link Set Over Multi-homed SCTP Associations . . .	K-25

## List of Tables

Table 4-1	Example Routeset Provisioning with Cluster Routing and E-Links . . . . .	4-8
Table 4-2	Network Management Procedures for Which Performance Requirements Are Provided . . . . .	4-20
Table 5-1	Mapping of STP Generic Provisioning Data Operations to CCS OS - STP Interface RC&V Commands . . . . .	5-44
Table 6-1	Ranges and Provisional Values for Timers . . . . .	6-50
Table 9-1	Summary of MTP STP Downtime Requirements and Objectives . . . . .	9-5
Table 9-2	Summary of STP Downtime Requirements and Objectives for All Causes . . . . .	9-6
Table 9-3	STP Node Processing Time . . . . .	9-7
Table 9-4	Link Output Delay . . . . .	9-8
Table 9-5	Cross-STP Transport Time . . . . .	9-9
Table B-1	MTP Message Information . . . . .	B-2
Table B-2	SCCP Unitdata Message Information . . . . .	B-4
Table B-3	SCCP Information for Unitdata Messages Sent by SSP to the STP . . . . .	B-7
Table B-4	SCCP Information for Toll-Free Service Messages After Global Title Translation . . . . .	B-9
Table C-1	Example of Allowed OPC Table . . . . .	C-4
Table C-2	Example of Blocked OPC Table . . . . .	C-4
Table D-1	STP Actions Upon Receipt of a TFX or TCX Message . . . . .	D-11
Table D-2	STP Actions Upon Receipt of TFX and TCX Messages . . . . .	D-13
Table D-3	STP Actions for Cluster Routing and Management Diversity . . . . .	D-15
Table D-4	STP Messages Upon Receipt of Undeliverable Message . . . . .	D-19
Table D-5	STP Criteria for Sending Test Messages . . . . .	D-21
Table D-6	STP Actions Upon Receipt of Test Messages . . . . .	D-24
Table E-1	SCCP Intermediate Network Selection Parameter . . . . .	E-3
Table E-2	Example “Wildcard” Translation Type Provisioning . . . . .	E-16
Table G-1	Guidelines for NM Task Priority Assignments at STPs . . . . .	G-11
Table G-2	Validation Matrix for Lower Priority Tasks . . . . .	G-12
Table H-1	Worst-Case Estimates . . . . .	H-2
Table I-1	Number of GTTs Per Call and Relative Service Penetration . . . . .	I-4
Table I-2	Traffic Mix for Messages Received at STPs on A-Links From Adjacent SSPs . . . . .	I-9
Table I-3	Traffic Mix for Messages Received at RSTP Pair on D-links From LSTP Pairs . . . . .	I-9
Table I-4	Number of Translations at a STP Adjacent to SSPs Sending TCAP Messages . . . . .	I-10
Table I-5	Number of Translations at a RSTP Connected to LSTP Pair(s) . . . . .	I-11
Table I-6	STP Node Processing Time . . . . .	I-12
Table J-1	STP XUDT Measurements Mapping to GR-310-CORE Interface Standardized Data Groupings and Register Labels . . . . .	J-13

