

# Contents

|  |     |
|--|-----|
| <b>Notice Of Disclaimer</b> . . . . .  | iii |
| <b>List of Figures</b> . . . . .   | vii |
| <b>1 Introduction</b>  |     |
| 1.1 Purpose and Scope . . . . .  | 1-1 |
| 1.2 Summary of Changes . . . . .   | 1-1 |
| 1.3 Organization . . . . .   | 1-2 |
| <b>2 General Information</b>   |     |
| 2.1 Description . . . . .  | 2-1 |
| 2.2 Preparing Stripped Fibers . . . . .  | 2-1 |
| 2.3 Analysis Criteria . . . . .  | 2-1 |
| <b>3 General Requirements</b>  |     |
| 3.1 Documentation . . . . .  | 3-1 |
| 3.1.1 Practices . . . . .  | 3-1 |
| 3.1.2 Work Center Information Package . . . . .  | 3-1 |
| 3.1.3 Instructions . . . . .   | 3-1 |
| 3.2 Marking, Packaging, and Shipping . . . . .   | 3-2 |
| 3.2.1 Marking . . . . .  | 3-2 |
| 3.2.2 Packaging and Shipping . . . . .   | 3-2 |
| 3.3 Quality and Reliability . . . . .  | 3-2 |
| 3.3.1 Product Reliability Audit . . . . .  | 3-2 |
| 3.3.2 Product Quality Audit . . . . .  | 3-3 |
| 3.3.3 Initial Product Qualification and Periodic Requalification . . . . .                             | 3-3 |
| <b>4 Performance Requirements and Objectives</b>   |     |
| 4.1 General Functional Requirements for Single and Multi-Fiber Strippers . . . . .                     | 4-1 |
| 4.2 Coating Strippability . . . . .  | 4-1 |
| 4.2.1 Coating Strippability – Single Fiber – 250 $\mu$ m Protective Coating . . . . .                  | 4-1 |
| 4.2.2 Coating Strippability – Single Fiber – 900 $\mu$ m Buffer Coating . . . . .                      | 4-3 |
| 4.2.3 Coating Strippability – Ribbon and Ribbonized Fibers . . . . .                                   | 4-4 |
| 4.3 Fiber Tensile Strength . . . . .   | 4-5 |
| 4.3.1 Center Strip – Single Fiber – 250 $\mu$ m Protective Coating . . . . .                           | 4-5 |
| 4.3.2 End Strip, 250 $\mu$ m Protective Coating, 900 $\mu$ m Buffer Coating, and Fiber Ribbon. . . . . | 4-5 |
| 4.4 Tool Life . . . . .  | 4-7 |
| 4.5 Environmental Exposure – Single and Multi-Fiber Strippers . . . . .                                | 4-7 |
| 4.5.1 Storage Environment . . . . .  | 4-7 |
| 4.5.2 Drop Test . . . . .  | 4-7 |
| 4.5.3 Vibration and Dust Exposure . . . . .  | 4-8 |

4.5.4 Battery Life – Heat Stripper . . . . . 4–8

**5 Performance Verification/Test Procedure**

5.1 Test Program . . . . . 5–1

5.2 Coating Strippability . . . . . 5–1

5.2.1 Coating Strippability – 250 µm Protective Coating . . . . . 5–1

5.2.2 Coating Strippability – 900 µm Buffer Coating . . . . . 5–1

5.2.3 Coating Strippability – Ribbon and Ribbonized Fiber . . . . . 5–2

5.3 Fiber Tensile Strength Test . . . . . 5–3

5.3.1 Center Strip – 250 µm Protective Coating . . . . . 5–3

5.3.1.1 Pretest Baseline for 250 µm Protective Coating . . . . . 5–3

5.3.1.2 Tensile Test 250 µm Coated Fiber . . . . . 5–3

5.3.2 Fiber Tensile Strength Test – End Strip – 250 and 900 µm Fiber . . . . . 5–4

5.3.2.1 Pretest Baseline – End Strip – 250 µm and 900 µm Fiber . . . . . 5–6

5.3.2.2 Tensile Test – 250 µm and 900 µm Fiber . . . . . 5–6

5.3.2.3 Fiber Tensile Strength Test – End Strip – Fiber Ribbon . . . . . 5–6

5.4 Tool Life Test . . . . . 5–8

5.5 Environmental Exposure – Single and Multi-Fiber Strippers . . . . . 5–8

5.5.1 Storage Environment . . . . . 5–8

5.5.2 Drop Test . . . . . 5–9

5.5.3 Vibration and Dust Exposure . . . . . 5–9

5.5.4 Battery Life – Heat Stripper . . . . . 5–9

**Appendix A: References**

Related Documents . . . . . References–1

**Requirement-Object Index**

## List of Figures

|            |   |     |
|------------|---|-----|
| Figure 4-1 | Minimum Fiber Strip Length – 250 $\mu\text{m}$ Protective Coating . . . . .           | 4-2 |
| Figure 4-2 | Minimum Fiber Strip Length – 900 $\mu\text{m}$ Buffer Coating . . . . .               | 4-3 |
| Figure 4-3 | Stripped Ribbon or Ribbonized Fiber . . . . .   | 4-5 |
| Figure 5-1 | Tensile Testing – Center Strip 250 $\mu\text{m}$ Coated Fiber . . . . .               | 5-4 |
| Figure 5-2 | Test Fixture – End Strip – 250 and 900 m Coated Fiber . . . . .                       | 5-5 |
| Figure 5-3 | Tensile Testing – End Strip – 250 $\mu\text{m}$ and 900 $\mu\text{m}$ Fiber . . . . . | 5-5 |
| Figure 5-4 | Stripped Ribbon Fibers – Card Test Fixture . . . . .                                  | 5-7 |
| Figure 5-5 | Tensile Testing Stripped Ribbon Fibers . . . . .                                      | 5-8 |