

---

# Customer Premises Equipment Compatibility Guidelines for the Analog Display Services Interface (ADSI)

## Contents

1.	Introduction .....	1-1
1.1	Purpose .....	1-1
1.2	Definitions .....	1-3
1.3	Background and Overview .....	1-3
1.4	Related Documents .....	1-4
1.5	Scope .....	1-4
1.6	Summary of Changes .....	1-5
2.	Abstract CPE.....	2-1
2.1	Server Display Control (SDC) Components .....	2-1
2.1.1	Display .....	2-1
2.1.1.1	Information Display Page .....	2-2
2.1.1.2	Communication Display Page .....	2-5
2.1.1.3	Formatting Virtual Display Page Lines .....	2-6
2.1.1.4	Displaying Character Attributes .....	2-7
2.1.1.5	Displaying Lines .....	2-7
2.1.1.6	Global Title .....	2-8
2.1.1.7	Active Line .....	2-8
2.1.2	Feature Keys .....	2-9
2.1.2.1	SDC Soft Key Definer Table .....	2-9
2.1.2.2	Line Up and Down Keys .....	2-11
2.1.2.3	Soft Key Tuples .....	2-11
2.1.2.4	Default Soft Key Tuple.....	2-15
2.1.2.5	Automatic Select.....	2-16
2.1.2.6	Return Strings .....	2-16
2.1.2.7	Return String Control Codes .....	2-18
2.1.3	Call and Session Information .....	2-24
2.1.3.1	Call Reference Buffers .....	2-24
2.1.3.2	Current Line Number Buffer .....	2-28
2.1.3.3	Input Buffer .....	2-28
2.1.3.4	Input Format Table .....	2-29
2.1.3.5	Information Flags.....	2-29
2.1.3.6	CPE ID and CPE Configuration .....	2-31
2.1.4	Off-hook CPE Modes.....	2-32
2.2	Feature Download Management (FDM) Components.....	2-34
2.2.1	FDM Page .....	2-35
2.2.1.1	FDM Display .....	2-35

---

2.2.2	FDM Security and Maintenance .....	2-36
2.2.2.1	Off-hook Feature Downloads .....	2-37
2.2.2.2	Automatic Feature Downloads .....	2-38
2.2.2.3	Feature Download Buffer .....	2-40
2.2.2.4	Optional Notice Displays.....	2-40
2.3	CPE Resident Script Components.....	2-41
2.3.1	Display .....	2-42
2.3.1.1	Status Display Page .....	2-42
2.3.1.2	Predefined Display Table .....	2-42
2.3.1.3	Formatting the Predefined Display Lines .....	2-44
2.3.1.4	Displaying Predefined Display Line Character Attributes ..	2-44
2.3.1.5	Displaying Predefined Display Lines .....	2-44
2.3.2	Feature Keys .....	2-44
2.3.2.1	Script Soft Key Definer Table .....	2-44
2.3.2.2	Script Soft Key Return Strings .....	2-45
2.3.2.3	Up and Down Keys.....	2-50
2.3.3	Script Information .....	2-50
2.3.3.1	Call Reference Buffers .....	2-50
2.3.3.2	Input Buffer .....	2-51
2.3.3.3	Information Flags used by Scripts .....	2-51
2.3.3.4	Script Flags .....	2-51
2.3.3.5	Script State.....	2-51
2.3.3.6	Event Queue.....	2-51
2.3.4	Script Triggering Events .....	2-52
2.3.5	Script Operation Codes .....	2-58
2.3.6	Script Interpreter .....	2-68
2.3.6.1	Starting and Ending a Script.....	2-73
2.3.6.2	Default Script.....	2-73
2.3.6.3	Expanded Default Script Option.....	2-74
2.3.6.4	Script Example.....	2-74
2.4	Idle State Settings.....	2-76
3.	Server - CPE Communications .....	3-1
3.1	Signal Detection and Generation - Physical Layer .....	3-1
3.1.1	FSK Data Transmission Interface .....	3-1
3.1.2	Timer Drift .....	3-1
3.1.3	CPE Signal Detection and Generation .....	3-2
3.1.3.1	Signal Detection.....	3-2
3.1.3.1.1	CPE Alerting Signal (CAS) .....	3-2
3.1.3.1.2	Call Progress Tones .....	3-2
3.1.3.1.3	Power Ringing .....	3-4
3.1.3.1.4	On-Hook/Off-Hook .....	3-5
3.1.3.1.5	Extension in Use .....	3-5
3.1.3.2	Signal Generation .....	3-5

---

---

3.1.3.2.1	Dual-Tone Multifrequency (DTMF) .....	3-5
3.1.3.2.2	Dial Pulse One .....	3-6
3.1.3.2.3	Disconnect and Switch-hook Flash .....	3-6
3.2	Second Layer - Datalink Layer .....	3-7
3.2.1	Server-CPE Handshaking Signals.....	3-7
3.2.2	Datalink Error Detection .....	3-9
3.2.3	ADSI Datalink Message Frame Format.....	3-12
3.3	Third Layer - Message Layer .....	3-12
3.3.1	Non-ADSI Messages.....	3-13
3.3.1.1	ADSI On-Hook Alerting (AOHA) .....	3-13
3.4	CPE Error Treatment.....	3-14
3.4.1	Data Structures .....	3-14
3.4.2	Data Transmission Interruption .....	3-14
3.4.3	Incorrect Message Sequencing.....	3-15
3.4.4	Errors in CPE Detection of Network Signaling .....	3-15
3.4.5	CPE Inability to Generate Network Signaling.....	3-16
4.	ADSI Data Message Parameters .....	4-1
4.1	Server Display Control Message Parameters .....	4-1
4.2	Feature Download Message Parameters .....	4-2
5.	Requirements and Considerations for Physical CPE .....	5-1
5.1	Display .....	5-4
5.1.1	Display Size .....	5-4
5.1.2	Displaying Virtual and Status Display Pages .....	5-5
5.1.2.1	Wrapping Indicator.....	5-5
5.1.2.2	Formatting Virtual and Status Display Pages .....	5-6
5.1.3	Displaying Characters .....	5-11
5.1.3.1	Character Attributes.....	5-11
5.1.3.2	Character Sets .....	5-11
5.1.4	Cursor.....	5-12
5.1.5	Active Line Indication .....	5-12
5.1.6	Automatic Select Indication.....	5-12
5.1.7	Display Interaction between SDC and Script Applications .....	5-13
5.2	Soft Keys.....	5-15
5.3	Local Scrolling.....	5-15
5.3.1	Active Logical Section Buffer .....	5-16
5.3.2	Active Soft Key Definer Buffer .....	5-16
5.3.3	Local Global Title Copy .....	5-16
5.3.4	Scrolling Up and Down.....	5-16
5.4	Alphanumeric Input .....	5-18
5.5	Manual Operation.....	5-18
5.6	Extension Phones .....	5-18
5.6.1	Multiple Extension Off-Hook Capability .....	5-19
5.7	Support for Peripherals .....	5-19

---

---

5.8	Adjunct Implementation.....	5-20
5.8.1	Pocket Data Organizer Implementation.....	5-20
5.9	Local CPE Functionality.....	5-21
5.9.1	Displaying Caller ID and Caller ID on Call Waiting (CIDCW).....	5-21
5.9.2	Return String Dialed Number Display.....	5-22
5.9.3	Local Display of User Input.....	5-22
5.9.4	Guidelines for Downloading the Initial Service Script.....	5-22
5.9.5	On-Hook Activation of Scripts Through the FDM Page.....	5-22
5.9.6	Local Call Log.....	5-23
5.9.7	Local Automatic Dialing Function.....	5-23
5.9.8	ADSI and Internet/World Wide Web Consumer Devices.....	5-24
5.10	Interaction Between an SDC Session and Caller ID on Call Waiting (CIDCW) .	5-25
5.11	Number of Script Slots.....	5-26
5.12	Assigning CPE ID.....	5-26
5.13	System Clock.....	5-26
5.14	ADSI Memory Requirements.....	5-26
5.14.1	Virtual Display Pages.....	5-26
5.14.2	SDC Soft Key Definer Table.....	5-27
5.14.3	Call Reference Buffers.....	5-28
5.14.4	Input Buffer.....	5-28
5.14.5	Input Format Table.....	5-28
5.14.6	Default Soft Key Tuple.....	5-28
5.14.7	Current Line Number Buffer.....	5-28
5.14.8	Service Script and Associated Tables.....	5-28
5.14.8.1	Script Flags.....	5-29
5.14.8.2	CPE Script Soft Key Definer Table.....	5-29
5.14.8.3	Predefined Display Table.....	5-29
5.14.8.4	Service Script.....	5-29
5.14.9	Summary of Memory Requirement.....	5-30
5.15	Data Preservation.....	5-31
5.16	Industry Standards and FCC Regulations.....	5-31
5.17	Additional Considerations for Two-Line ADSI CPE.....	5-31
Appendix A: Components of the Abstract CPE.....		A-1
Appendix B: Samples of Service Scripts.....		B-1
Appendix C: ADSI CPE Considerations for Call Waiting Deluxe.....		C-1
C.1	User Interface -- High Level Feature Description.....	C-1
C.2	CWD Feature Download Data.....	C-3
C.3	Limitations and Restrictions.....	C-5
C.4	Flow Diagrams: CWD from the ADSI CPE Perspective.....	C-7
References.....		References-1
Glossary.....		Glossary-1

---

---

## List of Figures

Figure 2-1.	Primary and Secondary Columns .....	2-2
Figure 2-2.	Information Display Page Components.....	2-2
Figure 2-3.	Logical Sections of the Information Display Page.....	2-3
Figure 2-4.	Communication Display Page Components .....	2-6
Figure 2-5.	Soft Key Tuples .....	2-13
Figure 2-6.	Implementation of Section Up/Down Definers.....	2-14
Figure 2-7.	Line Soft Key Tuples and the Default Soft Key Tuple .....	2-15
Figure 2-8.	Soft Keys and their Return Strings .....	2-17
Figure 2-9.	CPE Mode Flow Chart .....	2-33
Figure 2-10.	FDM Display Example.....	2-36
Figure 2-11.	Example Feature Download Acceptance Prompt.....	2-37
Figure 2-12.	AOHA and Automatic Feature Download Initiation Timing.....	2-38
Figure 2-13.	Predefined Display Page Components .....	2-42
Figure 2-14.	Parsing “Branch on Event” Op-code 1 .....	2-60
Figure 2-15.	Script Interpreter Flow Chart 1 (Script Activation).....	2-69
Figure 2-16.	Script Interpreter Flow Chart 2 (Reading Op-Codes Loop).....	2-70
Figure 2-17.	Script Interpreter Flow Chart 3 (Branch And Jump Op-Codes).....	2-71
Figure 2-18.	Script Interpreter Flow Chart 4 (Remaining Op-Codes) .....	2-72
Figure 2-19.	Example Script: Stable Two-Party Call State.....	2-75
Figure 2-20.	Example Script: Caller ID on Call Waiting State.....	2-75
Figure 3-1.	..... Server-CPE Handshaking Timing.....	3-9
Figure 3-2.	..... ADSI Cyclic Redundancy Check (CRC) Flowchart.....	3-11
Figure 3-3.	..... ADSI Data Message Format (ADMF).....	3-12
Figure 3-4.	..... CP-E ID Parameter of the MDMF “Call Setup” Message for AOHA.....	3-14
Figure 5-1.	..... Possible ADSI CPE Physical Display Layouts.....	5-2
Figure 5-2.	..... Other Possible ADSI CPE Physical Display Layouts.....	5-3
Figure 5-3.	..... 20-Character Display with Global and Section Prompts Displayed.....	5-4
Figure 5-4.	..... 40-Character Displays with Global and Section Prompts Displayed.....	5-4
Figure 5-5.	..... 20-Column, 4-Line Display With 3 Lines Occupied By Soft Key Labels.....	5-6
Figure 5-6.	..... Displaying Lines With Centered Formatting.....	5-7
Figure 5-7.	..... Displaying Lines With Left Justified Formatting.....	5-8
Figure 5-8.	..... Displaying Lines With Right Justified Formatting.....	5-9
Figure 5-9.	..... Displaying Lines With Indented Formatting.....	5-10
Figure 5-10.	..... Automatic Select Function Implementation with Vertical Soft Keys .....	5-13
Figure 5-11.	..... Automatic Select Function Implementation with Horizontal Soft Keys .....	5-13

---

Figure 5-12. .... Interaction Between Local Scrolling and Input Format 5-17  
Figure 5-13. .... CAS Tone/Data Burst Interruption Timing Diagram 5-25  
Figure A-1..... Abstract CPE Components (Sheet 1 of 4) A-1  
Figure C-1..... CWD Session at an ADSI CPE (Sheet 1 of 3) C-8

## List of Tables

Table 1-1.	CPE Types and Supported Features .....	1-2
Table 1-2.	Mapping SR-INS-002461 Sections to SR-2461 Sections .....	1-10
Table 2-1.	Example Information Display Page (with null lines) for a Voice Mail Service	2-4
Table 2-2.	Undefined Line in the Information Display Page .....	2-8
Table 2-3.	Soft Key Definer Table - Using Service Defined Return Strings .....	2-10
Table 2-4.	Soft Key Definer Table - Using the Default Return Strings .....	2-11
Table 2-5.	Return String Control Codes .....	2-18
Table 2-6.	Return String Control Codes Available for CPE-Resident Scripts .....	2-45
Table 2-7.	Event Code Table .....	2-53
Table 2-8.	Script Interpreter Operation Codes and Parameters .....	2-59
Table 2-9.	Parameters Associated with Script Instructions .....	2-67
Table 2-10.	Script Soft Key Table for the Sample Service Script .....	2-75
Table 2-11.	Predefined Display Table for the Sample Service Script .....	2-76
Table 3-1.	Audible Tones: Frequency Components and Alerting Cadences .....	3-3
Table 3-2.	Audible Tones: Power Levels .....	3-4
Table 3-3.	Alerting Cadences .....	3-4
Table 3-4.	DTMF Frequencies .....	3-6
Table 3-5.	DTMF Tone Power Limits .....	3-6
Table 3-6.	Server-CPE Handshaking Timing .....	3-8
Table 3-7.	Message Types for ADSI Messages .....	3-12
Table 4-1.	Server Display Control Parameters .....	4-1
Table 4-2.	Feature Download Parameters .....	4-2
Table 5-1.	Summary of Memory Requirements .....	5-30
Table C-1.	Telephony Script Soft Key Table - CWD Entries .....	C-3
Table C-2.	Telephony Predefined Display Table -- CWD Entries .....	C-5