

---

# Ordering and Provisioning Carrier-to-Carrier ATM Interconnections

## Contents

## [Telcordia SR-3337-Documentation Information](#)

1. Introduction .....	1-1
1.1 Intended Audience and Scope .....	1-1
1.2 Purpose .....	1-2
1.3 Terminology .....	1-3
1.4 Carrier-to-Carrier ATM Interconnections, and the ATM Forum's B-ICI .....	1-4
1.5 Key Related Documents .....	1-5
1.6 Organization .....	1-7
2. General Ordering and Provisioning Guidelines .....	2-1
2.1 Ordering and Provisioning Background.....	2-1
2.1.1 Service Negotiation (Including the ASOG Process) .....	2-1
2.1.2 Issuance and Confirmation of the Design Layout Report (DLR) .....	2-3
2.1.3 Pre-Service Testing .....	2-4
2.2 Ordering and Provisioning of a Multiservice ATM Interconnection: A Layered Approach .....	2-4
2.3 Interim Procedures for Ordering ATM Interconnection .....	2-7
2.4 Long-Term Procedures for Ordering ATM Interconnection.....	2-7
2.4.1 Overview of Relevant Standards Committees and Forums .....	2-8
2.4.2 Current and Future Directions in the OBF .....	2-11
3. ATM Background, and Interconnection Configurations .....	3-1
3.1 ATM Background .....	3-1
3.1.1 ATM Technology and Services .....	3-1
3.1.2 ATM Virtual Paths and Virtual Channels .....	3-2
3.1.3 ATM Service Classes, and Service Categories .....	3-4
3.1.4 The ATM Adaptation Layer (AAL).....	3-5
3.1.5 ATM QoS Classes .....	3-6
3.1.6 PVCs and SVCs .....	3-7
3.2 ATM Interconnection Configurations .....	3-7
4. Ordering and Provisioning a Physical ATM Interface.....	4-1
4.1 Physical-Level Parameters .....	4-1
4.2 Per Physical Interface ATM Parameters .....	4-3
5. Ordering and Provisioning ATM PVC Connections .....	1
5.1 PVC Ordering and Provisioning Procedures.....	1
5.2 ATM PVC Parameters .....	2
5.3 Additional ATM PVC Information .....	8
6. Ordering and Provisioning XA-PVC-CRS .....	6-1

---

7.	Ordering and Provisioning XA-PVC-FRS Over an ATM Connection.....	7-1
7.1	Frame Relay Overview.....	7-1
7.2	Ordering and Provisioning Procedures .....	7-2
7.3	Parameters of an ATM PVC that Supports XA-PVC-FRS.....	7-2
7.4	AAL5 and FRS-Specific Parameters for XA-PVC-FRS over ATM.....	7-2
8.	Ordering and Provisioning XA-PVC-CES Over an ATM Connection .....	8-1
8.1	CES Overview.....	8-1
8.2	Ordering and Provisioning Procedures .....	8-2
8.3	Parameters of an ATM PVC that Supports XA-PVC-CES.....	8-2
8.4	AAL1 and CES-Specific Parameters for XA-PVC-CES over ATM.....	8-2
9.	Ordering and Provisioning XA-SMDS Over an ATM Connection.....	9-1
9.1	SMDS Overview .....	9-1
9.2	Ordering and Provisioning Procedures .....	9-2
9.3	Parameters of an ATM PVC that Supports XA-SMDS .....	9-2
9.4	AAL3/4 and SMDS-Specific Parameters for XA-SMDS over ATM.....	9-3
10.	Ordering and Provisioning Signaling Links, and the VPCs They Control .....	10-1
10.1	Signaling Overview .....	10-1
10.2	Provisioning a BISUP Signaling Link Over an ATM PVC .....	10-2
10.2.1	Parameters of an ATM PVC that Supports Signaling.....	10-2
10.2.2	AAL5 and Signaling-Specific Parameters .....	10-2
10.3	Specifying the VPCs Controlled by a BISUP Signaling Link .....	10-3
	Appendix A Summary of ATM Parameters .....	Appendix A-1
	Appendix B Relationship To Parameters in Other Documents .....	1
	References .....	References-1
	Acronyms .....	Acronyms-1

---

---

## List of Figures

Figure 2-1.	Layered Ordering of a Multiservice ATM Interconnection .....	2-5
Figure 2-2.	Ordering Example.....	2-6
Figure 2-3.	Key Standards Committees and Industry Forums .....	2-8
Figure 3-1.	Virtual Channel Connections.....	3-3
Figure 3-2.	Virtual Path Connections .....	3-3
Figure 3-3.	Defining Characteristics of Service Classes .....	3-4
Figure 3-4.	Example ATM Interconnections Between Different Carrier Networks ...	3-8
Figure 3-5.	Multiservice ATM Interconnection .....	3-9
Figure 3-6.	Different Inter-Carrier Services Sharing a Common Transmission Path .....	3-10
Figure 4-1.	Different B-ICIs Defined by ATM Forum .....	4-2
Figure 4-2.	Identification of Selected Ordering and Provisioning Terms .....	4-3
Figure 5-1.	Individual ATM Connections Within a Physical ATM Interface .....	3
Figure 7-1.	Carrier-to-Carrier Interfaces Supporting Frame Relay Service.....	7-1
Figure 7-2.	Protocol Stack for FRS over ATM .....	7-3
Figure 8-1.	Examples of DS1 and DS3 Circuit Emulation Service .....	8-1
Figure 9-1.	Example Architecture Supporting SMDS .....	9-2
Figure 9-2.	Protocol Stack for SMDS Over ATM .....	9-3
Figure 10-1.	The Associated Mode of Inter-office Signaling .....	10-1
Figure 10-2.	Protocol Stack for Signaling Link Using Associated Mode Signaling...	10-3



## List of Tables

Table 5-1.	Required Parameters for Policing Algorithm(s) .....	6
Table 5-2.	Conformance Definitions in Traffic Management 4.0 Specification .....	7
Table 5-3.	Additional Conformance Definitions, Derived from UNI 3.1 Specification	8
Table 9-1.	Related SMDS Requirements Documents .....	9-1
Table A-1.	Summary of Per-Interface ATM Parameters .....	Appendix A-1
Table A-2.	Summary of Per-Order ATM Parameters .....	Appendix A-2
Table A-3.	Summary of Per-PVC ATM Parameters .....	Appendix A-2
Table B-1.	Relationship Between ATM Terms in This Document and ATM Forum's M4 NE View .....	1
Table B-2.	Relationship Between ATM Terms in This Document and OBF Terms .....	3