

Contents

[Telcordia SR-3779 - Documentation Information](#)

1 Introduction

| | |
|-------------------------------------------------------|-----|
| 1.1 Multiple Technology Support Model | 1-1 |
| 1.2 Study Assumptions | 1-2 |
| 1.2.1 Services Assumptions | 1-2 |
| 1.2.2 Backbone Network Assumptions | 1-4 |
| 1.2.3 Signaling and Control Assumptions | 1-5 |
| 1.2.4 Operations Environment Assumptions | 1-6 |
| 1.3 Potential Cost Impacts of CO-Based HDTs | 1-7 |

2 Access Technologies

| | |
|---------------------------------------------------------------------|------|
| 2.1 Fiber to the Curb (FTTC) | 2-1 |
| 2.1.1 Operations | 2-2 |
| 2.1.2 Signaling | 2-3 |
| 2.1.3 Concentration | 2-3 |
| 2.1.4 Other Issues | 2-3 |
| 2.1.4.1 Reliability/Unavailability | 2-3 |
| 2.2 Hybrid Fiber Coax (HFC) | 2-4 |
| 2.2.1 Operations | 2-5 |
| 2.2.2 Signaling | 2-5 |
| 2.2.3 Concentration | 2-6 |
| 2.2.4 Other Issues | 2-6 |
| 2.2.4.1 Security | 2-6 |
| 2.2.4.2 Reliability/Unavailability | 2-6 |
| 2.2.4.3 Interference | 2-6 |
| 2.3 FIX with HFC Overlay | 2-7 |
| 2.3.1 Operations | 2-7 |
| 2.3.2 Signaling | 2-8 |
| 2.3.3 Concentration | 2-8 |
| 2.3.4 Other Issues | 2-8 |
| 2.3.4.1 Security | 2-8 |
| 2.3.4.2 Reliability/Unavailability | 2-8 |
| 2.4 Asymmetrical Digital Subscriber Line (ADSL) | 2-9 |
| 2.4.1 Operations | 2-10 |
| 2.4.2 Signaling | 2-10 |
| 2.4.3 Concentration | 2-11 |
| 2.4.4 Other Issues | 2-11 |
| 2.4.4.1 Undefined Interfaces | 2-11 |
| 2.4.4.2 Interference | 2-11 |
| 2.4.4.3 Health of Existing Copper Plant | 2-11 |
| 2.5 Wireless Access Platforms | 2-11 |
| 2.5.1 Personal Communications Service (PCS) | 2-12 |
| 2.5.2 Local Multipoint Distribution Service (LMDS) | 2-13 |
| 2.5.3 Multichannel Multipoint Distribution Service (MMDS) | 2-13 |

2.5.4 Operations 2-14
2.5.5 Signaling 2-14
2.5.6 Concentration 2-15
2.5.7 Other Issues 2-15
 2.5.7.1 Reliability/Unavailability 2-15

3 Detailed Issues Analysis – Wireless Access Platforms

3.1 Operations 3-1
3.2 Signaling 3-2
3.3 Concentration 3-3
3.4 Other Issues 3-4
 3.4.1 Reliability/Unavailability 3-4

4 Conclusions

Appendix A: References

Appendix B: Acronyms

List of Figures

| | | |
|------------|-------------------------------------------------------|------|
| Figure 1-1 | Multiple Technology Support Model | 1-2 |
| Figure 2-1 | FTTC/IDLC Access Architecture | 2-2 |
| Figure 2-2 | HFC/IDLC Access Architecture | 2-4 |
| Figure 2-3 | FTTC w/HFC Overlay/IDLC Access Architecture | 2-7 |
| Figure 2-4 | ADSL/IDLC Access Architecture | 2-9 |
| Figure 2-5 | PCS/IDLC Access Architecture | 2-12 |
| Figure 2-6 | LMDS/IDLC Access Architecture | 2-13 |
| Figure 2-7 | MMDS/IDLC Access Architecture | 2-14 |
| Figure 3-1 | RPCU Conceptual View | 3-1 |

List of Tables

| | | |
|-----------|--------------------------------------------------------------|-----|
| Table 4-1 | Impact of Various Technologies on GR-303 Interface | 4-1 |
| Table 4-2 | Impact of Various Technologies on GR-303 NE | 4-2 |