
Voice Over Packet in Next Generation Networks: An Architectural Framework

Contents

[Telcordia SR-4717-Documentation Information](#)

| | | |
|---------|---|------|
| 1. | Introduction and Background | 1-1 |
| 1.1. | Motivation for Voice Over Packet..... | 1-1 |
| 1.2. | VOP Solutions for the Service Provider's Networks..... | 1-2 |
| 1.3. | Purpose and Scope of Document..... | 1-3 |
| 1.4. | Document Organization..... | 1-4 |
| 2. | Current Industry Status..... | 2-1 |
| 2.1. | Network Operators..... | 2-1 |
| 2.1.1. | Interexchange Carriers and Local Exchange Carriers | 2-3 |
| 2.1.2. | New Facilities Based Carriers..... | 2-3 |
| 2.1.3. | Internet Service Providers..... | 2-3 |
| 2.1.4. | Wide Area Network Service Providers..... | 2-3 |
| 2.1.5. | Cable Operators | 2-4 |
| 2.1.6. | Internet Protocol Telephony Gateway Service Providers | 2-4 |
| 2.2. | Supplier Segment..... | 2-4 |
| 2.2.1. | New VOP Equipment Manufacturers | 2-4 |
| 2.2.2. | Data Equipment Manufacturers | 2-5 |
| 2.2.3. | Traditional Telecommunications Suppliers | 2-6 |
| 2.3. | Standards and Forum Segment | 2-6 |
| 2.3.1. | IETF..... | 2-6 |
| 2.3.2. | ITU-T..... | 2-8 |
| 2.3.3. | ETSI..... | 2-10 |
| 2.3.4. | ATM Forum..... | 2-11 |
| 2.3.5. | Multiservice Switching Forum | 2-11 |
| 2.3.6. | T1A1 (Reliability, Performance) | 2-12 |
| 2.3.7. | Internet Traffic Engineering Solutions Forum..... | 2-13 |
| 2.3.8. | Wireless/CDMA (IMT-2000)..... | 2-13 |
| 2.3.9. | TeleManagement Forum..... | 2-13 |
| 2.3.10. | Multimedia Cable Network System..... | 2-13 |
| 2.3.11. | Ordering and Billing Forum | 2-14 |
| 2.4. | Need for Generic Requirements | 2-14 |
| 3. | Characteristics of VOP Networks..... | 3-1 |
| 3.1. | Target Customers and Markets for VOP Services..... | 3-1 |
| 3.1.1. | Customer Perspective | 3-2 |
| 3.2. | Types of VOP Calls Supported..... | 3-2 |
| 3.3. | VOP Services..... | 3-3 |
| 3.3.1. | Scope of VOP Services..... | 3-3 |
| 3.3.2. | Features and Services Supported by a VOP Network | 3-3 |
| 3.4. | Role of CPE | 3-9 |
| 3.5. | Network Aspects..... | 3-10 |
| 3.5.1. | Required Attributes of a VOP Architecture..... | 3-10 |
| 3.5.2. | Network Interconnections Required..... | 3-11 |
| 3.5.3. | Capabilities to be Supported by VOP Network | 3-11 |
| 3.6. | Business Aspects | 3-18 |

| | | |
|--------|--|------|
| 3.7. | Regulatory/Public Policy Aspects (U.S.)..... | 3-19 |
| 3.7.1. | Communications Assistance for Law Enforcement Act..... | 3-20 |
| 3.7.2. | Privacy and Federal/State Legislation | 3-20 |
| 3.7.3. | E-911 | 3-20 |
| 3.7.4. | Universal Service..... | 3-20 |
| 3.7.5. | Equal Access..... | 3-21 |
| 3.7.6. | Unbundling | 3-21 |
| 3.7.7. | Local Number Portability | 3-21 |
| 3.7.8. | Numbering Plans | 3-21 |
| 3.8. | Relationship of VOP Networks to Next Generation Networks | 3-22 |
| 3.8.1. | What is a Next Generation Network?..... | 3-22 |
| 3.8.2. | What are the Drivers for NGNs? | 3-22 |
| 3.8.3. | What are the Key Attributes of an NGN?..... | 3-23 |
| 3.8.4. | What are the Similarities and Differences between a VOP Network and an NGN? | 3-27 |
| 3.8.5. | Evolution of a VOP Network to a Next Generation Network | 3-27 |
| 4. | Technology and Architecture Framework | 4-1 |
| 4.1. | Key Technology Considerations in Industry | 4-1 |
| 4.1.1. | Comparison and Trade-Off for Technology Choices | 4-1 |
| 4.2. | Architecture for Voice Over Packets | 4-11 |
| 4.2.1. | Key Functional Elements for VOP | 4-11 |
| 4.2.2. | Interfaces and Protocols for VOP | 4-15 |
| 4.2.3. | Interconnection to PSTN | 4-16 |
| 4.2.4. | Key Access Options for VOP Network | 4-18 |
| 4.3. | Sample Call Flows..... | 4-27 |
| 4.4. | Implementations of Framework Architecture in Physical Nodes | 4-32 |
| 4.5. | Roadmap for Generic Requirements..... | 4-32 |
| 5. | Functional Requirements for VOP Network | 5-1 |
| 5.1. | Gateway Requirements..... | 5-1 |
| 5.1.1. | Access Gateway..... | 5-1 |
| 5.1.2. | Customer Gateway..... | 5-13 |
| 5.1.3. | Trunk Gateway | 5-18 |
| 5.1.4. | SS7 Signaling Gateway | 5-24 |
| 5.2. | Call Connection Agent Requirements | 5-32 |
| 5.2.1. | Call Model | 5-32 |
| 5.2.2. | Gateway Connection Control..... | 5-36 |
| 5.2.3. | Call Processing | 5-39 |
| 5.2.4. | Network Management | 5-42 |
| 5.3. | Service Agent Functions..... | 5-44 |
| 5.4. | Core Network Functional Requirements | 5-46 |
| 5.4.1. | Internet Protocol Networks..... | 5-46 |
| 5.4.2. | ATM Networks..... | 5-52 |
| 5.5. | Support for End User Services | 5-60 |
| 5.5.1. | Scope of VOP Network Services..... | 5-60 |
| 5.5.2. | Protocols for Network Service Control | 5-60 |
| 5.5.3. | Documentation of VOP Network Services Functionality..... | 5-61 |
| 5.6. | End-to-End Performance Requirements in Packet Based Networks | 5-61 |
| 5.6.1. | Performance Considerations for Voice Over Packet Networks..... | 5-62 |
| 5.6.2. | Quality of Service | 5-68 |

| | |
|--|------|
| 5.6.3. Reliability | 5-69 |
| 5.6.4. Performance Aspects of Coders and Decoders..... | 5-72 |
| 5.7. Billing Usage Measurements Requirements..... | 5-73 |
| 5.7.1. Overview..... | 5-73 |
| 5.7.2. Billing Usage Measurements Architecture | 5-73 |
| 5.7.3. Billing Usage Measurements Core Functionality | 5-74 |
| 5.7.4. Billing Usage Measurements Core Functionality (Billing Agent) | 5-76 |
| 5.7.5. Supporting Functionality and Features | 5-79 |
| 5.7.6. Constraints | 5-79 |
| 5.7.7. Interfaces..... | 5-80 |
| 5.8. Security Requirements..... | 5-81 |
| 5.8.1. Introduction..... | 5-81 |
| 5.8.2. Network Security Issues | 5-82 |
| 5.8.3. Transport and Communication Protocols Security Issues | 5-83 |
| 5.8.4. Functional Element Security Issues..... | 5-84 |
| 6. Operations and Management Architecture | 6-1 |
| 6.1. Introduction | 6-1 |
| 6.1.1. Business Drivers | 6-1 |
| 6.1.2. Scope and Approach..... | 6-4 |
| 6.1.3. Organization of Section | 6-4 |
| 6.2. Business Processes and Functions | 6-5 |
| 6.2.1. Service Fulfillment | 6-5 |
| 6.2.2. Service Assurance: Fault and Performance Management | 6-8 |
| 6.2.3. Accounting Management: Billing Process | 6-11 |
| 6.3. Information Architecture | 6-12 |
| 6.3.1. Introduction..... | 6-12 |
| 6.3.2. The Information Roadmap..... | 6-12 |
| 6.3.3. Voice Over Packet Information Needs and Impacts..... | 6-13 |
| 6.4. Framework to Structure Solutions | 6-16 |
| 6.4.1. Business Goals, Strategies, Objectives and Policies..... | 6-17 |
| 6.4.2. VOP Network Architecture, Services, and Technologies Needed to Support the Business..... | 6-18 |
| 6.4.3. TMN Architecture for VOP Networks | 6-18 |
| 6.4.4. Functions, Operations Process Scenarios, and Data | 6-19 |
| 6.4.5. Management Domains | 6-23 |
| 6.4.6. Physical Architecture Framework and Packaging | 6-24 |
| 6.4.7. System Interfaces, Adaptation and Mediation..... | 6-24 |
| 7. Evolution to NGN..... | 7-1 |
| 7.1. Migration of PSTN/ISDN Circuit-Switched Networks to VOP | 7-1 |
| 7.2. Migration from First Generation IP Voice Solutions to VOP | 7-2 |
| 7.2.1. Network Migration | 7-2 |
| 7.2.2. Network Element Migration | 7-3 |
| 7.3. Migration from Wireless Networks to VOP | 7-5 |
| 7.4. Evolution of VOP Networks to Next Generation Networks..... | 7-12 |
| 7.4.1. Support of Complex Sessions | 7-13 |
| 7.4.2. Modular Architecture..... | 7-14 |
| Appendix A: Features and Abilities | A-1 |
| A.1. General Features..... | A-1 |

| | |
|--|--------------|
| A.2. Custom Calling Features..... | A-2 |
| A.3. CLASS Features..... | A-3 |
| A.4. Centrex Features..... | A-5 |
| A.5. Other Features..... | A-6 |
| A.6. ISDN Features..... | A-10 |
| A.7. AIN Features..... | A-12 |
| Appendix B: Capabilities to be Supported by the VOP Network..... | B-1 |
| B.1. Originating Services/Capabilities..... | B-1 |
| B.1.1. Call Originating Capabilities..... | B-1 |
| B.1.2. Originating End Service-Support Capabilities..... | B-7 |
| B.2. Terminating Services/Capabilities..... | B-9 |
| B.2.1. Call Terminating Capabilities..... | B-10 |
| B.2.2. Terminating End Service-Support Capabilities..... | B-13 |
| B.3. Network Services/Capabilities..... | B-17 |
| Appendix C: Message Flows..... | C-1 |
| C.1. Sample Call Flows..... | C-1 |
| C.1.1. Assumptions..... | C-1 |
| C.1.2. A Successful Call Setup..... | C-2 |
| C.1.3. SIF from IA..... | C-4 |
| C.1.4. A Successful Call Release Initiated by the Calling Party..... | C-9 |
| C.1.5. Difficulty in Managing Remote Resources..... | C-15 |
| References..... | References-1 |
| To Contact Bellcore..... | References-3 |
| To Order Documents..... | References-3 |
| Glossary..... | Glossary-1 |

List of Figures

| | | |
|-------------|--|------|
| Figure 2-1 | Technology Deployment Strategies | 2-2 |
| Figure 3-1 | Business Model for VOP Services | 3-18 |
| Figure 3-2 | Networks in Transition | 3-23 |
| Figure 3-3 | The Progression of Service Control | 3-24 |
| Figure 3-4 | Next Generation Control and Signaling Environment | 3-25 |
| Figure 3-5 | Next Generation Service Control Architecture | 3-26 |
| Figure 4-1 | Key Elements in VOP Network | 4-11 |
| Figure 4-2 | VOP Network with Additional Elements and CPE Examples | 4-14 |
| Figure 4-3 | Key Interfaces in VOP Architecture | 4-15 |
| Figure 4-4 | Interconnection to PSTN | 4-17 |
| Figure 4-5 | VOP Architecture with xDSL | 4-18 |
| Figure 4-6 | VOP Architecture with HFC | 4-20 |
| Figure 4-7 | VOP Architecture with FTTC | 4-22 |
| Figure 4-8 | VOP Architecture with FTTH | 4-24 |
| Figure 4-9 | VOP Architecture with LMDS | 4-26 |
| Figure 4-10 | A Message Flow for a Successful Call Setup | 4-29 |
| Figure 4-11 | A Message Flow for a Successful Call Release Initiated by the Calling Party | 4-30 |
| Figure 4-12 | Relationship of EMS GR to Operations Sections in the 5 FE GRs | 4-34 |
| Figure 5-1 | Interfaces to the Customer Gateway | 5-13 |
| Figure 5-2 | H.323 Protocol Stack - Layer Location | 5-16 |
| Figure 5-3 | H.323, SIP Protocol Stack | 5-17 |
| Figure 5-4 | Functional Architecture of the TG | 5-20 |
| Figure 5-5 | Example A-Link Interconnection | 5-25 |
| Figure 5-6 | Originating and Terminating Call Models | 5-34 |
| Figure 5-7 | CCA Call Processing (Schematic) | 5-35 |
| Figure 5-8 | Example Service Agent Interaction | 5-45 |
| Figure 5-9 | RSVP | 5-48 |
| Figure 5-10 | Diffserv | 5-51 |
| Figure 5-11 | CIOA | 5-56 |
| Figure 5-12 | MPLS | 5-57 |
| Figure 5-13 | MPOA | 5-59 |
| Figure 5-14 | Example Call in the VOP Network | 5-64 |
| Figure 5-15 | VOP Billing Usage Measurements Architecture | 5-74 |
| Figure 6-1 | The TMN Functional Matrix | 6-20 |
| Figure 6-2 | TMN Management Application Functions | 6-21 |
| Figure 6-3 | Bellcore TMN Analysis/Design Methodology | 6-23 |
| Figure 7-1 | VOP Trunks | 7-1 |
| Figure 7-2 | VOP Support for Supplementary Services | 7-2 |
| Figure 7-3 | Migration of VOIP Networks | 7-3 |
| Figure 7-4 | Initial VOIP Networks | 7-4 |
| Figure 7-5 | An Example VOP Network | 7-5 |
| Figure 7-6 | Current Mobile Network Architecture | 7-6 |
| Figure 7-7 | Shared Trunk Gateway | 7-7 |
| Figure 7-8 | VOP Backbone | 7-8 |
| Figure 7-9 | VOP Backbone with Efficient Routing | 7-9 |
| Figure 7-10 | MSC Data Offload | 7-10 |
| Figure 7-11 | Broadband Distribution Network | 7-11 |

Figure 7-12 MSC Call Agent..... 7-12
Figure 7-13 Next Generation Service Control Architecture 7-15
Figure C-1 A Message Flow for a Successful Call Setup.....C-2
Figure C-2 A Message Flow for a Successful Call Release Initiated by the Calling
Party.....C-9

List of Tables

| | | |
|-----------|--|------|
| Table 3-1 | VOP Networks vis-à-vis NGNs | 3-27 |
| Table 4-1 | Differences Between Bit Rate and System Range | 4-18 |
| Table 5-1 | Options for Call and Connection Control for ISDN Accesses | 5-11 |
| Table 5-2 | CCA/Signaling Gateway Interface Functions | 5-32 |
| Table 5-3 | Delay Contribution of ITU-T G.700 Series Speech Codec to One Way Delay..... | 5-72 |