

**Contents** [Telcordia SR-5011-Documentation Information](#)

- 1. Introduction . . . . . 1-1
  - 1.1 Scope of Document . . . . . 1-1
  - 1.2 ATM NE . . . . . 1-1
  - 1.3 Information Modeling Notation . . . . . 1-2
    - 1.3.1 Packages . . . . . 1-2
    - 1.3.2 Object Classes . . . . . 1-3
    - 1.3.3 Relationships . . . . . 1-3
  - 1.4 Organization of the Document . . . . . 1-4
- 2. ATM NE Object-Oriented Information Model . . . . . 2-1
  - 2.1 ATM NE Architecture . . . . . 2-1
  - 2.2 ATM NE High-Level View Diagram . . . . . 2-2
  - 2.3 Switch Fabric Class Diagram . . . . . 2-3
  - 2.4 Internal Links Class Diagram . . . . . 2-4
  - 2.5 Buffers Class Diagram . . . . . 2-5
  - 2.6 Operations Processor Class Diagram . . . . . 2-6
  - 2.7 Ingress Cell Processor (ICP)/Egress Cell Processor (ECP) Class  
Diagram . . . . . 2-7
  - 2.8 User-to-Network Interface (UNI) Class Diagram . . . . . 2-8
  - 2.9 intra-Network-Node Interface (intra-NNI) Class Diagram . . . . . 2-10
  - 2.10 inter-Network-Node Interface (inter-NNI) Class Diagram . . . . . 2-11
  - 2.11 Access Signaling (DSS-2) Class Diagram . . . . . 2-12
  - 2.12 Message Transfer Part 3 (MTP3) Class Diagram . . . . . 2-13
  - 2.13 Broadband ISDN User Part (BISUP) Class Diagram . . . . . 2-15
  - 2.14 Virtual Path (VP) Class Diagram . . . . . 2-17
  - 2.15 Virtual Channel (VC) Class Diagram . . . . . 2-18
  - 2.16 Measurement Data Store Packages . . . . . 2-21
    - 2.16.1 ATM Traffic Load . . . . . 2-21
    - 2.16.2 ATM Congestion . . . . . 2-21
    - 2.16.3 ATM Levels of Congestion . . . . . 2-22
    - 2.16.4 ATM UPC/NPC . . . . . 2-23
    - 2.16.5 ATM Adaptation Layer Type One . . . . . 2-24
    - 2.16.6 ATM Adaptation Layer Type Three/Four . . . . . 2-25
    - 2.16.7 ATM Adaptation Layer Type Five . . . . . 2-26
    - 2.16.8 Service Specific Connection Oriented Protocol (SSCOP)  
Monitoring . . . . . 2-27
      - 2.16.8.1 SSCOP Signaling Channel Receiving Side . . . . . 2-27
      - 2.16.8.2 SSCOP Signaling Channel Transmitting Side . . . . . 2-28
    - 2.16.9 DSS-2 Access Signaling Channel . . . . . 2-29
    - 2.16.10 Interoffice Signaling Link - MTP3 . . . . . 2-31
    - 2.16.11 Interoffice Signaling Link Congestion - MTP3 . . . . . 2-32
    - 2.16.12 Broadband ISDN User Part (BISUP) Protocol Traffic  
Monitoring . . . . . 2-34

2.16.13 Broadband ISDN User Part (BISUP) Access Point Monitoring . . . . .	2-35
3. Classes Description . . . . .	3-1
3.1 aalTypeFiveHistoryData . . . . .	3-1
3.2 aalTypeOneHistoryData . . . . .	3-2
3.3 aalTypeThreeFourHistoryData . . . . .	3-2
3.4 administrativeOperationalStatesBundle . . . . .	3-3
3.5 atmCongestionHistoryData . . . . .	3-3
3.6 atmFabric . . . . .	3-4
3.7 atmLevCongMeasHistoryData . . . . .	3-4
3.8 atmMtpSignPointR1 . . . . .	3-5
3.9 atmSignLinkSetTpR1 . . . . .	3-5
3.10 atmSignLinkTpR1 . . . . .	3-6
3.11 atmSubscriberAddressBundle . . . . .	3-6
3.12 atmTrafficLoadHistoryData . . . . .	3-7
3.13 bisupAccessPointHistoryData . . . . .	3-7
3.14 bisupAccessPointR1 . . . . .	3-8
3.15 bisupMsgsUnrecInfoFEHistoryBundle . . . . .	3-8
3.16 bisupResetsHistoryBundle . . . . .	3-9
3.17 bisupSignPoint . . . . .	3-9
3.18 bisupSignPointHistoryData . . . . .	3-9
3.19 bisupTrafficHistoryData . . . . .	3-10
3.20 callAttemptsHistoryBundle . . . . .	3-10
3.21 callingNumberScreeningFailuresBundle . . . . .	3-11
3.22 cellScramblingEnabledBundle . . . . .	3-11
3.23 circuitPack . . . . .	3-12
3.24 clp0CellsHistoryDataBundle . . . . .	3-12
3.25 connectionTerminationPointBidirectional . . . . .	3-13
3.26 connectionTerminationPointSink . . . . .	3-13
3.27 connectionTerminationPointSource . . . . .	3-13
3.28 dss2SignChannelHistoryData . . . . .	3-14
3.29 dss2SignChannelTp . . . . .	3-14
3.30 egressTrafficDescriptorBundle . . . . .	3-15
3.31 equipment . . . . .	3-15
3.32 equipmentHolder . . . . .	3-16
3.33 equipmentR1 . . . . .	3-16
3.34 farEndCarrierNetworkBundle . . . . .	3-17
3.35 historyData . . . . .	3-17
3.36 historyDataSuspectIntervalFlagBundle . . . . .	3-18
3.37 ilgiBundle . . . . .	3-18
3.38 ingressTrafficDescriptorBundle . . . . .	3-18
3.39 interNNI . . . . .	3-19
3.40 interworkingVCTTPBidirectional . . . . .	3-19
3.41 intraNNI . . . . .	3-20
3.42 lev1RecoveryEventsHistoryBundle . . . . .	3-20
3.43 locationNameBundle . . . . .	3-21

3.44	loopbackLocationIdentifierBundle . . . . .	3-21
3.45	managedElement . . . . .	3-21
3.46	messagesDiscardedHistoryBundle . . . . .	3-22
3.47	multiPortCircuitPack . . . . .	3-23
3.48	nsap . . . . .	3-23
3.49	numSuppressedIntervalsBundle . . . . .	3-23
3.50	oamCellsHistoryDataBundle . . . . .	3-24
3.51	preferredCarrierBundle . . . . .	3-24
3.52	qosClassesBundle . . . . .	3-25
3.53	rejConnReqHistoryBundle . . . . .	3-25
3.54	sap2 . . . . .	3-26
3.55	signLinkCongestionHistoryData . . . . .	3-26
3.56	signLinkHistoryData . . . . .	3-27
3.57	signLinkSetHistoryData . . . . .	3-27
3.58	sscopNNIHistoryBundle . . . . .	3-28
3.59	sscopReceiveHistoryData . . . . .	3-28
3.60	sscopTransmitHistoryData . . . . .	3-29
3.61	subordinateCircuitPackBundle . . . . .	3-29
3.62	sucCallCompletionsHistoryBundle . . . . .	3-29
3.63	tcAdaptorHistoryData . . . . .	3-30
3.64	tcAdaptorTTPBidirectional . . . . .	3-30
3.65	terminationPoint . . . . .	3-31
3.66	trailTerminationPointBidirectional . . . . .	3-31
3.67	trailTerminationPointSink . . . . .	3-32
3.68	trailTerminationPointSource . . . . .	3-32
3.69	uni . . . . .	3-32
3.70	upcNpcHistoryData . . . . .	3-33
3.71	userLabelBundle . . . . .	3-33
3.72	vcCTPBidirectional . . . . .	3-34
3.73	vcTTPBidirectional . . . . .	3-34
3.74	vendorNameBundle . . . . .	3-35
3.75	versionBundle . . . . .	3-35
3.76	vpciHistoryData . . . . .	3-36
3.77	vpciTp . . . . .	3-36
3.78	vpCTPBidirectional . . . . .	3-37
3.79	vpTTPBidirectional . . . . .	3-37
4.	Attributes Description . . . . .	4-1
	References . . . . .	References-1



## List of Figures

Figure 1-1.	Example of ATM NE Deployment - Network Architecture . . .	1-2
Figure 1-2.	UML Package Notation . . . . .	1-3
Figure 1-3.	UML Class Notations . . . . .	1-3
Figure 1-4.	UML Relationship Notations . . . . .	1-4
Figure 2-1.	ATM NE Architecture . . . . .	2-1
Figure 2-2.	ATM NE High Level View - Class Diagram . . . . .	2-2
Figure 2-3.	Switch Fabric Package Class Diagram . . . . .	2-3
Figure 2-4.	Internal Links Package Class Diagrams . . . . .	2-4
Figure 2-5.	Buffers Package Class Diagram . . . . .	2-5
Figure 2-6.	Operations Processor Package Class Diagram . . . . .	2-6
Figure 2-7.	ICP/ECP Package Class Diagrams . . . . .	2-8
Figure 2-8.	UNI Package Class Diagram . . . . .	2-9
Figure 2-9.	intra-NNI Package Class Diagram . . . . .	2-10
Figure 2-10.	inter-NNI Package Class Diagram . . . . .	2-12
Figure 2-11.	DSS-2 Package Class Diagram . . . . .	2-13
Figure 2-12.	MTP3 Package Class Diagram . . . . .	2-14
Figure 2-13.	BISUP Package Class Diagram . . . . .	2-16
Figure 2-14.	VP Package Class Diagram . . . . .	2-17
Figure 2-15.	VC Package Class Diagram (Part 1 of 2) . . . . .	2-19
Figure 2-16.	VC Package Class Diagram (Part 2 of 2) . . . . .	2-20
Figure 2-17.	atmTrafficLoad Package Class Diagram . . . . .	2-21
Figure 2-18.	atmCongestion Package Class Diagram . . . . .	2-22
Figure 2-19.	atmLevCongestion Package Class Diagram . . . . .	2-22
Figure 2-20.	upcNpc Package Class Diagram . . . . .	2-23
Figure 2-21.	aalTypeOne Package Class Diagram . . . . .	2-24
Figure 2-22.	aalTypeThreeFour Package Class Diagram . . . . .	2-25
Figure 2-23.	aalTypeFive Package Class Diagram . . . . .	2-27
Figure 2-24.	sscopReceive Package Class Diagram . . . . .	2-28
Figure 2-25.	sscopTransmit Package Class Diagram . . . . .	2-28
Figure 2-26.	dss2SignChannel Package Class Diagram . . . . .	2-29
Figure 2-27.	signLink Package Class Diagram . . . . .	2-31
Figure 2-28.	signLinkCongestion Package Class Diagram . . . . .	2-33
Figure 2-29.	bisupTraffic Package Class Diagram . . . . .	2-34
Figure 2-30.	bisupAccessPoint Package Class Diagram . . . . .	2-35



## List of Tables

Table 4-1. ATM NE Protocol Neutral Information Model Attributes . . . . 4-1