

Contents [Telcordia SR-5012-Documentation Information](#)

1. Introduction	1-1
1.1 Scope of Document	1-1
1.2 TDM/ATM Gateways	1-1
1.3 Information Modeling Notation	1-1
1.3.1 Packages	1-2
1.3.2 Object Classes	1-3
1.3.3 Relationships	1-3
1.4 Organization of the Document	1-4
2. TDM/ATM Gateway Object-Oriented Information Model	2-1
2.1 TDM/ATM Gateway Architecture	2-1
2.2 TDM/ATM Gateway High-Level View Diagram	2-2
2.3 User-to-Network Interface (UNI) Class Diagram	2-3
2.4 Ingress Cell Processor (ICP)/Egress Cell Processor (ECP) Class Diagram	2-4
2.5 Buffers Class Diagram	2-5
2.6 Operations and Signaling Processor Class Diagram	2-6
2.7 Virtual Channel (VC) Class Diagram	2-7
2.8 Trunk Groups Class Diagram	2-9
2.9 Connection Manager Class Diagram	2-10
2.10 Interworking Unit Class Diagram	2-11
2.11 Measurement Data Store Packages	2-12
2.11.1 ATM Traffic Load	2-12
2.11.2 ATM Congestion	2-13
2.11.3 ATM Levels of Congestion	2-14
2.11.4 ATM UPC/NPC	2-14
2.11.5 ATM Adaptation Layer Type One	2-15
2.11.6 ATM Adaptation Layer Type Five	2-16
3. Class Descriptions	3-1
3.1 aalTypeFiveHistoryData	3-1
3.2 aalTypeOneHistoryData	3-2
3.3 administrativeOperationalStatesBundle	3-2
3.4 atmCongestionHistoryData	3-3
3.5 atmFabric	3-3
3.6 atmLevCongMeasHistoryData	3-4
3.7 atmSubscriberAddressBundle	3-4
3.8 atmTrafficLoadHistoryData	3-5
3.9 cellScramblingEnabledBundle	3-5
3.10 circuitPack	3-6
3.11 clp0CellsHistoryDataBundle	3-6
3.12 connectionManager	3-7
3.13 connectionTerminationPointSink	3-7
3.14 connectionTerminationPointSource	3-7
3.15 connectionTerminationPointBidirectional	3-8

3.16	connMgrUsgSt	3-8
3.17	egressTrafficDescriptorBundle	3-9
3.18	equipment	3-9
3.19	equipmentHolder	3-10
3.20	equipmentR1	3-10
3.21	farEndCarrierNetworkBundle	3-11
3.22	historyData	3-11
3.23	historyDataSuspectIntervalFlagBundle	3-11
3.24	ilmiBundle	3-12
3.25	ingressTrafficDescriptorBundle	3-12
3.26	interNNI	3-13
3.27	interworkingVCTTPBidirectional	3-13
3.28	intfcEqmtUnit	3-14
3.29	intraNNI	3-14
3.30	lineConcentrUnit	3-15
3.31	locationNameBundle	3-15
3.32	loopbackLocationIdentifierBundle	3-15
3.33	managedElement	3-16
3.34	multiPortCircuitPack	3-17
3.35	ndcTrfUseSt	3-17
3.36	ndcTrkGrp	3-18
3.37	nodeComponent	3-18
3.38	numSuppressedIntervalsBundle	3-19
3.39	oamCellsHistoryDataBundle	3-19
3.40	preferredCarrierBundle	3-19
3.41	processorPerfSt	3-20
3.42	qosClassesBundle	3-20
3.43	subordinateCircuitPackBundle	3-21
3.44	tcAdaptorTTPBidirectional	3-21
3.45	terminationPoint	3-22
3.46	trailTerminationPointSink	3-22
3.47	trailTerminationPointSource	3-22
3.48	trailTerminationPointBidirectional	3-23
3.49	trkGrp	3-23
3.50	uni	3-24
3.51	upcNpcHistoryData	3-24
3.52	userLabelBundle	3-25
3.53	vcCTPBidirectional	3-25
3.54	vendorNameBundle	3-26
3.55	versionBundle	3-26
3.56	vpCTPBidirectional	3-26
3.57	vpTTPBidirectional	3-27
4.	Attribute Descriptions	4-1
	References	References-1

List of Figures

Figure 1-1.	Example of TDM/ATM Gateway Deployment - Network Architecture	1-2
Figure 1-2.	UML Package Notation	1-2
Figure 1-3.	UML Class Notations	1-3
Figure 1-4.	UML Relationship Notations	1-3
Figure 2-1.	TDM/ATM Gateway Architecture	2-1
Figure 2-2.	TDM/ATM Gateway High Level View - Class Diagram	2-2
Figure 2-3.	UNI Package Class Diagram	2-3
Figure 2-4.	ICP/ECP Package Class Diagrams	2-4
Figure 2-5.	Buffer Package Class Diagram	2-6
Figure 2-6.	Operations and Signaling Processor Package Class Diagram	2-7
Figure 2-7.	VC Package Class Diagram	2-8
Figure 2-8.	Trunk Groups Package Class Diagram	2-9
Figure 2-9.	Connection Manager Package Class Diagram	2-10
Figure 2-10.	Interworking Unit Package Class Diagram	2-11
Figure 2-11.	atmTrafficLoad Package Class Diagram	2-13
Figure 2-12.	atmCongestion Package Class Diagram	2-13
Figure 2-13.	atmLevCongestion Package Class Diagram	2-14
Figure 2-14.	upcNpc Package Class Diagram	2-15
Figure 2-15.	aalTypeOne Package Class Diagram	2-15
Figure 2-16.	aalTypeFive Package Class Diagram	2-16

List of Tables

Table 4-1.	TDM/ATM Gateway Protocol Neutral Information Model Attributes	4-1
------------	--	-----