

Contents

[Telcordia SR-5154 - Documentation Information](#)

1.	Introduction	1-1
1.1	Background	1-1
2.	Current LMS-Based AMA and Billing Issues	2-1
2.1	GR-3012-CORE LMS-Based AMA	2-1
2.1.1	Connecting Network Access (CNA) Incoming Interconnection	2-2
2.1.1.1	CNA Incoming Interconnection Billing Issues	2-3
2.1.2	Exchange Access Feature Group D (FGD) Interconnection	2-3
2.1.2.1	FGD Interconnection Billing Issues	2-5
2.1.3	Wireless Service Provider (WSP) Type 2A and 2B Interconnection	2-5
2.1.3.1	WSP Type 2A and 2B Interconnection Billing Issues	2-6
2.1.4	Connecting Network Access (CNA) Outgoing Interconnection	2-7
2.1.4.1	CNA Outgoing Interconnection Billing Issues	2-8
2.1.5	Tandem Transit Traffic Interconnection	2-9
2.1.5.1	Tandem Transit Traffic Interconnection Billing Issues	2-11
2.1.6	Other Billing Issues Around GR-3012-CORE	2-12
2.1.6.1	LMS AMA Timing	2-12
2.1.6.2	LMS Correlation Capability	2-12
2.2	GR-1087-CORE LMS-Based AMA	2-12
2.2.1	Usage Measurement Process Model	2-13
2.2.1.1	Generation Criteria	2-14
2.2.1.2	Aggregation Grouping	2-16
2.2.1.3	Aggregation Periods	2-16
2.2.2	Billing Issues Around GR-1087-CORE	2-17
2.2.2.1	Partitioning of Aggregate Records	2-17
2.2.2.2	Lower Levels of Aggregation on TCAP Messages	2-17
3.	Next Generation of LMS-Based AMA	3-1
3.1	TCAP Messages Routing and Transport	3-1
3.2	TCAP Transactions General Procedures	3-3
3.2.1	TCAP Protocol Format	3-4
3.2.1.1	TCAP Transaction Portion	3-4
3.2.1.2	TCAP Component Portion	3-5
3.2.1.2.1	Operation Codes	3-7
3.2.1.2.2	Parameters	3-7
3.3	LMS-Based AMA Transaction Detail Records	3-8
3.3.1	Simple Query-Response (Q-R) Transactions	3-8
3.3.2	Multiple Query-Conversation-Conversation-Response (Q-C-C-R) Transactions	3-10
3.3.3	Complex Query-Response-Query-Conversation-Conversation-Response (Q1-R1-Q2-C1-C2-R2) Transactions	3-12

3.4	Summary (Next Step)	3-15
3.4.1	Structure	3-17
3.4.2	Modules	3-17
3.4.3	Number of TDRs per Service/Application	3-18
References		References-1

List of Figures

Figure 1-1.	CCS7 Link Monitoring System (LMS) Arrangements	1-1
Figure 1-2.	Interconnection Interfaces	1-2
Figure 2-1.	LMS CNA A-Link Interconnection Architecture	2-2
Figure 2-2.	SS7 LMS A-Link and B/D-Link Exchange Access Interconnection Architecture	2-4
Figure 2-3.	LMS CNA A-Link Interconnection Architecture	2-8
Figure 2-4.	Transiting Network Architecture	2-10
Figure 2-5.	CCS Usage Measurement Process Model	2-13
Figure 3-1.	TCAP Messages Routing and Transport	3-2
Figure 3-2.	Simple Query-Response (Q-R) Transactions	3-10
Figure 3-3.	Multiple Query-Conversation-Conversation-Response (Q-C1-C2-R) Transactions	3-12
Figure 3-4.	Complex Query-Response-Query-Conversation-Conversation- Response (Q1-R1-Q2-C1-C2-R2) Transactions	3-14
Figure 3-5.	Number of LMS-Based TDRs per Complex (Q1-R1-Q2-C1-C2-R2) Transactions	3-18

List of Tables

Table 2-1.	WSP Call Type Codes	2-6
Table 2-2.	LMS AMA Generation for Tandem Trunk Groups	2-10
Table 2-3.	Applicable Data Items for SCCP Unitdata and ISUP Messages	2-15