

Table of Contents

1 Overview

1.1 Purpose and Scope	1-2
1.2 Definition of Terms	1-3

2 VoIP i1 Architecture

2.1 High-Level Overview	2-1
2.2 I1 Solution - Routing to PSAP 10-Digit Administrative Line	2-1
2.3 i1 Solution - Using a Local Service Provider Partner	2-3
2.4 i1 Solution - Use of Direct Trunks to E9-1-1 Selective Routers (SRs)	2-4
2.5 i1 Solution Analysis	2-5

3 VoIP i2 Architecture

3.1 High-Level Overview	3-1
3.1.1 Description of i2 Solution Functional Elements	3-4
3.1.2 i2 Solution Architecture Assumptions	3-6
3.1.3 Description of VoIP 9-1-1 Data Elements	3-6
3.1.4 i2 Solution Interfaces	3-8
3.2 i2 Solution Functionality	3-12
3.2.1 Call Routing to the Emergency Services Network	3-12
3.2.1.1 Basic Call Routing of VoIP Emergency Calls to ESGW	3-13
3.2.1.2 VoIP Emergency Call Routing Using a Redirect Proxy/Server	3-15
3.2.1.3 VoIP Emergency Call Routing Using a Routing Proxy	3-17
3.2.2 Selective Routing	3-18
3.2.3 Call Delivery to the PSAP	3-19
3.2.4 Querying for Location Information	3-19
3.2.5 Release of Call and ESQK	3-19

4 VoIP i3 Solution

4.1 High-Level i3 Solution Architecture Overview	4-1
4.1.1 Functional Elements of the i3 Solution	4-3
4.1.2 i3 Interfaces	4-5
4.1.3 General i3 Assumptions	4-6
4.2 Emergency Call Routing	4-6
4.2.1 Preliminary Routing	4-7
4.2.2 Selective Routing	4-7
4.2.3 Call Routing Examples	4-8
4.2.3.1 Single Step Emergency Call Routing Example	4-8
4.2.3.2 Two-Step Emergency Call Routing Example	4-9
4.2.4 Call Delivery to the PSAP	4-10
4.2.5 Release of Emergency Calls	4-11

5 Summary and Conclusions

Appendix A: References

Appendix B: Glossary

List of Figures

Figure 2-1	i1 Solution - Routing to a PSAP Administrative Line	2-2
Figure 2-2	i1 Solution - Partnering with a Local Service Provider	2-3
Figure 2-3	i1 Solution - Direct Trunking	2-5
Figure 3-1	i2 Solution Architecture	3-3
Figure 3-2	Basic Call Routing of VoIP Emergency Calls	3-13
Figure 3-3	VoIP Emergency Call Routing Using SIP Proxy Redirect	3-16
Figure 3-4	SIP Proxy Routing - Proxy Performs Query and Routes Call	3-17
Figure 4-1	NENA LTD WG View of i3 Functional Architecture	4-2
Figure 4-2	Example of a Single-Step Emergency Call Routing Flow	4-8
Figure 4-3	Example of a Two-Step Emergency Call Routing Flow	4-9