

## Contents

1. Introduction .....	1-1
1.1 Purpose and Scope .....	1-1
1.2 Structure and Use of This Document .....	1-2
2. Introduction to WDM and Optical Networks .....	2-1
2.1 History of The SONET Regenerator and The Optical Fiber Amplifier .....	2-2
2.2 The Network Becomes the Computer .....	2-2
2.3 The Internet's Graphical User Interface (GUI): The World Wide Web .....	2-3
2.4 WDM Comes Roaring Out of the Labs .....	2-4
2.5 An Infant Technology Rapidly Matures .....	2-6
3. The Basic Components of Fiber .....	3-1
3.1 A Simple Fiber Optic System .....	3-1
3.1.1 Light in a Fiber Optic System .....	3-1
3.1.2 The Optical Fiber Transmitter .....	3-3
3.1.3 Total Internal Reflection and the Optical Fiber .....	3-6
3.1.4 Basics of The Optical Receiver .....	3-7
3.1.5 Introduction to SONET Signal Bit Rates .....	3-8
3.2 Single-Channel Signal Degradation Mechanisms: Attenuation and Chromatic Dispersion .....	3-9
3.2.1 Attenuation .....	3-10
3.2.2 Chromatic Dispersion .....	3-11
3.2.3 Dispersion Compensation .....	3-13
3.2.4 Dispersion Shifted Fiber .....	3-14
3.3 Polarization Mode Dispersion (PMD) .....	3-14
3.4 Nonlinear Effects .....	3-14
3.4.1 Scattering-Related Effects: Stimulated Brillouin Scattering (SBS) and Stimulated Raman Scattering (SRS) .....	3-15
3.4.1.1 Stimulated Brillouin Scattering (SBS) .....	3-15
3.4.1.2 Stimulated Raman Scattering .....	3-16
3.4.2 Effects From a Nonlinear Refractive Index .....	3-17
3.4.2.1 Four-Wave Mixing (FWM) .....	3-18
3.4.2.2 Self- and Cross-Phase Modulation .....	3-19
3.4.2.3 Solitons .....	3-20
3.4.3 Corning LEAF Fiber and Lucent TrueWave Fiber .....	3-21
3.4.3.1 Corning LEAF Fiber .....	3-22
3.4.3.2 Lucent TrueWave Fiber .....	3-22
3.5 Optical Safety Considerations .....	3-23
3.5.1 SG Classifications and Optical Power Levels .....	3-23
3.5.2 Safety Limitations and DWDM Systems .....	3-25
4. The Basic Components of WDM .....	4-1
4.1 Introduction .....	4-1
4.2 The SONET Regenerator and the EDFA .....	4-1
4.2.1 The SONET Regenerator .....	4-1

4.2.2	The Erbium-Doped Fiber Amplifier (EDFA) .....	4-4
4.3	The Point-to-Point WDM System .....	4-7
4.3.1	The Input Wavelength Converting Transponder .....	4-8
4.3.2	The Optical Multiplexer/Demultiplexer .....	4-10
4.3.2.1	A Passive Multiplexer/Demultiplexer .....	4-10
4.3.2.2	Waveguide Grating Router (WGR) .....	4-12
4.3.2.3	Fiber Bragg Gratings (FBGs) and Optical Circulators .... .....	4-13
4.3.2.4	Multiwavelength Operation of the EDFA .....	4-15
4.3.2.5	The Output Transponder .....	4-17
4.4	The Optical Add/Drop Multiplexer (OADM) .....	4-18
4.4.1	Static OADMs .....	4-18
4.4.2	Reconfigurable OADMs .....	4-20
4.4.2.1	Microelectromechanical Devices .....	4-21
4.4.2.2	Liquid Crystal Switches .....	4-22
5.	Measurement and Monitoring Issues for WDM .....	5-1
5.1	Introduction .....	5-1
5.2	The Bit Error Ratio (BER) .....	5-1
5.3	Optical Signal to Noise Ratio (OSNR) .....	5-4
5.4	Electrical Signal to Noise Ratio (ESNR) .....	5-5
5.5	Eye Pattern of the Optical Signal and the Q-Factor .....	5-6
5.6	A First Look At Optical Transparency .....	5-8
6.	Introduction to The Generic Network Architectures of DWDM .....	6-1
6.1	Optical Network Elements (ONES) .....	6-1
6.1.1	Optical Terminal Multiplexer (OTM) .....	6-2
6.1.2	Optical Add-Drop Multiplexers (OADMs) .....	6-3
6.1.3	Optical Cross-Connect (OXC) .....	6-4
6.1.3.1	Transparency in the Optical Cross-Connect Switch Matrix .....	6-6
6.2	Available DWDM Network Architectures .....	6-7
6.2.1	Point-to-Point Link .....	6-7
6.2.2	Star/Hub Network Architecture .....	6-10
6.2.3	An Optical Ring Network .....	6-11
6.2.4	The Optical Mesh Network .....	6-13
6.3	The Survivability Concepts of an Optical Network .....	6-14
6.3.1	Point-to-Point Protection .....	6-15
6.3.1.1	1+1 Point-to-Point Protection Mechanism .....	6-15
6.3.1.2	1:1 and 1:N Point-to-Point Protection Mechanisms .....	6-18
6.3.2	Ring Network Survivability .....	6-18
6.3.2.1	Individual Channel Dedicated Protection in a Ring Network .....	6-19
6.3.2.2	Multichannel Shared Protection in a Ring Network .....	6-20
6.3.2.3	The Optical Channel Shared Protection RING .....	6-21
6.3.2.4	The Optical Multiplex Section Ring .....	6-24
6.3.3	Survivability in a Mesh Network .....	6-24
6.4	Comparison between the DWDM Network Architectures .....	6-27

7.	The Basics of Multilayer Protection Switching .....	7-1
7.1	Introduction to Multilayer Protection .....	7-1
7.2	Review of Protection Capabilities .....	7-3
7.2.1	The Optical Layer .....	7-3
7.2.2	The SONET Layer .....	7-4
7.2.3	The ATM Layer .....	7-9
7.2.3.1	Dedicated ATM Protection Bandwidth .....	7-9
7.2.3.2	ATM Switch-Based Routing .....	7-10
7.2.4	The IP Layer .....	7-11
7.3	Escalation Strategies .....	7-11
7.3.1	Selecting An Escalation Strategy .....	7-12
7.3.2	Example Escalation Strategies .....	7-13
8.	The Relationship of DWDM to IP, ATM, and SONET/SDH .....	8-1
8.1	Introduction .....	8-1
8.2	The Internet Protocol (IP) .....	8-1
8.2.1	Internet Protocol Version 4 (IPv4) .....	8-2
8.2.2	Internet Protocol Version 6 (IPv6) .....	8-3
8.2.3	Multi-Protocol Label Switching .....	8-4
8.3	Asynchronous Transfer Mode .....	8-5
8.4	Synchronous Optical Network (SONET) .....	8-7
8.5	The Optical Transport Network (OTN) .....	8-9
8.6	Transport of IP Traffic .....	8-10
8.6.1	The Internet Protocol (IP) over DWDM .....	8-12
8.6.1.1	Intervening of Layer 1 and Layer 2 Protocols Required ..	8-12
8.6.1.2	Protocol Architectures for Transporting .....	8-13
8.6.1.3	Network Architectures .....	8-15
8.6.2	IP over OTN .....	8-16
8.7	Transport of ATM .....	8-18
8.7.1	ATM over DWDM .....	8-19
8.7.2	ATM over OTN .....	8-20
8.8	Network Infrastructure And Service Evolution .....	8-20
8.8.1	Protocol Alternatives for Multi-Layer Networks .....	8-22
8.9	Summary: IP, ATM, SONET, and DWDM .....	8-23
9.	Optical Transport Networks (OTNs) .....	9-1
9.1	Introduction .....	9-1
9.2	OTN Overview and Definitions .....	9-2
9.2.1	OTN Transparency .....	9-6
9.2.1.1	Types of OTN Transparency .....	9-6
9.2.1.2	Extent of OTN Transparency .....	9-7
9.2.2	OTN Connectivity .....	9-8
9.3	Wavelength Services Provided over an OTN .....	9-11
9.3.1	Transponder-Based Wavelength Services .....	9-12
9.3.2	All-Optical Wavelength Services .....	9-15
9.4	Interconnecting Optical Networks .....	9-17
9.4.1	Client-to-Client Transparency versus Network Transparency	

9.4.1	.....	9-18
9.4.2	Transverse Compatibility .....	9-19
9.4.3	Interconnection of DWDM Subnetworks .....	9-20
9.4.4	Relationship of Connectivity and Transparency .....	9-22
9.5	Clients that an OTN Will Support .....	9-26
10.	Emerging Optical Network Technologies .....	10-1
10.1	Introduction .....	10-1
10.2	The ITU-T Optical Transport Network (OTN) .....	10-1
10.2.1	Network Layers and Methods of Carrying Overhead .....	10-1
10.2.1.1	OCh Overhead .....	10-2
10.2.1.2	OMS and OTS Overhead Transport .....	10-6
10.3	Other Optical Network Implementations .....	10-6
10.3.1	Optical Packet Networks (OPNs) .....	10-7
10.3.2	Optical Code Division Multiplexing (OCDM) .....	10-10
10.3.3	Soliton Systems .....	10-15
10.4	Automatic Optical Networking .....	10-17
10.4.1	Automatically Switched Optical Network (ASON) .....	10-17
10.4.2	Multi-Protocol Lambda Switching .....	10-19
10.5	Conclusion .....	10-21
11.	Commercial DWDM and Optical Networking .....	11-1
11.1	Recent Optical Networking Acquisitions .....	11-1
11.2	Optical Networking Equipment Providers .....	11-2
11.2.1	CIENA .....	11-3
11.2.2	Fujitsu Network Communications .....	11-4
11.2.3	Nortel Networks Corporation .....	11-4
11.2.4	Alcatel Network Systems .....	11-5
11.2.5	Lucent Technologies .....	11-6
11.2.6	Cisco Systems .....	11-6
11.2.7	Tellium Optical Networking Systems .....	11-7
11.2.8	Corvis .....	11-7
11.2.9	Sycamore Networks .....	11-8
11.2.10	Tellabs .....	11-8
Appendix A:	Bi-Directional WDM .....	A-1
A.1	Bi-Directional Transmission and Amplification .....	A-1
A.1	4-Fiber BLSR Operated Over 2 Fibers Using Bi-Directional WDM .....	A-2
Appendix B:	The GR-2918-CORE Wavelength Plan .....	B-1
Bibliography and	References .....	References-1
Glossary	.....	Glossary-1

## List of Figures

Figure 3-1.	Light as a Wave .....	3-2
Figure 3-2.	Optical Fiber Transmitter.....	3-4
Figure 3-3.	Optical Spectrum of a Multilongitudinal Mode Laser.....	3-4
Figure 3-4.	Optical Spectrum of a Single Longitudinal Mode laser .....	3-5
Figure 3-5.	Total Internal Reflection .....	3-6
Figure 3-6.	Single-Mode Optical Fiber.....	3-7
Figure 3-7.	Standard Optical Receiver .....	3-8
Figure 3-8.	Attenuation vs Wavelength for Optical Fiber .....	3-11
Figure 3-9.	Refractive Index vs Wavelength .....	3-12
Figure 3-10.	A Simple Dispersion Map .....	3-13
Figure 3-11.	Effect of SRS on Two Copropagating Signals .....	3-16
Figure 3-12.	Maximum Power Per Channel vs Number of Channels Ensuring SRS Degradation below 1 dB for All Channels.....	3-17
Figure 3-13.	Four-Wave Mixing Products: Input Frequencies $f_1$ , and $f_2$ .....	3-18
Figure 3-14.	Four-Wave Mixing Products $f_{ijk}=f_i + f_j -f_k$ , for Input Frequencies $f_1$ , $f_2$ , and $f_3$ .....	3-18
Figure 3-15.	An Optical Soliton .....	3-21
Figure 3-16.	Corning LEAF Refractive Index vs Radius .....	3-22
Figure 3-17.	Elimination of Water Peak in Lucent TrueWave Fiber.....	3-23
Figure 3-18.	SG IIIa Safety Label.....	3-25
Figure 4-1.	A SONET Regenerator.....	4-2
Figure 4-2.	Schematic of a SONET Regenerator Functionality .....	4-2
Figure 4-3.	Schematic of the Erbium-Doped Fiber Amplifier (EDFA).....	4-4
Figure 4-4.	Energy State Diagram for the EDFA.....	4-5
Figure 4-5.	Gain Profile of the EDFA .....	4-6
Figure 4-6.	Point-to-Point WDM System .....	4-8
Figure 4-7.	Schematic of a Wavelength Converting a Transponder Using External Modulation .....	4-9
Figure 4-8.	Demultiplexing through Passive Splitting and Filters.....	4-11
Figure 4-9.	Waveguide Grating Router .....	4-13
Figure 4-10.	FBG/Optical Circulator-Based Demultiplexing.....	4-14
Figure 4-11.	An Eight-Wavelength Signal after Traversing 1 EDFA .....	4-16
Figure 4-12.	The Same Eight-Wavelength Signal Shown in Figure 4-11 after Traversing Eight EDFAs.....	4-16
Figure 4-13.	Point-to-Point WDM System with OADM.....	4-18
Figure 4-14.	OADM Using FBGs and Circulators.....	4-19
Figure 4-15.	Reconfigurable OADM.....	4-21
Figure 4-16.	MEMs Mirror.....	4-22
Figure 4-17.	Liquid-Crystal OADM (Courtesy of Chorum Technologies).....	4-23

Figure 5-1. BER Measurement of a SONET System.....	5-2
Figure 5-2. Measurement of a DWDM System that has Output Transponders.....	5-3
Figure 5-3. OSA Trace Showing Approximate OSNR .....	5-4
Figure 5-4. ESNR Measurement Setup.....	5-6
Figure 5-5. A Typical Eye Pattern and Mask.....	5-7
Figure 6-1. Conceptual View of an Optical Terminal Multiplexer (OTM).....	6-2
Figure 6-2. Conceptual View of an OADM .....	6-3
Figure 6-3. Conceptual View of an OXC .....	6-4
Figure 6-4. OXC Classification.....	6-5
Figure 6-5. DWDM Point-to-Point Link (One Transmission Direction).....	6-8
Figure 6-6. Point-to-Point DWDM Systems Used in Tandem.....	6-8
Figure 6-7. Point-to-Point DWDM Systems with Optical Pass-Through.....	6-9
Figure 6-8. Linear DWDM System with OADM.....	6-10
Figure 6-9. Optical Star Network Using WSXC .....	6-11
Figure 6-10. Optical Ring Network using OADMs.....	6-12
Figure 6-11. Mesh Network of Wavelength Selective Cross-Connects (WSXCs) .....	6-14
Figure 6-12. Point-to-Point Individual and Multichannel Protection.....	6-16
Figure 6-13. Individual Channel Dedicated Ring Network Protection .....	6-20
Figure 6-14. Multichannel Shared Ring Network Protection.....	6-21
Figure 6-15. 2-Fiber and 4-Fiber OChSPRING Routing .....	6-22
Figure 6-16. 2-Fiber OChSPRING Operation .....	6-23
Figure 6-17. 4-Fiber OChSPRING Operation .....	6-24
Figure 6-18. Individual Channel Dedicated Mesh Network Protection.....	6-25
Figure 6-19. Multichannel Dedicated Mesh Network Protection.....	6-26
Figure 7-1. A Multilayer Network.....	7-2
Figure 7-2. 1+1 and 1:N SONET Automatic Protection Switching (APS) .....	7-5
Figure 7-3. SONET Uni-directional Path-Switched Ring (UPSR) (Protection Span Failure) .....	7-7
Figure 7-4. Fiber Bi-directional Line-Switched Ring (Protecting Span Failure) ...	7-8
Figure 8-1. Internet Protocol (IP) Datagram Structure .....	8-2
Figure 8-2. Example of IP (Version 4) Datagram Header.....	8-2
Figure 8-3. ATM Fixed-Length Cell Structure.....	8-6
Figure 8-4. SONET STS-1 Frame Structure.....	8-7
Figure 8-5. SDH STM-1 Frame Structure.....	8-9
Figure 8-6. The Optical Transport Network Layers .....	8-10
Figure 8-7. The OSI Protocol Stack and IP Transport Options .....	8-13
Figure 8-8. IP over Gigabit Ethernet (GbE) over DWDM for LAN Applications.	8-14
Figure 8-9. Alternative Data Networks using DWDM .....	8-15
Figure 8-10. Data Network with DWDM and SONET Optical Interfaces.....	8-16
Figure 8-11. Future “IP-over-OTN” Data Network .....	8-17
Figure 8-12. Example DWDM Ring Transporting IP over Different Technologies .....	8-18
Figure 8-13. The OSI Protocol Stack and ATM Transport Options.....	8-19

Figure 8-14. ATM Networks with SONET and DWDM .....	8-19
Figure 8-15. Possible Future “ATM-over-OTN” Network .....	8-20
Figure 8-16. Protocol Layers and Corresponding NEs .....	8-21
Figure 8-17. Protocol Alternatives for Multi-Layer Transport Networks .....	8-22
Figure 9-1. Illustrative OTN Having A Single OMS.....	9-3
Figure 9-2. Multi-Span Optical Subnetwork (OSN).....	9-9
Figure 9-3. Intranetwork Connectivity .....	9-10
Figure 9-4. Opaque Internetwork Connectivity .....	9-11
Figure 9-5. Demarcation between Equipment Owned/Managed by the Opaque Wavelength Services Provider and Purchaser.....	9-14
Figure 9-6. Demarcation between Equipment Owned/Managed by the All-Optical Wavelength Service Provider and Purchaser.....	9-16
Figure 10-1. Optical Channel Data Unit k Signal Frame Structure .....	10-2
Figure 10-2. OTUk Frame Structure.....	10-3
Figure 10-3. Frame-Synchronous Mapping of ODUk to OTUk.....	10-4
Figure 10-4. SCM Overhead.....	10-5
Figure 10-5. Out-of-Band OSC.....	10-6
Figure 10-6. Optical Packet Stream with TDM Header.....	10-7
Figure 10-7. Optical Packet and SCM Header RF Spectrum.....	10-8
Figure 10-8. Alternative Multiplexing Schemes.....	10-8
Figure 10-9. SCM Optical Header and Payload Relationship.....	10-9
Figure 10-10. Optical Label Switching Node Schematic .....	10-10
Figure 10-11. Temporal Optical Encoding .....	10-11
Figure 10-12. Temporal OCDM and DWDM in a Point-to-point System .....	10-12
Figure 10-13. 7 Chip Spectral Encoding .....	10-13
Figure 10-14. Optical Code Division Multiple Access Broadcast and Select Network .....	10-14
Figure 10-15. Spectral OCDM in a Point-to-Point System.....	10-14
Figure 10-16. Pulse Shape Comparison.....	10-16
Figure 10-17. ASON Logical Architecture .....	10-18
Figure 10-18. Multi-Protocol Lambda Switched Optical Internetworking.....	10-20
Figure A-1. A Uni-directional OFA Operating Bi-directionally .....	A-2
Figure A-2. Span Switch in a 4-Fiber BLSR.....	A-3
Figure A-3. Implementation of BLSR/4 Using 2 Fibers and Uni-Directional and Bi-Directional WDM.....	A-4





## List of Tables

Table 3-1. Bit Rates of the SONET/SDH Digital Hierarchy .....	3-9
Table 3-2. SG Level Optical Power Limits for 1310 nm and 1550 nm Systems ..	3-24
Table 3-3. Maximum Optical Power Level as a Function of DWDM System Channel Count	3-26
Table 7-1. Bottom-up Escalation Strategies Using Optical Layer Protection ....	7-15
Table 7-2. Top-Down Escalation Strategies Using Optical Layer Protection ....	7-16
Table 8-1. Comparison of IPv4 and IPv6 .....	8-4
Table 8-2. Network Functions and Network Technology Layers .....	8-21
Table 9-1. OTN Terminology (Refer to Figure 9-1 for Pictorial View) .....	9-4
Table 9-2. Network Transparency: Cost/Difficulty of Providing Wavelength ...	9-24
Table 9-3. Client-to-Client Transparency: Cost/Difficulty of Providing Wavelength Services	9-25
Table 9-4. Clients of Interest for Metropolitan Area DWDM Applications .....	9-26
Table 9-5. Support for Key Applications .....	9-28
Table 11-1. Recent Acquisition Activity in the Optical Components and Networks Arena	11-2
Table B-1. Frequency Plan for MOS-n Signals .....	B-1