

## Contents

Foreword .....	Foreword-1
1. Introduction.....	1-1
1.1 Purpose and Scope .....	1-1
1.2 Structure and Use of This Document.....	1-2
1.3 Document Conventions.....	1-3
2. Number Portability.....	2-1
2.1 Service Provider Portability .....	2-2
2.1.1 History of Service Provider Portability.....	2-2
2.1.1.1 Technical Approaches Considered .....	2-3
2.1.1.2 Technical Requirements Development for Number Portability.....	2-5
2.1.1.3 Establishment of the Number Portability Administration .....	2-6
2.1.1.4 Establishment of Number Portability Guidelines .....	2-8
2.1.2 Number Portability Architecture .....	2-8
2.1.3 Number Portability Order Processing- NANC Operations Flows .....	2-10
2.1.4 Service Switching Point (SSP) Provisioning .....	2-34
2.1.4.1 Establishing the Trigger for a Given NPA-NXX.....	2-34
2.1.4.2 Default Routing.....	2-34
2.1.4.3 Assigning LRNs to Switches.....	2-34
2.1.4.4 Ported-Out and Number Portability-Reserved Markings .....	2-34
2.1.4.5 Billing-Related Provisioning.....	2-35
2.1.5 Service Characteristics of Service Provider Portability .....	2-36
2.1.5.1 Service Switching Point (SSP).....	2-36
2.1.5.2 Common Channel Signaling (CCS) Network.....	2-37
2.1.5.3 Number Portability Database (NPDB) .....	2-38
2.1.5.4 N-1 Networks .....	2-40
2.1.5.5 Default Routing.....	2-40
2.1.5.6 Transition Mechanism .....	2-41
2.1.5.7 Message Relay Function / Number Portability (NP)Global Title Translation (GTT) .....	2-42
2.1.6 Number Portability Call Processing - Call Flows .....	2-44
2.1.6.1 Direct Call Completion - Originating Switch to the Recipient Switch.....	2-44
2.1.7 Operator Services and Number Portability .....	2-50
2.1.8 Usage Measurements and Billing Considerations .....	2-51
2.1.8.1 Connecting Network Access (CNA) and AMA Recordings .....	2-52

2.1.8.2	Default Flat Rate Recordings.....	2-52
2.1.8.3	Jurisdiction Information Parameter (JIP).....	2-52
2.1.9	Deployment Status of Number Portability in the United States .....	2-53
2.2	Location Portability.....	2-54
2.2.1	History of Location Portability .....	2-55
2.2.2	Technical Requirements Development for Location Portability .....	2-57
2.2.3	Factors Inhibiting Deployment of GUBB Solution.....	2-58
2.2.4	Expected Industry Path Forward .....	2-58
2.3	Service Portability .....	2-59
2.3.1	Deployment Status of Service Portability.....	2-60
2.4	Wireless Number Portability .....	2-60
2.4.1	History of Wireless Number Portability.....	2-60
2.4.1.1	Establishment of Mandates.....	2-61
2.4.1.2	Technical Requirements Development for Wireless Number Portability.....	2-62
2.4.1.3	Establishment of Number Portability Administration .....	2-63
2.4.2	Proposed Architecture for Full Wireless Number Portability .	2-64
2.4.3	Proposed Service Characteristics for Wireless Number Portability .....	2-65
2.4.3.1	Mobile Identification Number (MIN)/Mobile Directory Number (MDN) Split.....	2-65
2.4.3.2	Mobile Station (MS) .....	2-66
2.4.3.3	Home Location Register (HLR) .....	2-66
2.4.3.4	Mobile Switching Center (MSC).....	2-66
2.4.3.5	N-1 Network.....	2-67
2.4.3.6	CCS/IS-41 C Network.....	2-68
2.4.4	Proposed Call Processing / Call Flows .....	2-68
2.4.4.1	Call Completion from a Wireline to Ported Wireless Number .....	2-69
2.4.4.2	Call Completion from Wireless to Ported Wireline Number .....	2-70
2.4.4.3	Call Completion to a Roaming Ported Wireless User .....	2-72
2.4.4.4	Call Completion to Wireless User after MIN/HLR Mismatch .....	2-73
2.5	Number Portability in Other Countries.....	2-76
2.5.1	Other Regulatory Decisions Outside the U.S. ....	2-76
2.5.1.1	European Union.....	2-77
2.5.1.2	Australia.....	2-77
2.5.1.3	Interest in Other Countries .....	2-78
2.5.2	Technical Approaches Considered in International Standards	2-78

2.5.2.1	Onward Routing.....	2-78
2.5.2.2	All Call Query.....	2-79
2.5.2.3	Dropback.....	2-80
2.5.2.4	Query on Release.....	2-81
3.	Number Pooling.....	3-1
3.1	History of Number Pooling.....	3-1
3.1.1	Technical Approaches Considered.....	3-3
3.1.1.1	Number Pooling without Number Portability.....	3-3
3.1.1.2	Individual Telephone Number (ITN) Pooling.....	3-3
3.1.1.3	Unassigned Number Porting (UNP).....	3-4
3.1.2	Establishment of Number Pooling Administration .....	3-4
3.1.3	Establishment of Number Pooling Guidelines.....	3-5
3.1.3.1	Role of the Industry Numbering Council (INC) .....	3-5
3.1.3.2	Role of the Number Portability Administration Center (NANC) .....	3-6
3.1.4	Network Requirements Development.....	3-7
3.2	Number Pooling Order Processing - NANC Operations Flows.....	3-7
3.2.1	Pooling of Non-Contaminated Block .....	3-8
3.2.2	Pooling of Contaminated Block.....	3-11
3.2.3	De-Pooling (Reclamation) of Block .....	3-13
3.2.4	Disconnect of Ported Pooled Number .....	3-15
3.3	Number Pooling Administration .....	3-16
3.3.1	Service Switching Point (SSP) Administration.....	3-16
3.3.1.1	“NP-Reserved” Markings .....	3-17
3.3.1.2	“Ported-Out” Markings.....	3-18
3.3.2	Administrative Responsibilities of Service Providers.....	3-19
3.3.2.1	Code Holder Responsibilities .....	3-19
3.3.2.2	LERG Assignee Responsibilities.....	3-19
3.3.2.3	Block Applicant Responsibilities .....	3-20
3.3.2.4	Block Holder Responsibilities .....	3-21
3.4	Thousands-Block Number Pooling Service Characteristics .....	3-21
3.4.1	Service Switching Point (SSP) .....	3-21
3.4.2	Common Channel Signaling (CCS) Network .....	3-22
3.4.3	Number Portability Database (NPDB).....	3-22
3.4.4	Default Routing to the Code Holder.....	3-22
3.4.5	Snapback to the Block Holder .....	3-23
3.4.6	Routing to Unallocated Numbers / Cause Code 26 .....	3-23
3.4.7	Efficient Data Representation (EDR) .....	3-25
3.5	Number Pooling Call Processing - Call Flows.....	3-26
3.5.1	Direct Call Completion - Originating Switch to Block Holder Switch.....	3-26
3.5.2	Call Completion Via Code Holder Switch.....	3-27
3.5.3	Calls Completed through an Interexchange Carrier (IXC).....	3-29
3.5.4	Ported Number in a Pooled Block.....	3-31

3.6	Current Regulatory Environment and Trial Deployments .....	3-32
3.6.1	State Regulatory Activity .....	3-33
3.6.2	Federal Regulatory Activity.....	3-33
3.7	Number Exhaust in Other Countries.....	3-36
	Bibliography and References.....	References-1
	Glossary.....	Glossary-1

## List of Figures

Figure 2-1.	Number Portability Service Architecture in the United States .....	2-9
Figure 2-2.	Inter-Service Provider LNP Operations Flow - Provisioning.....	2-11
Figure 2-3.	Inter-Service Provider Operations Flow - Provisioning without Transition Mechanism .....	2-17
Figure 2-4.	Inter-Service Provider Operations Flow - Provisioning With Transition Mechanism .....	2-20
Figure 2-5.	Inter-Service Provider Operations Flow - Conflict Flow for Provisioning .....	2-23
Figure 2-6.	Inter-Service Provider Operations Flow - Cancellation Flow for Provisioning .....	2-26
Figure 2-7.	Inter-Service Provider Operations Flow - Cancellation Conflict Flow .....	2-31
Figure 2-8.	NP GTT Function in Support of Calling Name Delivery .....	2-44
Figure 2-9.	Originating Switch NP Processing with Direct Call Completion to the Recipient Switch.....	2-45
Figure 2-10.	Call Completion via the Donor Switch, with a Donor Switch NP Query .....	2-47
Figure 2-11.	IIXC-Routed Call; NP Query at IXC (N-1) Switch .....	2-49
Figure 2-12.	Proposed Wireless Number Portability Architecture .....	2-64
Figure 2-13.	Call Completion from Wireline to Ported Wireless.....	2-69
Figure 2-14.	Call Completion to Ported Wireline Number.....	2-71
Figure 2-15.	Call Completion to Roaming Ported Wireless User.....	2-72
Figure 2-16.	Call Completion after MIN/HLR Mismatch .....	2-74
Figure 2-17.	ITU Illustration of Onward Routing .....	2-79
Figure 2-18.	ITU Illustration of All Call Query “One Step” by a Transit Network .....	2-80
Figure 2-19.	ITU Illustration of Dropback .....	2-81
Figure 2-20.	ITU Illustration of Query on Release (Originating Network Query) .....	2-81
Figure 3-1.	Pooling of Non-Contaminated Block.....	3-8
Figure 3-2.	Pooling of Contaminated Block .....	3-11
Figure 3-3.	De-Pooling of Block .....	3-13
Figure 3-4.	Disconnect of Ported Pooled Number.....	3-15
Figure 3-5.	NP-Reserved Marking for Number Pooling .....	3-18
Figure 3-6.	Direct Call Completion - Originating Switch to Block Holder Switch .....	3-26
Figure 3-7.	Call Completion Via Code Holder Switch .....	3-28
Figure 3-8.	Call Completion Through an IXC .....	3-30
Figure 3-9.	Ported Number in a Pooled Block .....	3-31



## List of Tables

Table 2-1. Transition Mechanism .....	2-42
Table 2-2. Service Provider Portability Deployment Statistics in the U.S. ....	2-54