

# Contents

Special Report Notice Of Disclaimer . . . . .	iii
List of Figures . . . . .	xv
List of Tables . . . . .	xvii
Foreword . . . . .	xix
1. Overview . . . . .	1-1
1.1 Separate Networks for Separate Applications . . . . .	1-1
1.2 Convergence . . . . .	1-6
1.3 The Next Generation Network . . . . .	1-7
1.3.1 NGN Realities . . . . .	1-8
2. Description of Next Generation Network Architecture . . . . .	2-1
2.1 The NGN Core Network . . . . .	2-1
2.2 The NGN Core Network Elements . . . . .	2-1
2.3 The NGN Access Network . . . . .	2-4
2.4 NGN Standards and Specifications . . . . .	2-6
2.4.1 Standards Bodies and Industry Groups . . . . .	2-6
2.4.2 Voice over Packet Specifications . . . . .	2-7
2.4.3 NGN Call Control Protocols . . . . .	2-7
3. Detailed Description of the CGW/IAD . . . . .	3-1
3.1 CGW/IAD Role in the NGN . . . . .	3-1
3.2 CGW/IAD Functions . . . . .	3-2
3.2.1 Interface Termination . . . . .	3-2
3.2.2 Transport . . . . .	3-4
3.2.2.1 IP Transport . . . . .	3-4
3.2.3 ATM Transport . . . . .	3-5
3.2.3.1 Frame Relay Transport . . . . .	3-6
3.2.4 Telephony Support . . . . .	3-6
3.2.4.1 Signaling . . . . .	3-7
3.2.4.2 Voice Processing . . . . .	3-7
3.2.5 Data Support . . . . .	3-9
3.2.6 Bandwidth Management and QoS Mechanisms . . . . .	3-10
3.2.6.1 IP QoS . . . . .	3-12
3.2.6.2 ATM QoS . . . . .	3-13
3.2.7 Operations . . . . .	3-14
3.2.8 Physical Dimensions and Powering Options . . . . .	3-14
4. Listing of Customer Gateways and Integrated Access Devices . . . . .	4-1
5. Product Information . . . . .	5-1
5.1 Accelerated Networks AN-24/28 . . . . .	5-2
Application. . . . .	5-2
Interfaces. . . . .	5-2
Transport. . . . .	5-2
Telephony Support. . . . .	5-2
Data Support. . . . .	5-3

Bandwidth Management and Quality of Service (QoS) . . . . .	5-3
Operations . . . . .	5-3
Physical Dimensions and Powering . . . . .	5-3
Additional Information . . . . .	5-3
5.2 Accelerated Networks AN-30 . . . . .	5-5
Application . . . . .	5-5
Interfaces . . . . .	5-5
Transport . . . . .	5-5
Telephony Support . . . . .	5-5
Data Support . . . . .	5-6
Bandwidth Management and (QoS) . . . . .	5-6
Operations . . . . .	5-6
Physical Dimensions and Powering . . . . .	5-6
Additional Information . . . . .	5-6
5.3 Accelerated Networks AN-32 . . . . .	5-7
Application . . . . .	5-7
Interfaces . . . . .	5-7
Transport . . . . .	5-7
Telephony Support . . . . .	5-7
Data Support . . . . .	5-8
Bandwidth Management and Quality of Service (QoS) . . . . .	5-8
Operations . . . . .	5-8
Physical Dimensions and Powering . . . . .	5-8
Additional Information . . . . .	5-8
5.4 Accelerated Networks AN-28-BRI . . . . .	5-9
Application . . . . .	5-9
Interfaces . . . . .	5-9
Transport . . . . .	5-9
Telephony Support . . . . .	5-9
Data Support . . . . .	5-10
Bandwidth Management and Quality of Service (QoS) . . . . .	5-10
Operations . . . . .	5-10
Physical Dimensions and Powering . . . . .	5-10
Additional Information . . . . .	5-10
5.5 Accelerated Networks AN-30-PRI . . . . .	5-11
Application . . . . .	5-11
Interfaces . . . . .	5-11
Transport . . . . .	5-11
Telephony Support . . . . .	5-11
Data Support . . . . .	5-12
Bandwidth Management and Quality of Service (QoS) . . . . .	5-12
Operations . . . . .	5-12
Physical Dimensions and Powering . . . . .	5-12
Additional Information . . . . .	5-12

5.6 Alcatel Speed Touch 710 IAD . . . . .	5-13
Application . . . . .	5-13
Interfaces . . . . .	5-13
Transport . . . . .	5-13
Telephony Support . . . . .	5-13
Data Support . . . . .	5-13
Bandwidth Management and Quality of Service (QoS) . . . . .	5-14
Operations . . . . .	5-14
Physical Dimensions and Powering . . . . .	5-14
Additional Information . . . . .	5-14
5.7 Cisco Systems 827-4V . . . . .	5-15
Application . . . . .	5-15
Interfaces . . . . .	5-15
Transport . . . . .	5-15
Telephony Support . . . . .	5-15
Data Support . . . . .	5-15
Bandwidth Management and Quality of Service (QoS) . . . . .	5-16
Operations . . . . .	5-16
Physical Dimensions and Powering . . . . .	5-16
Additional Information . . . . .	5-16
5.8 Cisco IAD2420 Series . . . . .	5-17
Application . . . . .	5-17
Interfaces . . . . .	5-17
Transport . . . . .	5-17
Telephony Support . . . . .	5-17
Data Support . . . . .	5-18
Bandwidth Management and Quality of Service (QoS) . . . . .	5-18
Operations . . . . .	5-18
Physical Dimensions and Powering . . . . .	5-18
Additional Information . . . . .	5-18
5.9 Cisco CVA120 Series . . . . .	5-19
Application . . . . .	5-19
Interfaces . . . . .	5-19
Transport . . . . .	5-19
Telephony Support . . . . .	5-19
Data Support . . . . .	5-19
Bandwidth Management and Quality of Service (QoS) . . . . .	5-20
Operations . . . . .	5-20
Physical Dimensions and Powering . . . . .	5-20
Additional Information . . . . .	5-20
5.10 Clarent CPG 101 Gateway . . . . .	5-21
Application . . . . .	5-21
Interfaces . . . . .	5-21
Transport . . . . .	5-21

Telephony Support . . . . .	5-21
Data Support . . . . .	5-21
Bandwidth Management and Quality of Service (QoS) . . . . .	5-22
Operations . . . . .	5-22
Physical Dimensions and Powering . . . . .	5-22
Additional Information . . . . .	5-22
5.11 Clarent CPG 2102S Gateway . . . . .	5-23
Application . . . . .	5-23
Interfaces . . . . .	5-23
Transport . . . . .	5-23
Telephony Support . . . . .	5-23
Data Support . . . . .	5-23
Bandwidth Management and Quality of Service (QoS) . . . . .	5-24
Operations . . . . .	5-24
Physical Dimensions and Powering . . . . .	5-24
Additional Information . . . . .	5-24
5.12 CopperCom MXR 100 . . . . .	5-25
Application . . . . .	5-25
Interfaces . . . . .	5-25
Transport . . . . .	5-25
Telephony Support . . . . .	5-25
Data Support . . . . .	5-25
Bandwidth Management and Quality of Service (QoS) . . . . .	5-26
Operations . . . . .	5-26
Physical Dimensions and Powering . . . . .	5-26
Additional Information . . . . .	5-26
5.13 CopperCom MXR 300 . . . . .	5-27
Application . . . . .	5-27
Interfaces . . . . .	5-27
Transport . . . . .	5-27
Telephony Support . . . . .	5-27
Data Support . . . . .	5-27
Bandwidth Management and Quality of Service (QoS) . . . . .	5-28
Operations . . . . .	5-28
Physical Dimensions and Powering . . . . .	5-28
Additional Information . . . . .	5-28
5.14 CopperCom MXR 400 . . . . .	5-29
Application . . . . .	5-29
Interfaces . . . . .	5-29
Transport . . . . .	5-29
Telephony Support . . . . .	5-29
Data Support . . . . .	5-29
Bandwidth Management and Quality of Service (QoS) . . . . .	5-30
Operations . . . . .	5-30

Physical Dimensions and Powering . . . . .	5-30
Additional Information . . . . .	5-30
5.15 CopperCom MXR 500 . . . . .	5-31
Application . . . . .	5-31
Interfaces . . . . .	5-31
Transport . . . . .	5-31
Telephony Support . . . . .	5-31
Data Support . . . . .	5-31
Bandwidth Management and Quality of Service (QoS) . . . . .	5-32
Operations . . . . .	5-32
Physical Dimensions and Powering . . . . .	5-32
Additional Information . . . . .	5-32
5.16 Efficient Networks 7800 Family NG-IAD . . . . .	5-33
Application . . . . .	5-33
Interfaces . . . . .	5-33
Transport . . . . .	5-33
Telephony Support . . . . .	5-33
Data Support . . . . .	5-33
Bandwidth Management and Quality of Service (QoS) . . . . .	5-34
Operations . . . . .	5-34
Physical Dimensions and Powering . . . . .	5-34
Additional Information . . . . .	5-34
5.17 Efficient Networks SpeedStream 8600 Series . . . . .	5-35
Application . . . . .	5-35
Interfaces . . . . .	5-35
Transport . . . . .	5-35
Telephony Support . . . . .	5-35
Data Support . . . . .	5-35
Bandwidth Management and Quality of Service (QoS) . . . . .	5-36
Operations . . . . .	5-36
Physical Dimensions and Powering . . . . .	5-36
Additional Information . . . . .	5-36
5.18 Integral Access - PurePacket OUTburst - Vx . . . . .	5-37
Interfaces . . . . .	5-37
Transport . . . . .	5-37
Telephony Support . . . . .	5-37
Data Support . . . . .	5-37
Bandwidth Management and QoS . . . . .	5-37
Operations . . . . .	5-38
Physical Dimensions and Powering . . . . .	5-38
Additional Information . . . . .	5-38
5.19 Jetstream Communications IAD-802 . . . . .	5-39
Application . . . . .	5-39
Interfaces . . . . .	5-39

Transport . . . . .	5-39
Telephony Support . . . . .	5-39
Data Support. . . . .	5-39
Bandwidth Management and Quality of Service (QoS) . . . . .	5-40
Operations . . . . .	5-40
Physical Dimensions and Powering . . . . .	5-40
Additional Information . . . . .	5-40
5.20 Jetstream Communications IAD-402 . . . . .	5-41
Application. . . . .	5-41
Interfaces. . . . .	5-41
Transport. . . . .	5-41
Telephony Support. . . . .	5-41
Data Support. . . . .	5-41
Bandwidth Management and Quality of Service (QoS) . . . . .	5-42
Operations . . . . .	5-42
Physical Dimensions and Powering . . . . .	5-42
Additional Information . . . . .	5-42
5.21 Jetstream Communications IAD-Flex 160 . . . . .	5-43
Application. . . . .	5-43
Interfaces. . . . .	5-43
Transport. . . . .	5-43
Telephony Support. . . . .	5-43
Data Support. . . . .	5-43
Bandwidth Management and Quality of Service (QoS) . . . . .	5-44
Operations . . . . .	5-44
Physical Dimensions and Powering . . . . .	5-44
Additional Information . . . . .	5-44
5.22 Jetstream Communications IAD-1601 . . . . .	5-45
Application. . . . .	5-45
Interfaces. . . . .	5-45
Transport. . . . .	5-45
Telephony Support. . . . .	5-45
Data Support. . . . .	5-45
Bandwidth Management and Quality of Service (QoS) . . . . .	5-46
Operations . . . . .	5-46
Physical Dimensions and Powering . . . . .	5-46
Additional Information . . . . .	5-46
5.23 Lucent Technologies CellPipe IAD 4A/4S . . . . .	5-47
Application. . . . .	5-47
Interfaces. . . . .	5-47
Transport. . . . .	5-47
Telephony Support. . . . .	5-47
Data Support. . . . .	5-47
Bandwidth Management and QoS (QoS) . . . . .	5-48

Operations . . . . .	5-48
Additional Information . . . . .	5-48
5.24 Lucent Technologies CellPipe IAD 8S . . . . .	5-49
Application . . . . .	5-49
Interfaces . . . . .	5-49
Transport . . . . .	5-49
Telephony Support . . . . .	5-49
Data Support . . . . .	5-49
Bandwidth Management and QoS . . . . .	5-50
Operations . . . . .	5-50
Additional Information . . . . .	5-50
5.25 Lucent Technologies CellPipe IAD 8DSU . . . . .	5-51
Application . . . . .	5-51
Interfaces . . . . .	5-51
Transport . . . . .	5-51
Telephony Support . . . . .	5-51
Data Support . . . . .	5-51
Bandwidth Management and QoS . . . . .	5-52
Operations . . . . .	5-52
Additional Information . . . . .	5-52
5.26 Lucent Technologies CellPipe MOD IAD . . . . .	5-53
Application . . . . .	5-53
Interfaces . . . . .	5-53
Transport . . . . .	5-53
Telephony Support . . . . .	5-53
Data Support . . . . .	5-53
Bandwidth Management and QoS . . . . .	5-54
Operations . . . . .	5-54
Additional Information . . . . .	5-54
5.27 Nortel Networks - Universal Edge 624 . . . . .	5-55
Application . . . . .	5-55
Interfaces . . . . .	5-55
Transport . . . . .	5-55
Telephony Support . . . . .	5-55
Data Support . . . . .	5-55
Bandwidth Management and QoS . . . . .	5-56
Operations . . . . .	5-56
Physical Dimensions and Powering . . . . .	5-56
Additional Information . . . . .	5-56
5.28 Polycom NetEngine 6100-4 . . . . .	5-57
Application . . . . .	5-57
Interfaces . . . . .	5-57
Transport . . . . .	5-57
Telephony Support . . . . .	5-57

Data Support. . . . .	5-57
Bandwidth Management and QoS (QoS) . . . . .	5-58
Operations . . . . .	5-58
Physical Dimensions and Powering . . . . .	5-58
Additional Information . . . . .	5-58
5.29 Polycom NetEngine 6200 and 6300 Series . . . . .	5-59
Application. . . . .	5-59
Interfaces. . . . .	5-59
Transport. . . . .	5-59
Telephony Support. . . . .	5-59
Data Support. . . . .	5-59
Bandwidth Management and QoS (QoS) . . . . .	5-59
Operations . . . . .	5-60
Physical Dimensions and Powering . . . . .	5-60
Additional Information . . . . .	5-60
5.30 Polycom NetEngine 7200 and 7300 Series . . . . .	5-61
Application. . . . .	5-61
Interfaces. . . . .	5-61
Transport. . . . .	5-61
Telephony Support. . . . .	5-61
Data Support. . . . .	5-61
Bandwidth Management and QoS (QoS) . . . . .	5-62
Operations . . . . .	5-62
Physical Dimensions and Powering . . . . .	5-62
Additional Information . . . . .	5-62
5.31 Polycom NetEngine 8000 . . . . .	5-63
Application. . . . .	5-63
Interfaces. . . . .	5-63
Transport. . . . .	5-63
Telephony Support. . . . .	5-63
Data Support. . . . .	5-63
Bandwidth Management and Quality of Service (QoS) . . . . .	5-64
Operations . . . . .	5-64
Physical Dimensions and Powering . . . . .	5-64
Additional Information . . . . .	5-64
5.32 Tollbridge Technologies TB55 . . . . .	5-65
Application. . . . .	5-65
Interfaces. . . . .	5-65
Transport. . . . .	5-65
Telephony Support. . . . .	5-65
Data Support. . . . .	5-65
Bandwidth Management and Quality of Service (QoS) . . . . .	5-66
Operations . . . . .	5-66
Physical Dimensions and Powering . . . . .	5-66



Additional Information . . . . .	5-66
5.33 Tollbridge Technologies TB50 . . . . .	5-67
Application . . . . .	5-67
Interfaces . . . . .	5-67
Transport . . . . .	5-67
Telephony Support . . . . .	5-67
Data Support . . . . .	5-67
Bandwidth Management and Quality of Service (QoS) . . . . .	5-68
Operations . . . . .	5-68
Physical Dimensions and Powering . . . . .	5-68
Additional Information . . . . .	5-68
5.34 Zhone Technologies - Z-Edge 64 . . . . .	5-69
Application . . . . .	5-69
Interfaces . . . . .	5-69
Transport . . . . .	5-69
Telephony Support . . . . .	5-69
Data Support . . . . .	5-69
Bandwidth Management and Quality of Service (QoS) . . . . .	5-70
Operations . . . . .	5-70
Physical Dimensions and Powering . . . . .	5-70
Additional Information . . . . .	5-70
Appendix A: References . . . . .	A-1
Telcordia Documents . . . . .	A-1
Articles . . . . .	A-2
IETF Documents . . . . .	A-2
ITU Recommendations . . . . .	A-3
ISO Documents . . . . .	A-4
IEEE Documents . . . . .	A-4
ATM Forum Documents . . . . .	A-4
DSL Forum . . . . .	A-5
Frame Relay Forum . . . . .	A-5
Appendix B: Glossary and Acronyms . . . . .	B-1
Acronyms . . . . .	B-10



## List of Figures

Figure 1-1	Customer Gateway . . . . .	1-1
Figure 1-2	The PSTN . . . . .	1-2
Figure 1-3	Access to the PSTN . . . . .	1-3
Figure 1-4	Dial Access to the Internet . . . . .	1-4
Figure 1-5	Broadband Access to Data Networks - DSL . . . . .	1-5
Figure 1-6	Broadband Access to Data Network - Cable Modem . . . . .	1-6
Figure 2-1	NGN Architecture . . . . .	2-2
Figure 2-2	Architecture for a Packet Access to a Class 5 Switch . . . . .	2-5
Figure 3-1	CGW/IAD Functional Diagram . . . . .	3-1
Figure 3-2	Protocol Stack for IP transport . . . . .	3-5
Figure 3-3	Access Network Bandwidth Management . . . . .	3-11



## List of Tables

Table 3-1	DSL Access Types . . . . .	3-3
Table 3-2	Selected ITU Codecs . . . . .	3-8
Table 4-1	CGW/IAD Manufacturers and Products . . . . .	4-1