

## Contents

<b>Special Report Notice of Disclaimer</b> . . . . .	iii
<b>List of Figures</b> . . . . .	x
<b>List of Tables</b> . . . . .	xi
<b>Preface</b> . . . . .	Preface-1
<b>1 Introduction</b>	
1.1 Overview . . . . .	1-1
1.1.1 The V&H Coordinate Grid . . . . .	1-2
1.1.2 Tariffs . . . . .	1-3
1.1.3 Cartography Applications . . . . .	1-4
1.1.4 Service Cost Applications . . . . .	1-4
1.1.5 Alaska V&H Coordinates . . . . .	1-4
1.1.6 LocatIt® System . . . . .	1-5
1.1.7 About Telcordia Routing Administration . . . . .	1-6
1.2 Document Structure . . . . .	1-8
1.3 Why the Mystery? . . . . .	1-9
1.4 Accuracy of V&H Coordinates . . . . .	1-13
1.4.1 Rounding to Nearer Integer . . . . .	1-13
1.4.2 NAD 27 vs NAD 83 . . . . .	1-13
1.4.3 Distance Calculation – “Long” or “Short” Calculation Method . . . . .	1-13
1.4.4 Precision of Calculations . . . . .	1-14
1.4.5 Initial Accuracy of Latitude and Longitude Measurements . . . . .	1-14
<b>2 Shape of the Earth</b>	
2.1 Introduction . . . . .	2-1
2.2 Topographical Earth . . . . .	2-1
2.3 Mean Sea Level Geoid . . . . .	2-1
2.4 Reference Ellipsoid . . . . .	2-2
2.5 The Earth’s Flattening . . . . .	2-4
2.6 Reference Surfaces Used In Computing V&H Coordinates . . . . .	2-5
<b>3 NAD 27 vs NAD 83</b>	
3.1 Introduction . . . . .	3-1
3.2 Geodetic Datums . . . . .	3-1
3.2.1 National Geodetic Survey . . . . .	3-2
3.3 Transformations between Datums . . . . .	3-4
3.3.1 NADCON . . . . .	3-4
3.3.2 CORPSCON . . . . .	3-5
3.4 Commingling Position Data . . . . .	3-6
3.5 Input to Conversion Algorithm . . . . .	3-7

3.5.1 Latitude and Longitude to V&H Coordinates . . . . .	3-7
3.5.2 V&H Coordinates to Latitude and Longitude . . . . .	3-8
3.6 Impact of Change from NAD 27 To NAD 83 . . . . .	3-8

#### 4 V&H Coordinate Basics

4.1 Introduction . . . . .	4-1
4.2 Great Circles . . . . .	4-2
4.3 Radian Measure . . . . .	4-4
4.3.1 Conversion Factors . . . . .	4-5
4.3.2 Conversion of Degrees, Minutes, and Seconds to Decimal Degrees . . . . .	4-5
4.3.3 Jay K. Donald Method . . . . .	4-6
4.3.4 Calculation of “Seconds To Radians” Conversion Factor . . . . .	4-7
4.3.5 Summary of Conversion Factors . . . . .	4-7
4.3.6 Arc Length, Central Angle, and Radius . . . . .	4-7
4.4 XYZ Coordinates . . . . .	4-9
4.4.1 Definitions . . . . .	4-9
4.4.2 Naming Convention . . . . .	4-10
4.4.3 Latitude and Longitude to XYZ . . . . .	4-11
4.4.4 XYZ to Latitude and Longitude . . . . .	4-12

#### 5 Basic V&H Coordinates

5.1 Adjusted Latitude . . . . .	5-2
5.1.1 Operation . . . . .	5-2
5.1.2 Calculation . . . . .	5-2
5.1.3 Discussion . . . . .	5-3
5.2 Adjusted Longitude . . . . .	5-6
5.2.1 Operation . . . . .	5-6
5.2.2 Calculation . . . . .	5-6
5.2.3 Discussion . . . . .	5-7
5.3 XYZ Coordinates . . . . .	5-7
5.3.1 Operation . . . . .	5-7
5.3.2 Calculation . . . . .	5-8
5.3.3 Discussion . . . . .	5-8
5.4 East and West Reference Points . . . . .	5-10
5.4.1 Discussion . . . . .	5-10
5.5 Arcs PE and PW . . . . .	5-12
5.5.1 Operation . . . . .	5-12
5.5.2 Calculation . . . . .	5-12
5.5.2.1 XYZ Coordinate Data . . . . .	5-12
5.5.2.2 Formulas . . . . .	5-12
5.5.2.3 Calculation of Arcs PE and PW . . . . .	5-13
5.5.3 Discussion . . . . .	5-13
5.5.4 Dot Product Principles . . . . .	5-15
5.5.5 Calculations on a Unit Sphere . . . . .	5-15
5.5.6 Summary . . . . .	5-16
5.5.7 Programming Method . . . . .	5-18

5.5.8	Arccosine Function Not Available . . . . .	5-19
5.5.9	Overview of Alternate Calculation . . . . .	5-19
5.5.10	Details of Alternate Calculation . . . . .	5-21
5.5.11	Summary of Methods . . . . .	5-23
5.5.11.1	Arccosine Formulas . . . . .	5-23
5.5.11.2	Arctangent Formulas . . . . .	5-24
5.6	Calculation of Basic V & H Coordinates . . . . .	5-25
5.6.1	Operation . . . . .	5-25
5.6.2	Calculation . . . . .	5-26
5.6.3	Discussion . . . . .	5-26
5.7	Sign of the Basic V Coordinate . . . . .	5-30
5.7.1	Operation . . . . .	5-30
5.7.2	Calculation . . . . .	5-30
5.7.3	Discussion . . . . .	5-31
5.7.4	Calculation Principles . . . . .	5-32
5.7.5	Example . . . . .	5-34
5.7.6	Jay K. Donald Calculation . . . . .	5-34

## 6 Calculation of Final V&H Coordinates

6.1	Operation . . . . .	6-1
6.2	Calculation . . . . .	6-1
6.3	Discussion . . . . .	6-1
6.3.1	Rotation of the H and V Axes . . . . .	6-2
6.3.2	Conversion of Units from Radians as Measured on a Unit Sphere to V&H Units . . . . .	6-2
6.3.3	0.3% Reduction in Scale . . . . .	6-3
6.3.4	Inversion of the V Axis . . . . .	6-4
6.3.5	Translation of Axes (Shift of Origin) . . . . .	6-4

## 7 Distance Calculations

7.1	Length of a V&H Unit . . . . .	7-1
7.2	Rate Mileage Calculations . . . . .	7-1
7.2.1	Method 1 - "Short Calculation" . . . . .	7-2
7.2.2	Method 2 - "Long Calculation" . . . . .	7-2
7.3	Point to Point "Short Calculation" . . . . .	7-3
7.4	Message Telecommunications Service "Long Calculation" . . . . .	7-5
7.4.1	Sample MTS Distance Calculation . . . . .	7-6

## Appendix A: Overview - Latitude and Longitude to V&H Coordinates

A.1	Adjust Latitude and Longitude of Given Point . . . . .	Appendix A-1
A.2	Calculate XYZ Coordinates on Unit Sphere . . . . .	Appendix A-1
A.3	Calculate "Basic" V&H Coordinates . . . . .	Appendix A-2
A.4	Calculate "Final" V&H Coordinates . . . . .	Appendix A-2

## Appendix B: Flow Diagram - Conversion of Latitude & Longitude to V&H Coordinates

## Appendix C: Reference Surfaces Used In Converting Latitude & Longitude to V&H Coordinates

### Appendix D: Radian Measure

D.1 Introduction . . . . .	Appendix D-1
D.2 Conversion Factors . . . . .	Appendix D-2
D.3 Degrees to Radians Conversion Factor . . . . .	Appendix D-2
D.4 Example: Convert 45 Degrees to Radians . . . . .	Appendix D-3
D.5 Radians to Degrees Conversion Factor . . . . .	Appendix D-3
D.6 Example: Convert One (1) Radian to Degrees . . . . .	Appendix D-4

### Appendix E: Basic Plane Trigonometry

E.1 Basic Plane Trigonometry . . . . .	Appendix E-2
E.2 Graphs of Sin (X) and Cos (X) . . . . .	Appendix E-4
E.3 Radian, Sine, Cosine, and Tangent Values . . . . .	Appendix E-6

### Appendix F: Dot Product Principles

F.1 Derivation of the Algebraic Definition . . . . .	Appendix F-1
F.2 Derivation of the Geometric Definition . . . . .	Appendix F-3

### Appendix G: Adjusted Latitude

G.1 Analysis of Code Used for Computing "Adjusted" Latitude . . . . .	Appendix G-1
G.2 Formulas for Adjusted Latitude . . . . .	Appendix G-3

### Appendix H: Power Series Formula for Adjusted Latitude

H.1 Introduction . . . . .	Appendix H-1
H.2 Part 1: Length of Arc on Ellipse . . . . .	Appendix H-4
H.3 Part 2: Restatement of Important Term . . . . .	Appendix H-9
H.4 Part 3: Multiplication of $f$ Times $\alpha$ . . . . .	Appendix H-10
H.4 Part 3: Multiplication of $f$ Times $\beta$ . . . . .	Appendix H-11
H.4 Part 3: Multiplication of $f$ Times $\delta$ and $f$ Times $\gamma$ . . . . .	Appendix H-12
H.5 Part 4: Calculation of Power Series Formula . . . . .	Appendix H-13
H.6 Part 5: Calculation of Power Series Coefficients . . . . .	Appendix H-17
H.6.1 Final Calculations . . . . .	Appendix H-17

### Appendix I: Projections

I.1 Orthographic Projection . . . . .	Appendix I-1
I.2 Azimuthal Equidistant Projection . . . . .	Appendix I-3

## Appendix J: Point "S" XYZ Coordinates

## Appendix K: Adjustments

K.1	Rotation of Axes . . . . .	Appendix K-1
K.2	Conversion of Units . . . . .	Appendix K-3
K.2.1	Arc Length, Central Angle, and Radius . . . . .	Appendix K-3
K.2.2	Arc Length - Scale Changes . . . . .	Appendix K-4
K.2.3	Arc Length Scale Conversion Principle . . . . .	Appendix K-4
K.2.4	Example . . . . .	Appendix K-5
K.2.5	Application To V&H Coordinates . . . . .	Appendix K-6
K.3	Scale Adjustment . . . . .	Appendix K-8
K.4	Inversion of the V Axis . . . . .	Appendix K-9
K.5	Translation of Axes (Shift of Origin) . . . . .	Appendix K-10
K.5.1	Point Remains Stationary, Coordinate System Moves . . . . .	Appendix K-10
K.5.2	General Coordinate System Translation Formulas . . . . .	Appendix K-11
K.5.3	Application to V&H Coordinates . . . . .	Appendix K-11

## Appendix L: North American Datum Conversion NAD 27 to NAD 83 NADCON Program, Version 2.11

## Appendix M: What Kind of Miles?

M.1	Background . . . . .	Appendix M-1
-----	----------------------	--------------

## Appendix N: Bibliography

Note	. . . . .	Appendix N-3
To Contact Telcordia Customer Service or to Order Documents	. . . . .	Appendix N-3
To Order Documents From Within Telcordia (Employees Only)	. . . . .	Appendix N-3

## List of Figures

Figure 1-1	V&H Coordinate Grid . . . . .	1-2
Figure 2-1	Reference Surfaces . . . . .	2-1
Figure 3-1	Latitude & Longitude Input to J.K. Donald Algorithm . . . . .	3-7
Figure 3-2	Conversion of NAD 27 V&H Coordinates to Latitude & Longitude . . . . .	3-8
Figure 4-1	Great Circles . . . . .	4-3
Figure 4-2	Radian Measure . . . . .	4-4
Figure 4-3	Arc Length on a Unit Sphere . . . . .	4-5
Figure 4-4	Measurement of Arc Length . . . . .	4-8
Figure 4-5	XYZ Coordinate Definitions . . . . .	4-9
Figure 4-6	Latitude and Longitude to XYZ Coordinates . . . . .	4-11
Figure 5-1	Adjusted Latitude Principles . . . . .	5-3
Figure 5-2	Calculation of Adjusted Latitude . . . . .	5-4
Figure 5-3	Adjusted Longitude . . . . .	5-7
Figure 5-4	XYX Coordinates of the “ABC” Rate Center . . . . .	5-8
Figure 5-5	Overview — Transition from Unit Sphere to Plane . . . . .	5-9
Figure 5-6	East and West Reference Points . . . . .	5-11
Figure 5-7	Arcs PE and PW . . . . .	5-14
Figure 5-8	Arc Length Calculations . . . . .	5-17
Figure 5-9	Alternate Calculation of Arcs PE and PW – Overview . . . . .	5-19
Figure 5-10	Alternate Calculation of Arcs PE and PW – Details . . . . .	5-21
Figure 5-11	Overview – Basic V& H Coordinates . . . . .	5-27
Figure 5-12	Basic V&H Coordinates . . . . .	5-28
Figure 5-13	Basic V&H Coordinates – Negative H Value . . . . .	5-29
Figure 5-14	Sign of the Basic V Coordinate – Point “S” . . . . .	5-31
Figure 5-15	Sign of the Basic V Coordinate – Calculation Principles . . . . .	5-32
Figure 5-16	Sign of the Basic V Coordinate – Projection . . . . .	5-33
Figure 6-1	Summary - Conversion of “Basic V&H Coordinates” to “Final V&H Coordinates” . . . . .	6-5
Figure 6-2	Rotation and Translation Overview . . . . .	6-7
Figure D-1	Radian Measure Conversion Factors . . . . .	Appendix D-1
Figure E-1	Graphs of the Sine and Cosine Functions . . . . .	Appendix E-4
Figure F-1	Geometric Definition of the Dot Product . . . . .	Appendix F-3
Figure I-1	Orthographic Projections . . . . .	Appendix I-2
Figure I-2	Azimuthal Equidistant Projection . . . . .	Appendix I-4
Figure K-1	Rotation of Axes . . . . .	Appendix K-2
Figure K-2	Measurement of Arc Length . . . . .	Appendix K-3
Figure K-3	Inversion of the V Axis . . . . .	Appendix K-9
Figure K-4	Translation of Axes . . . . .	Appendix K-10

## List of Tables

Table 2-1	Representative List of Ellipsoids . . . . .	2-4
Table 3-1	NAD 27 and NAD 83 Datums . . . . .	3-1
Table 3-2	Impact of Change from NAD 27 to NAD 83 . . . . .	3-9