
Generic Requirements for Mechanized Power Room Operations Monitor (MPROM) with Remote Monitoring Capability

Contents

1. Introduction	1-1
1.1 Purpose and Scope.....	1-1
1.2 Reasons for Reissue.....	1-1
1.3 Organization	1-2
1.4 Requirements Terminology	1-2
2. General Information	2-1
2.1 General System Description	2-1
2.1.1 Central Unit	2-1
2.1.2 Computer-Related Peripherals.....	2-1
2.1.3 Data Acquisition and Control Peripherals.....	2-3
2.1.3.1 Real-Time Clock	2-3
2.1.3.2 Binary Input/Output Interface(s)	2-3
2.1.3.3 Analog Input Interface(s).....	2-3
2.1.4 Sensors.....	2-4
2.2 Multi-Processor Systems	2-4
2.3 Applications, Interfaces, and Operating Environment	2-4
2.3.1 Power Room Monitor Applications.....	2-4
2.3.2 Operating Environment	2-4
2.4 User-Configurable System.....	2-4
3. General Requirements	3-1
3.1 General Design Requirements	3-1
3.1.1 Fail-Safe Design	3-1
3.1.2 Open Architecture.....	3-1
3.2 Engineering, Installation, and Maintenance	3-1
3.2.1 Code Compliance	3-1
3.2.2 Fire Resistance.....	3-1
3.2.3 Environmental Requirements	3-2
3.2.4 Electromagnetic Interference (EMI).....	3-2
3.2.5 Grounding.....	3-2
3.2.6 Electrostatic Discharge (ESD).....	3-2

3.2.7	Electrical Isolation.....	3-2
3.2.7.1	AC Voltages	3-2
3.2.7.2	DC Voltages	3-3
3.2.8	Frame Current.....	3-3
3.2.9	Shipping Temperature and Humidity	3-3
3.2.10	Acoustical Noise.....	3-4
3.2.11	Protection and Hazards.....	3-4
3.2.12	Toxic Materials.....	3-4
3.2.13	Marking of Components.....	3-5
3.2.14	Replacement Parts	3-5
3.2.15	Nameplate.....	3-5
4.	Functional Requirements.....	4-1
4.1	General.....	4-1
4.2	Software and Firmware Requirements	4-1
4.2.1	Modularity	4-1
4.2.2	Security.....	4-1
4.2.3	Failure Detection.	4-1
4.3	Monitoring Functions	4-2
4.3.1	Site and Sense Point Identification	4-2
4.3.2	Input Ranges and Alarm Limits	4-2
4.3.3	Default Alarm Status	4-3
4.3.4	Date and Time Recording and Data Retention.....	4-4
4.3.4.1	General.....	4-4
4.3.4.2	Alarm Data	4-4
4.3.4.3	Operating (Analog) Data	4-4
4.3.4.4	Memory Retention.....	4-11
4.3.5	Alarm Routing	4-11
4.3.5.1	Interfaces with Existing Alarm Notification Systems.....	4-11
4.3.5.2	Dial-Out Notification Provisions.....	4-12
4.3.6	Power Room Status Indicator.....	4-12
4.3.7	Monitoring Accuracy.....	4-13
4.4	Input/Output Functions.....	4-14
4.4.1	Local Access.....	4-14
4.4.2	Remote Access	4-14
4.5	Command Language Requirements	4-15
4.5.1	Command Language Structure	4-15
4.5.2	Command Language Usage.....	4-16
4.5.3	Multi-Level Commands.....	4-17
4.5.4	Menu-Driven Operation	4-17
4.5.5	Data Communications	4-29

4.5.6	Interfacing with Existing Intelligent System Controllers	4-30
4.6	Interface Requirements for Mechanized Engineering, Inventory Record and Operations Systems.....	4-31
4.6.1	Hardware Requirements	4-31
4.6.2	Login Procedures.....	4-31
4.6.3	Data Communications with Mechanized Systems	4-33
4.6.3.1	FORMAT, SDUMP and FDUMP Commands	4-33
4.6.3.2	Data Structures	4-42
4.7	Interfaces with DC Plants with Microprocessor Controllers.....	4-44
4.7.1	Physical Interfaces.....	4-44
4.7.2	Operating Modes	4-44
4.7.3	Accessing DC Plant Operating and Historical Data.....	4-44
4.8	Interfaces with DC Plants without Microprocessor Controllers	4-46
4.8.1	Sampling DC Plant Operating Parameters	4-46
4.8.2	Monitoring DC Plant Status and Alarm Signals	4-46
4.8.3	DC Plant Operating History	4-48
4.8.3.1	Plant Configuration.....	4-49
4.8.3.2	Derived Plant Operating Data.....	4-49
4.8.3.3	Plant Alarm History.....	4-50
4.9	Interfaces with Converter Plants.....	4-50
4.9.1	Sampling Converter Plant Operating Parameters.....	4-50
4.9.2	Monitoring Converter Plant Status and Alarm Signals	4-50
4.9.3	Converter Plant Operating History	4-51
4.9.3.1	Plant Configuration.....	4-51
4.9.3.2	Derived Plant Operating Data.....	4-51
4.9.3.3	Plant Alarm History.....	4-52
4.10	Interfaces with Inverters and Uninterruptible Power Supplies	4-52
4.10.1	Sampling Inverter/UPS Plant Operating Parameters.....	4-52
4.10.2	Monitoring Inverter/UPS Plant Status and Alarm Signals	4-52
4.10.3	Inverter/UPS Plant Operating History	4-53
4.10.3.1	Plant Configuration.....	4-53
4.10.3.2	Derived Plant Operating Data.....	4-53
4.10.3.3	Plant Alarm History.....	4-53
4.11	Interfaces with Ringing, Tone, and Cadence Plants.....	4-54

4.11.1	Sampling Ringing, Tone, and Cadence Plant Operating Parameters	4-54
4.11.2	Monitoring Ringing, Tone, and Cadence Plant Status and Alarm Signals	4-54
4.11.3	Ringing, Tone, and Cadence Plant Operating History	4-55
4.11.3.1	Plant Configuration.....	4-55
4.11.3.2	Derived Plant Operating Data.....	4-55
4.11.3.3	Plant Alarm History.....	4-55
4.12	Interfaces with Engine-Alternator Standby AC Plants.....	4-55
4.12.1	Sampling Standby AC Plant Operating Parameters	4-55
4.12.2	Monitoring Standby AC Plant Status and Alarm Signals	4-56
4.12.2.1	Diesel and Gas Turbine Plants.....	4-56
4.12.2.2	Gas Turbine-Alternator Plants.....	4-57
4.12.2.3	Diesel Engine-Alternator Plants	4-58
4.12.3	Standby AC Plant Operating History	4-58
4.12.3.1	Plant Configuration.....	4-58
4.12.3.2	Derived Plant Operating Data.....	4-59
4.12.3.3	Plant Alarm History.....	4-59
4.13	Security	4-59
4.13.1	Local Access.....	4-59
4.13.2	Remote Access	4-60
4.13.3	Password Requirements.....	4-60
4.13.4	Other	4-60
5.	Physical Design Requirements	5-1
5.1	Enclosure and Mounting.....	5-1
5.2	Growth Capability	5-1
5.3	Shock and Vibration	5-2
5.4	Earthquake	5-2
5.5	Electrical Power.....	5-2
5.6	Maintainability	5-2
5.7	Handling	5-2
5.8	Cooling	5-3
5.9	Materials	5-3
5.10	Assembly Fire Resistance.....	5-3
5.11	Paint.....	5-3

5.12 Human Factors.....	5-3
6. Quality and Reliability Requirements.....	6-1
6.1 Quality Assurance Programs and Processes.....	6-1
6.1.1 Hardware Quality Assurance Plan.....	6-1
6.1.1.1 Samples.....	6-1
6.1.1.2 Quality Assurance Documentation.....	6-1
6.1.2 Software Quality Assurance Plan.....	6-1
6.2 Reliability.....	6-2
6.2.1 General.....	6-2
6.2.2 Clock Power.....	6-2
6.2.3 Status Indicator Test Function.....	6-2
6.2.4 MPROM Reliability.....	6-2
6.2.5 Display Reliability.....	6-2
6.2.6 Memory Retention.....	6-2
7. Documentation and Training Requirements.....	7-1
7.1 Documentation Requirements.....	7-1
7.2 Training Requirements.....	7-2
8. Test Requirements.....	8-1
8.1 General Requirements.....	8-1
8.2 Qualification Tests.....	8-1
8.3 Test Instrumentation.....	8-2
8.4 Growth and Replacement Modules.....	8-2
8.5 Plant History Database Entries.....	8-2
8.6 Failure Detection.....	8-2
8.7 Monitoring Functions.....	8-3
8.7.1 Detection and Alarm Limits.....	8-3
8.7.2 Inhibit Alarm Reporting.....	8-4
8.8 Power Room Status Indicators.....	8-4
8.9 Indicator Panel Devices.....	8-5
8.10 ORed Power Input.....	8-5
8.11 Clock Battery.....	8-5
8.12 Data Communications.....	8-5
8.12.1 Communications Port Requirements For Local Access.....	8-6

8.12.2 Communications Port Requirements For Remote Access	8-6
8.12.3 Local Access Devices	8-6
8.13 Interfacing with Existing Intelligent System Controllers.....	8-6
8.14 Interface Requirements for Mechanized Engineering and Inventory Systems	8-6
8.15 Security	8-7
8.16 Date and Time Recording.....	8-7
8.17 Power Room Status Indicator	8-7
8.18 Alarm Routing	8-7
8.19 Memory Retention	8-7
8.20 Plant Configuration, Plant Operating History, and Alarm Settings	8-8
8.21 Alarm and Status Indications.....	8-8
References	R-1
Glossary	G-1

List of Figures

Figure 2-1. Functional Elements of a Typical MPRM with Remote Monitoring Capability.....	2-3
Figure 4-1. Algorithm for Daily Peak Value of Measured Parameter.....	4-6
Figure 4-2. Algorithm for Minimum Daily Value of Measured Parameter	4-7
Figure 4-3. Algorithm for Highest Daily 1-Hour Average Value of Measured Parameter	4-8
Figure 4-4. Algorithm for Lowest Daily 1-Hour Average Value of Measured Parameter	4-9
Figure 4-5. Algorithm for High Monthly Average Value of Measured Parameter	4-10
Figure 4-6. Overview of Command Structure	4-19
Figure 4-7. Data Structures for Transfers between Mechanized Systems	4-43
Figure 4-8. MPRM Interfaces with DC Plants	4-45
Figure 7-1. Outline for User's Manual	7-3

List of Tables

Table 3-1. Electrical Isolation AC Test Voltages.....	3-3
Table 3-2. Electrical Isolation DC Test Voltages.....	3-4
Table 4-1. MPRM Minimum Input Voltages for Memory Retention	4-11
Table 4-2. Maximum Measurement Error for Each Monitored Parameter.....	4-13
Table 4-3. Attention Command Descriptions.....	4-20
Table 4-4. High-Level Command Description.....	4-21
Table 4-5. Standard-Level Command Descriptions	4-22

Table 4-5. Standard-Level Command Descriptions (Continued).....	4-23
Table 4-6. Low-Level Command Descriptions	4-24
Table 4-7. Examples of Command Sequences	4-25
Table 4-7. Examples of Command Sequences (Continued).....	4-26
Table 4-7. Examples of Command Sequences (Continued).....	4-27
Table 4-7. Examples of Command Sequences (Continued).....	4-28
Table 4-8. RS-232C Port Pin-Outs	4-29
Table 4-9. MPRoM Interface Commands and Data Format.....	4-34
Table 4-9. MPRoM Interface Commands and Data Format (Continued)	4-35
Table 4-10. Data Format for Microprocessor Controlled DC Plant	4-36
Table 4-11. MPRoM Data Format for SDUMP/FDUMP of DC Plants	4-37
Table 4-12. MPRoM Data Format for SDUMP and FDUMP of Converter Plants	4-38
Table 4-13. MPRoM Data Format for SDUMP/FDUMP of Inverter/UPS Plants	4-39
Table 4-14. MPRoM Data Format for SDUMP/FDUMP of Ringing Plants	4-40
Table 4-15. MPRoM Data Format for SDUMP/FDUMP of Standby AC Plants	4-41
Table 4-16. Data Gathering Requirements for DC Plants without Microprocessor Controllers.....	4-47
Table 4-17. DC Plant Alarms	4-48
