

---

# Generic Criteria For Basic Exchange Radio Systems

## Contents

1. Introduction.....	1-1
1.1 Purpose and Scope of Document .....	1-1
1.2 Updating.....	1-2
1.3 Terminology for Criteria .....	1-2
2. General System Description.....	2-1
2.1 System Characteristics .....	2-1
2.1.1 Minimum Number of Lines .....	2-1
2.1.2 Maximum Number of Lines.....	2-1
2.1.3 Minimum and Maximum Channels Between COT and RBS .....	2-1
2.1.4 Minimum and Maximum RF Channels .....	2-2
2.1.5 Speech Encoding Technique .....	2-2
2.1.6 Support Cable Pairs Recommended and Supported .....	2-2
2.2 COT.....	2-2
2.2.1 Number of Systems per Bay .....	2-2
2.3 RBS .....	2-3
2.3.1 Power Source .....	2-3
2.3.2 RBS Equipment Mountings .....	2-3
2.3.3 Number of RBSs per COT .....	2-3
2.4 RPT .....	2-3
2.4.1 Power Source .....	2-3
2.4.2 Equipment Mounting .....	2-3
2.4.3 Repeater Capabilities .....	2-4
2.5 RT.....	2-4
2.5.1 Power Source .....	2-4
2.5.2 RT Equipment Mountings.....	2-4
2.5.3 Number of RTs per COT and RBS .....	2-4
3. Applications .....	3-1
4. Service Requirements .....	4-1
4.1 BEXR Interfaces .....	4-1
4.2 Service Capabilities.....	4-1
4.3 Transmission Performance And Voice Quality .....	4-2
4.3.1 Speech Coder/Decoder Distortion .....	4-3
4.3.2 Coder/Decoder Delay And Echo Canceler .....	4-3
5. Spectrum Considerations .....	5-1
5.1 FCC Requirements.....	5-1
5.2 Frequency Plans .....	5-1

---

---

5.3	Adjacent Channel Requirements.....	5-1
5.4	Spectral Efficiency.....	5-1
6.	Network Interfaces - Introduction.....	6-1
6.1	Services Transmission And Supervision Criteria.....	6-1
6.1.1	Message Telephone Service.....	6-1
6.1.2	Single Party Message Telephone Service.....	6-1
6.1.2.1	Transmission.....	6-1
6.1.2.2	Signaling and Supervision.....	6-1
6.1.3	Two Party Message Telephone Service.....	6-2
6.1.3.1	Transmission.....	6-2
6.1.3.2	Signaling and Supervision.....	6-2
6.1.3.3	Ringing Signals Applied to COT.....	6-2
6.1.3.4	Alerting Signals.....	6-2
6.1.3.5	Emergency Break-In.....	6-3
6.1.3.6	Automatic Number Identification.....	6-3
6.1.3.7	Tip Party Ground Detection.....	6-3
6.1.3.8	COT Tip Party Ground Resistance.....	6-3
6.1.3.9	Tip Party Ground Timing.....	6-3
6.1.3.10	False Billing.....	6-4
6.1.4	Four-Party Coded Ringing Message Telephone Service.....	6-4
6.1.4.1	Transmission.....	6-4
6.1.4.2	Signaling And Supervision.....	6-4
6.1.4.3	Ringing Signal Applied to COT.....	6-4
6.1.4.4	Alerting Signals.....	6-4
6.1.4.5	Emergency Break-In.....	6-5
6.1.4.6	Ring Trip.....	6-5
6.1.4.7	Compatibility With Ringer Isolators.....	6-5
6.1.5	Digital Data Services - 2.4, 4.8, 9.6, and 56 Kb/s.....	6-5
6.1.6	Coin Telephone Service.....	6-5
6.1.6.1	Transmission.....	6-5
6.1.6.2	Signaling and Supervision.....	6-6
6.1.7	ISDN Basic Access.....	6-6
6.1.7.1	BEXR System Requirements for ISDN Basic Access.....	6-6
6.1.7.2	ISDN Basic Access Digital Subscriber Line.....	6-6
6.2	Digital Transmission Facility Interface.....	6-6
6.2.1	Transmission Facility Failure Protection.....	6-7
6.2.2	Digital Transmission Facility Maintenance.....	6-8
6.2.3	Metallic Cable Pair Interfaces.....	6-9
6.2.4	DS-1 Transmission Facility Interfaces.....	6-9
7.	Performance And Reliability.....	7-1
7.1	General.....	7-1
7.2	Performance.....	7-1
7.2.1	Background Bit-Error-Ratio.....	7-1

---

---

7.2.2	Sensitivity of BEXR System To Thermal Noise .....	7-2
7.2.3	System Gain .....	7-2
7.2.4	RF Interference .....	7-3
7.2.4.1	Cochannel Interference .....	7-3
7.2.4.2	Adjacent-Channel Interference .....	7-4
7.2.4.3	RF Filter and Radar Interference .....	7-5
7.2.5	Sensitivity To Anomalous Radio Propagation Conditions .....	7-5
7.2.6	Synchronization and Timing .....	7-6
7.2.7	System Failures .....	7-7
7.3	Reliability .....	7-7
7.3.1	Individual Subscriber Downtime .....	7-7
7.3.2	System Maintenance Rate .....	7-8
7.3.3	Hardware Reliability Predictions .....	7-8
7.3.4	Reliability Predictions - Availability .....	7-9
7.3.5	Reliability Predictions - Maintenance .....	7-9
7.4	Traffic And Blocking Probability .....	7-9
7.4.1	System Loading.....	7-10
7.4.1.1	Service Objective.....	7-10
7.4.1.2	Traffic Capacity .....	7-10
7.4.1.3	Call Rate Capacity .....	7-11
7.4.1.4	Partial Systems.....	7-11
7.4.1.5	Traffic Models .....	7-11
7.4.1.6	Load Balancing .....	7-11
7.4.2	Traffic Monitoring Capabilities .....	7-11
7.4.2.1	Traffic Load .....	7-11
7.4.2.2	Blocked Terminating Calls .....	7-12
7.4.2.3	Blocked Originating Calls .....	7-12
7.4.2.4	Time All-Channels-Busy .....	7-12
7.4.2.5	System Failures.....	7-12
7.4.2.6	Information For System Deloading .....	7-12
7.4.2.7	Remote Traffic Monitoring.....	7-13
7.4.2.8	Remote Traffic Register Reset.....	7-13
7.4.2.9	Protection of Traffic Data.....	7-13
7.4.2.10	Traffic Threshold Alarm.....	7-13
7.4.3	Blocked Call Treatment .....	7-13
7.4.4	Provision of Reorder Signal .....	7-13
7.4.5	Permanent Channel Assignments.....	7-14
7.4.6	Intra-System Switching .....	7-14
7.4.7	Sleeve Leads .....	7-15
7.4.8	Defective Channels .....	7-15
8.	Maintenance Capabilities .....	8-1
8.1	Alarms .....	8-1
8.2	Trouble Isolation Indicators .....	8-1
8.3	Alarm Classification.....	8-1

---

---

8.4	Alarms on Equipment .....	8-2
8.5	RBS Specific Alarms .....	8-2
8.5.1	RBS ac Power Failure .....	8-2
8.5.2	RBS Low Battery Voltage Alarm .....	8-2
8.5.3	Miscellaneous Alarms .....	8-2
8.6	RPT Specific Alarms.....	8-3
8.6.1	RPT ac Power Failure .....	8-3
8.6.2	RPT Low Battery Voltage Alarm .....	8-3
8.7	RT Specific Alarms.....	8-3
8.7.1	RT ac Power Failure .....	8-3
8.7.2	RT Low Battery Voltage Alarm.....	8-3
8.8	COT-RBS Transmission Facility Alarms and Performance Monitoring .....	8-4
8.8.1	Protection Line Method .....	8-4
8.8.2	Reassignment Method.....	8-4
8.8.3	Maintenance Activity .....	8-4
8.8.4	Performance Monitoring.....	8-4
8.9	Alarm Reporting to Operations Systems - COT .....	8-5
8.10	Alarm Reporting to Operations Systems - RBS.....	8-5
8.11	Operations Systems Interfaces .....	8-5
8.11.1	Existing Maintenance OS Interface .....	8-6
8.11.2	Forward-Looking Maintenance OS Interface .....	8-6
8.11.3	Conversion Between Maintenance OS Interfaces.....	8-6
8.12	Central Office Alarm System.....	8-6
8.13	Alarm Cutoff (ACO).....	8-7
8.14	Remote ACO.....	8-7
8.15	Circuit Maintenance.....	8-7
8.15.1	Circuit Test Compatibility .....	8-7
8.15.2	Locally Switched Circuit Test Access .....	8-8
8.16	Craft Interface Terminal Devices.....	8-8
8.17	Remote Circuit Provisioning.....	8-8
8.18	System Turn-Up.....	8-8
8.19	Line Unit Removal.....	8-8
8.20	Power Removal .....	8-9
8.21	Auxiliary Products .....	8-9
9.	Powering .....	9-1
9.1	General.....	9-1
9.1.1	Power Sources.....	9-1
9.1.2	Central Office Installation Requirements .....	9-1
9.1.3	Confined Installation Requirements.....	9-1
9.1.4	Dedicated Power Requirements .....	9-1
9.1.5	Generic Requirements for Centralized dc Power Systems .....	9-2
9.2	Centralized dc Power Systems .....	9-2
9.2.1	Voltage Limits.....	9-2
9.2.2	Electrical Noise .....	9-2

---

---

9.2.3	dc Distribution.....	9-3
9.2.4	Multiple Power Sources .....	9-3
9.2.5	Current Drain .....	9-3
9.3	ac Powered BEXR Equipment.....	9-4
9.3.1	Voltage and Frequency .....	9-4
9.3.2	ac Power Requirements.....	9-4
9.3.3	Replacement of ac Power Unit.....	9-4
9.3.4	Emergency Generator Connections .....	9-4
9.3.5	120 V ac Power Connection.....	9-5
9.4	Specialized Powering Systems.....	9-5
9.4.1	Battery Back-up .....	9-5
9.4.2	Battery Reserve Time.....	9-5
9.5	Battery Performance Criteria .....	9-6
9.5.1	RBS and RPT Battery Reserve Time .....	9-6
9.5.2	RT Battery Reserve Time .....	9-6
9.5.3	Battery Reserve With Options .....	9-6
9.5.4	Battery Reserve Time Demonstration.....	9-6
9.5.5	Battery Recharge Time .....	9-7
9.5.6	Two Hour Recharge .....	9-7
9.5.7	Battery Life .....	9-7
9.5.8	Battery Environment.....	9-7
9.5.9	Battery Maintenance .....	9-8
9.6	Battery Safety Requirements.....	9-8
9.6.1	Battery Gases .....	9-8
9.6.2	Vented Cells.....	9-8
9.6.3	Sealed Cells.....	9-8
9.7	Battery And Equipment Protection .....	9-8
9.7.1	High Voltage Protection.....	9-8
9.7.2	Power Source Outages .....	9-9
9.8	Automatic Restoral.....	9-9
9.9	Remote Low-Voltage Power Supplies .....	9-9
9.9.1	Low-Voltage ac Power Source .....	9-9
9.9.2	Low-Voltage dc Power Source .....	9-9
9.9.3	Protection .....	9-9
9.9.4	Low-Voltage Power Connection.....	9-10
10.	Physical Design and Human Factors .....	10-1
10.1	Physical Design.....	10-1
10.1.1	All BEXR Equipment .....	10-1
10.1.2	COT Equipment .....	10-1
10.1.3	Rack-Mounted RBS, RPT and RT Equipment. ....	10-2
10.1.4	Cabinet Housings .....	10-2
10.1.5	Additional BEXR System Criteria .....	10-2
10.2	Human Factors .....	10-2

---

---

11. Environmental Requirements.....	11-1
11.1 General .....	11-1
11.2 Temperature and Humidity .....	11-1
11.2.1 Rack Mounted Equipment in a Central Office Environment.....	11-1
11.2.2 Rack Mounted Equipment in an Uncontrolled Environment.....	11-1
11.2.3 Cabinet Mounted Equipment in an Uncontrolled Environment .....	11-1
11.3 Altitude.....	11-2
11.4 Heat Dissipation .....	11-2
11.5 Shock Criteria.....	11-2
11.6 Vibration Criteria .....	11-2
11.7 Earthquake Environment.....	11-3
11.8 Airborne Contaminants .....	11-3
11.9 Acoustical Noise .....	11-3
11.10 Electromagnetic Interference (EMI) .....	11-4
11.11 Electrostatic Discharge (ESD) .....	11-4
12. Electrical Safety, Electrical Environment And Grounding.....	12-1
12.1 Electrical Safety .....	12-1
12.2 Lightning And Power Faults .....	12-1
12.3 60 Hz Induction Effects .....	12-1
12.4 Grounding Plan .....	12-2
12.4.1 Isolated Grounding.....	12-2
12.4.2 Integrated Grounding .....	12-2
12.5 Grounding Of The Antenna System.....	12-2
12.6 Drop Electrical Protection.....	12-2
12.6.1 Electrical Protection of the Drop .....	12-2
12.6.2 Drop(s) Entering Dwelling/Structures .....	12-3
12.7 Inside Wiring Criteria .....	12-3
12.8 Dwelling/Structure Protector Grounding .....	12-3
12.9 Personnel Protection.....	12-3
12.9.1 Ground-Fault Protection .....	12-3
12.9.2 Power Disconnect .....	12-4
13. System Administration.....	13-1
13.1 Documentation .....	13-1
13.2 Equipment Space Planning .....	13-1
13.3 Task Oriented Practices.....	13-1
13.4 Personnel Training .....	13-2
13.5 Equipment Coding .....	13-2
13.6 Transmission Performance Information.....	13-2
13.7 Central Office Bridging Restrictions .....	13-2
13.8 Priority Lines.....	13-3
14. Glossary .....	14-1
REFERENCES .....	References-1

---

## List of Figures

Figure 1.	Basic Exchange Radio System .....	14-7
Figure 2.	Sensitivity Of Digital Radio To Thermal Noise .....	14-8
Figure 3.	Sensitivity Of Digital Radio To Cochannel Interference .....	14-9
Figure 4.	Digital Radio Performance At High Received Signal Level .....	14-10





## List of Tables

Table 1.	BETRS Frequency Plan in 150 MHz Band All frequencies are in MHz .....	14-4
Table 2.	BETRS Frequency Plan in 800 MHz Band .....	14-5
Table 3.	BETRS Frequency Plan in 800 MHz Band .....	14-6