

# Table of Contents

<b>Notice Of Disclaimer</b> . . . . .	iii
<b>List of Figures</b> . . . . .	viii
<b>1 Introduction</b>	
1.1 Purpose and Scope of Document . . . . .	1-1
1.2 Organization . . . . .	1-1
1.3 Reason for Reissue . . . . .	1-1
<b>2 General Information</b>	
2.1 Requirements and Objectives . . . . .	2-1
2.2 General Product Description . . . . .	2-1
2.3 Self-Supporting Optical Fiber Cable . . . . .	2-5
2.4 Fiber - Optical Characteristics . . . . .	2-5
2.4.1 Multimode Fibers . . . . .	2-5
2.4.2 Single-Mode Fibers . . . . .	2-5
2.5 Fiber - Mechanical Characteristics . . . . .	2-6
2.6 Upgrading to Meet Future Capacity Requirements . . . . .	2-7
2.7 Optical Fiber Compatibility . . . . .	2-7
<b>3 General Requirements</b>	
3.1 Cable Installation . . . . .	3-1
3.1.1 Cable Stringing Sags and Tensions . . . . .	3-1
3.2 Quality and Reliability Requirements . . . . .	3-1
3.2.1 Quality Assurance Program . . . . .	3-1
3.2.2 Documentation . . . . .	3-2
3.2.3 Manufacturing/Quality Program Analysis . . . . .	3-2
3.2.4 Quality Surveillance . . . . .	3-3
3.2.5 Process/Product Verification . . . . .	3-3
3.2.6 Initial Product Qualification/Periodic Requalification (IPQ/PR) . . . . .	3-4
<b>4 Requirements and Test Procedures for Optical Fiber</b>	
4.1 Fiber Materials . . . . .	4-1
4.1.1 Attenuation Coefficient . . . . .	4-2
4.1.2 Attenuation Variation with Wavelength . . . . .	4-3
4.1.3 Water Peak Requirement (Single-Mode Fiber) . . . . .	4-3
4.1.4 Attenuation Uniformity . . . . .	4-4
4.1.5 Chromatic Dispersion (Single-Mode Fiber) . . . . .	4-4
4.1.6 Multimode Fiber Bandwidth . . . . .	4-5
4.1.7 Cutoff Wavelength (Single-Mode Fiber) . . . . .	4-6
4.1.8 Mode Field Diameter (Single-Mode Fiber) . . . . .	4-7
4.2 Geometrical Requirements . . . . .	4-7
4.2.1 Multimode Optical Fibers . . . . .	4-7
4.2.2 Single-Mode Optical Fibers . . . . .	4-8
4.2.3 Parameters Common to Both Multimode and Single-Mode Fibers . . . . .	4-9

4.3	Fiber Mechanical Requirements . . . . .	4-10
4.3.1	Fiber Tensile Proof Test . . . . .	4-10
4.3.2	Fiber Macrobend . . . . .	4-10
4.3.3	Fiber Coating Strippability . . . . .	4-11
4.3.4	Tensile Strength of a Coated Fiber (Dynamic) . . . . .	4-12

## 5 Requirements and Test Procedures for Optical Cable

5.1	Cable Construction . . . . .	5-1
5.1.1	Continuity of Metallic Members . . . . .	5-1
5.1.2	Cable Core . . . . .	5-1
5.1.3	Number of Fibers Per Cable . . . . .	5-1
5.1.4	Number of Fibers Per Unit . . . . .	5-1
5.1.5	Number of Units Per Binder Group . . . . .	5-2
5.1.6	Unit and Binder Group Stranding . . . . .	5-2
5.1.7	Rip Cord(s) . . . . .	5-2
5.1.8	Spare Fibers . . . . .	5-3
5.1.9	Defective Fibers . . . . .	5-3
5.1.10	Self-Supporting Optical Fiber Breakout Cable . . . . .	5-3
5.1.11	Steel Messenger . . . . .	5-4
5.1.12	Fiber Reinforced Plastic (FRP) Messenger . . . . .	5-4
5.2	Cable Marking, Packaging, and Shipping . . . . .	5-4
5.2.1	Cable Marking . . . . .	5-4
5.2.2	Cable Remarking . . . . .	5-5
5.2.3	Identification Marking . . . . .	5-5
5.2.4	Length Markings . . . . .	5-5
5.2.5	Fiber, Unit and Binder Group Identification . . . . .	5-5
5.2.6	Cable Packaging . . . . .	5-7
5.2.7	Shipping Information . . . . .	5-7
5.2.8	Cable Reel . . . . .	5-8
5.3	Cable Materials . . . . .	5-8
5.3.1	Filling Compound Material . . . . .	5-8
5.3.2	Water Blocking Material . . . . .	5-9
5.3.3	Filling and Flooding Compound Flow . . . . .	5-10
5.3.4	Outside Jacket Material . . . . .	5-10
5.3.5	Cable Core Component Compatibility . . . . .	5-11
5.4	Outer Cable Jacket Requirements . . . . .	5-13
5.4.1	Outer Cable Jacket Thickness . . . . .	5-13
5.4.2	Outer Cable Jacket Web Thickness - Figure "8" Cable . . . . .	5-13
5.4.3	Outer Cable Jacket Tensile Strength and Ultimate Elongation . . . . .	5-14
5.4.4	Outer Cable Jacket Shrinkage . . . . .	5-14
5.4.5	Outer Cable Jacket Adhesion . . . . .	5-15
5.5	Mechanical Requirements . . . . .	5-16
5.5.1	Low and High Temperature Cable Bend . . . . .	5-17
5.5.2	Impact Resistance . . . . .	5-17
5.5.3	Compressive Strength . . . . .	5-18
5.5.4	Cable Tensile Loading . . . . .	5-19
5.5.5	Cable Twist . . . . .	5-20
5.5.6	Cable Galloping Test . . . . .	5-20
5.5.7	Aeolian Vibration Test . . . . .	5-22

5.6 Environmental Requirements . . . . .	5-24
5.6.1 Temperature Cycling . . . . .	5-24
5.6.2 Cable Freeing . . . . .	5-25
5.6.3 Resistance to Water Penetration . . . . .	5-26
5.6.4 Cable Aging . . . . .	5-26
5.6.5 Color Permanence . . . . .	5-27
5.6.6 Chemical Exposure . . . . .	5-27
5.7 Electrical Protection Requirements . . . . .	5-28
5.7.1 Current Carrying Capability of Metallic Members . . . . .	5-28

## 6 Manufacturing Program Analysis for Quality and Reliability

6.1 Introduction . . . . .	6-1
6.2 The Elements . . . . .	6-1
6.2.1 Management Commitment and Organization . . . . .	6-3
6.2.2 Documentation . . . . .	6-3
6.2.3 Control of Design Changes . . . . .	6-4
6.2.4 Control of Procured Material . . . . .	6-5
6.2.5 Manufacturing Processes . . . . .	6-5
6.2.6 In-Process Testing/Inspection . . . . .	6-6
6.2.7 Completed Item Testing/Inspection . . . . .	6-7
6.2.8 Equipment Calibration and Maintenance . . . . .	6-7
6.2.9 Control of Nonconforming Material . . . . .	6-8
6.2.10 Storage, Handling and Packaging . . . . .	6-9
6.2.11 Corrective Action Program . . . . .	6-9
6.2.12 Product Identification . . . . .	6-10
6.2.13 Initial Product Qualification/Periodic Requalification . . . . .	6-10
6.2.14 Quality Information . . . . .	6-11
6.2.15 Collection and Analysis of Field Performance Data . . . . .	6-11
6.2.16 Quality Improvement Program . . . . .	6-12

## Appendix A: References

A.1 Telcordia References . . . . .	A-1
Note . . . . .	1
To Contact Telcordia Customer Service or to Order Documents . . . . .	A-1
To Order Documents Online From the Telcordia Information SuperStore . . . . .	A-2
To Order Documents From Within Telcordia (Employees Only) . . . . .	A-2
For New Information on Telcordia Licensed Products . . . . .	A-2
To Request Telcordia Testing Services . . . . .	A-3
A.2 External References . . . . .	A-4

## Appendix B: Glossary

## Requirement-Object Index

## List of Figures

Figure 1	Armored Loose Tube Self-Supporting Cable (Figure "8") . . . . .	2-2
Figure 2	Non-Armored Loose Tube Self-Supporting Cable (Figure "8") . . . . .	2-3
Figure 3	Fiber Unit Self-Supporting Cable (Figure "8") . . . . .	2-3
Figure 4	Dielectric Loose Tube Self-Supporting Cable (Round) . . . . .	2-4
Figure 5	Dielectric Loose Tube Self-Supporting Cable (Figure "8") . . . . .	2-4
Figure 6	Jacket Adhesion Test . . . . .	5-16
Figure 7	Test Setup For Measuring Fiber Attenuation For Galloping And Aeolian Vibration Tests . . . . .	5-21
Figure 8	Cable Galloping Test Setup . . . . .	5-22
Figure 9	Aeolian Vibration Test Setup . . . . .	5-23