

---

## Section 7: Transmission

### Contents

1. Introduction.....	1-1
2. Switched Network Transmission Plan.....	2-1
2.1 Transmission Plan.....	2-1
2.1.1 Background.....	2-1
2.1.2 Operator Services System Transmission Plan.....	2-2
2.2 Quantizing Distortion Objectives.....	2-3
2.3 Digital Transmission.....	2-3
2.4 Bridging.....	2-4
2.4.1 Cross-Office Delay.....	2-4
2.4.2 Bridging Loss.....	2-4
2.4.3 Transmission Level at Bridge.....	2-4
3. Technology and Interfaces.....	3-1
3.1 Technology.....	3-1
3.2 Interfaces.....	3-1
4. Connections.....	4-1
5. Performance Requirements.....	5-1
5.1 Communication Link Requirements.....	5-2
5.2 Transmission Requirements for Voice Circuits.....	5-3
5.2.1 Measurement Conditions and Connections for Voice Circuits.....	5-3
5.2.2 Impedance.....	5-3
5.2.3 Loss.....	5-3
5.2.4 Loss Variability.....	5-4
5.2.5 Attenuation Distortion.....	5-4
5.2.6 Tracking Error.....	5-4
5.2.7 Delay.....	5-4
5.2.8 Noise.....	5-4
5.2.9 Crosstalk.....	5-5
5.2.10 Overload Compression.....	5-5
5.2.11 Talker Echo and Listener Echo.....	5-5
5.2.12 Longitudinal Balance.....	5-6
5.3 Analog Data Requirements.....	5-6
5.4 Digital Data Requirements.....	5-7
6. References.....	6-1
6.1 Bellcore Documents.....	6-1

6.2 Other References .....	6-2
7. Glossary .....	7-1

## List of Figures

Figure 2-1.	Basic Digital Transmission Plan.....	2-5
Figure 2-2.	Basic Analog Transmission Plan.....	2-6
Figure 2-3.	DMw Code .....	2-7
Figure 2-4.	Preferred Operator Services System Digital Interface Configuration .....	2-8
Figure 3-1.	Voice Transmission Path.....	3-2
Figure 5-1.	Frequency Response .....	5-8
Figure 5-2.	Overload Compression .....	5-9