

# Table of Contents

## 1 Introduction

- 1.1 Purpose and Scope of Document . . . . . 1-1
- 1.2 General Product Description . . . . . 1-1
- 1.3 General Requirements . . . . . 1-1
- 1.4 Organization . . . . . 1-1

## 2 General Information

- 2.1 General Description . . . . . 2-1

## 3 General Requirements

- 3.1 Analytical Procedures . . . . . 3-1
- 3.2 Marking, Packaging and Shipping . . . . . 3-1

## 4 Functional Design Criteria

- 4.1 Materials . . . . . 4-1
- 4.2 Fire Retardancy . . . . . 4-1
- 4.3 Test Equipment . . . . . 4-1
- 4.4 Protector Units . . . . . 4-1
  - 4.4.1 Personnel Safety . . . . . 4-1
  - 4.4.2 Protector Unit Configuration . . . . . 4-1
  - 4.4.3 Protector Unit Manipulation . . . . . 4-2
  - 4.4.4 Color Coding . . . . . 4-2

## 5 Electrical Requirements

- 5.1 Fusing Coordination . . . . . 5-1
- 5.2 Contact Resistance . . . . . 5-1
- 5.3 Dielectric Strength . . . . . 5-1
- 5.4 Sneak Current Protection . . . . . 5-2
- 5.5 Impulse Breakdown . . . . . 5-2
- 5.6 DC Breakdown . . . . . 5-2
- 5.7 Initial Insulation Resistance . . . . . 5-2
- 5.8 Capacitance Test . . . . . 5-3
- 5.9 Gap Integrity . . . . . 5-3
- 5.10 High Current Capability . . . . . 5-3
- 5.11 Heat Coil - Short Duration 60 Hz . . . . . 5-3
- 5.12 Heat Coil - Surge Test . . . . . 5-3

## 6 Mechanical/Environmental Requirements

- 6.1 High Temperature . . . . . 6-1
- 6.2 Temperature Cycling with Humidity . . . . . 6-1
- 6.3 Shock and Vibration . . . . . 6-1

## 7 Performance Verification/Test Procedures

- 7.1 General Test Procedures . . . . . 7-1

**8 Electrical Test Procedures**

8.1 Fusing Coordination . . . . . 8-1  
8.2 Contact Resistance Qualification Test . . . . . 8-2  
8.3 Dielectric Strength . . . . . 8-2  
8.4 Sneak Current Protection . . . . . 8-2  
8.5 Impulse Breakdown . . . . . 8-3  
8.6 DC Breakdown . . . . . 8-3  
8.7 Initial Insulation Resistance . . . . . 8-3  
8.8 Gap Integrity . . . . . 8-3  
8.9 High Current Capability . . . . . 8-4  
8.10 Heat Coil - Short Duration 60 Hz Test . . . . . 8-4  
8.11 Heat Coil - Surge Test . . . . . 8-5

**9 Mechanical/Environmental Test Procedures**

9.1 High Temperature . . . . . 9-1  
9.2 Temperature Cycling With Humidity . . . . . 9-1  
9.3 Shock and Vibration . . . . . 9-1

**10 Quality Assurance**

**Appendix A: References**

## List of Figures

Figure 10-1	Definition of Voltage Rate of Rise . . . . .	10-3
Figure 10-2	Definition of Double Exponential Waveform of Duration A/B Seconds . . . . .	10-4
Figure 10-3	Gap Integrity Conditions . . . . .	10-4
Figure 10-4	60 Hz Test Circuit . . . . .	10-5
Figure 10-5	Protector Unit Transportation Vibration Criteria . . . . .	10-6
Figure 10-6	Protector Unit Shock Test Conditions . . . . .	10-7
Figure 10-7	Temperature/Humidity Test Cycle . . . . .	10-8
Figure 10-8	Circuit for Temperature/Humidity Test . . . . .	10-9
Figure 10-9	Protector Unit Base and Pin Dimensions . . . . .	10-9